

Ricoh Flatbed Pro™ TF6250





Our compact, fast and flexible solution designed specifically for the sign and graphics sector

With speeds up to 116m2/h, our new Ricoh Pro TF6250 UV flatbed printer lets you tap into the profitable sign and graphics market by producing products fast and efficiently on substrates up to 11cm thick.

Industry-leading productivity and versatility helps you expand your client base with applications for emerging markets. This includes short-run packaging, promotional products, and industrial and interior décor.

Low operating costs, superb image quality and exceptional reliability enable you to go for ambitious growth plans fuelled by high-profit potential.

High performance. Highly versatile.

MODE	VARIATIONS			
Standard	C, M, Y, K, W, Cl, Pr			
Double White	C, M, Y, K, W, W			

Printing speeds up to 116m²/h

The Ricoh Pro TF6250 has industry-leading print speeds of up to 116m²/h in 4C draft mode and 48 m²/h in 4C standard mode. The 12 Gen.5 (MH54) series printheads in a three row staggered alignment ensure high productivity and superior image quality ideal for the most demanding production environments.

Value-added printing

With three different ink sets to choose from you can select the ideal ink type for your application, media and usage needs.

RICOH Pro UV Ink T7210

RICOH Pro UV Ink GP120

Superior Colour Gamut ink (Graphics)

• RICOH Pro UV Ink DG130

Versatile ink for high adhesion and

wide Colour Gamut ink

High adhesion ink (Industrial)





Practically unlimited application potential

Capable of printing on a wide variety of substrates and rigid media up to 11cm. Ideal for traditional Sign and Graphics applications or expand into emerging markets such as décor, packaging and promotional items.

Media versatility for greater profitability


- Maximum image area up to 2,500mm x 1,300mm
- Greenguard certified UV ink with low odour, ideal for indoor application
- Supports media up to 11cm thick
- Ricoh's specially formulated UV LED ink is flexible, has excellent adhesion and is cured instantly ready for immediate finishing and handling

2,500mm x 1,300mm

Up to 11cm media thickness

11cm

So reliable and easy to use



Vacuum lever switches

Multi zone vacuum system

4 independent vacuum zones support printing onto irregular, oddly shaped or multiple media pieces, eliminating the need for pre-masking.

Ioniser function

loniser function helps eliminate static, ensuring optimal jetting accuracy. This results in consistent image quality and productivity.





Front access maximises operator productivity

Located at the front of the system, the Ricoh Pro TF6250 provides operators easy access for managing supply levels of the ink tanks.

Media handling capabilities

- The registration pins allow you to accurately position media on the table, ensuring precise registration for double sided printing and accurate image placement
- The automated media height detection feature measures the media height and accurately position the printheads and carriage to the ideal printing position



Ricoh technology offering high durability



Highly reliable image quality

Ricoh inkjet print heads are made of stainless steel, designed to deliver day-one quality over years of reliable use. They feature 1,280 nozzles per printhead with a native resolution of 600dpi. The multidrop capability allows for 4 levels of grey scale ensuring precision printing for crisp detail, sharp accurate text, smooth graduations and life-like skin tones.

Easy and safe maintenance

- The automated cleaning station (or automated maintenance) simplifies daily operator routines to keep the print heads clean
- The crash detection sensor minimises media strikes and protects the printheads
- Ricoh's human sensor protects your operators from harm during the printer's operation





A cost effective solution

Ricoh's intelligent resource management and streamlined interface technology make short runs and one-off runs simple and cost effective. This helps boost return-on-investment for custom jobs. Whilst the LED lamps not only save energy, but are designed for long life and less downtime.

Ricoh white ink expands the ability of designers

- Ricoh's white ink gives more eye-catching results and expands your applications range
- Printing white ink as a foundation layer on transparent or colour materials helps retain the natural vividness of colours
- Three layered printing, which prints white ink between colours, shows images on both



Ricoh Pro TM TF6250. Everything you need to succeed.



Endless printing possibilities

- 1 Capacity for up to 11cm media thickness
- 2 Up to 116m²/h high productivity in 4C draft mode
- Integrated vacuum table with pin registration
- 4 Specially designed end guards have sensors for operational safety
- 5 Highly reliable Ricoh print heads
- 6 Energy saving LED lamps
- 7 Newly developed UV ink (Industrial, Sign & Graphics, Versatile)
- 8 Front access to maximise operator productivity

Our expertise and support in action

Like to see the difference our new Ricoh-developed flatbed printer and world leading inkjet technology could make to your business? Then come to the Ricoh Customer Experience Centre either in the UK or Japan.

It's where our Inkjet Technology Centre is based and where our scientists explore how technology can be optimised for a range of industrial applications including fluid compatibility and jetting characteristics, component application compatibility. They also offer expert technical support and guidance.

Here you can get your hands on advice and see live demonstrations of our innovative inkjet head and Piezo technology, the benefits of our UV curing versus the traditional Merco lamp, and much more.

If offers you the remarkable depth of support and care that you would expect from Ricoh - the company that has been at the forefront of inkjet technology innovation for some thirty years.



Information on Ricoh's Inkjet heads

Ricoh's inkjet capabilities

Ricoh is a major force in inkjet technology, having developed our own Piezo print heads, and has dedicated R&D laboratories in the EU and Japan to develop and improve these printing technologies.

Ricoh's inkjet capabilities are so well regarded that they have been used with partners in areas as diverse as Additive Manufacturing and textiles.

Ricoh also owns our AR latex and gel inks formula, which means that we can seamlessly integrate technology and consumables to optimise performance.



Ricoh Pro TF6250

SYSTEM SPECIFICATIONS

GENERAL

Model name: RICOH Pro TF6250 True flatbed Type: Print method: UV Inkjet

RICOH Gen.5 MH54SERIES Head type:

The number of inkjet heads: 12

Resolution: MAX: 635 x 1,800 dpi

Ink type: UV

Ink: CMYKW, Clear and Primer

Ink Variation: RICOH Pro UV ink T7210, GP120, DG130

Standard, Double White Ink Configuration:

Curing method: LED

CMYK and Clear 1 L for each Ink bottle capacity: White 850 ml / 900 ml

> Primer 1 L

Ink tank capacity of Machine: 2.5 L

Media: Rigid materials : ACRYLIC, PETG, PC,

PVC, GLASS, ALUMINIUM, STEEL, WOOD, MDF

Max printing size (W x D): 2,500 x 1,300 mm

Media Max size 2,510 x 1,310 mm

Thickness 110 mm Weight 45 kg/m² Roll option N/A

Interface: USB 3.0

Colour Rips SAi PhotoPRINT DX

4,812 mm Dimensions: Width

> Depth 2.200 mm 1,580 mm Height

Weight: Less than 1,500 kg Vacuum area: Up to 4 sections

Power Supply: EMEA/Asia 20Amp 3-phase 4wire 380-415V

NA/JPN 30Amp 3-phase 4wire 200-240V

PRINT SPEED

Mode			RICOH Pro UV Ink Bottle T7210	RICOH Pro UV Ink Bottle GP120	RICOH Pro UV Ink Bottle DG130
Standard	4C	Draft	116 m²/h	116 m²/h	116 m²/h
		Production	64 m²/h	64 m²/h	64 m²/h
		Standard	48 m²/h	48 m²/h	48 m²/h
		Quality	32 m²/h	32 m²/h	32 m²/h
		High Quality	16 m²/h	16 m²/h	16 m²/h
	4C + W	Draft	-	-	-
		Production	30 m²/h	30 m²/h	30 m²/h
		Standard	15 m²/h	15 m²/h	15 m²/h
		Quality	10 m²/h	10 m²/h	10 m²/h
		High Quality	6 m²/h	6 m²/h	6 m²/h
Double White	4C	Draft	-	116 m²/h	116 m²/h
		Production	-	64 m²/h	64 m²/h
		Standard	-	48 m²/h	48 m²/h
		Quality	-	32 m²/h	32 m²/h
		High Quality	-	16 m²/h	16 m²/h
	4C + W	Draft	-	-	-
		Production	-	40 m²/h	40 m²/h
		Standard	-	20 m²/h	20 m²/h
		Quality	-	13 m²/h	13 m²/h
		High Quality	-	10 m²/h	10 m²/h

PC SPECIFICATIONS - PRINT CONTROL SOFTWARE

Operating systems Microsoft Windows 7 (Professional, Enterprise,

64 bit recommended Ultimate)

> Microsoft Windows 8 (Pro, Enterprise) Microsoft Windows 10 (Pro, Enterprise) Microsoft Windows Server 2008 R2 Microsoft Windows Server 2012 Microsoft Windows Server 2016

(Apple Mac OS X 10.5.2 or later with Parallels

Desktop 4.0 or later for Mac)

Minimum hardware CPU: Dual Core2GHz or later

RAM: > RAM 4GB requirements: Free disk space: 10GB

HDD more than 500GB Display resolution: 1280 x 1024

Recommended for CPU: Intel i5/AMD Dual-Core 2GHz+

using one printer: RAM: ≥ 8GB

Free disk space: 40GB

Display resolution: 1280 x 1024

CPU: Intel i7/AMD Ryzen 5/7 3GHz+ Recommended for

using multiply printers: RAM: ≥ 16GB

Free disk space: 80GB SSD Display resolution: 1280 x 1024

Installation and operation: USB port 1, DVD drive is required, LAN adapter,

TCP/IP for network access required

Interfaces: Parallel, Ethernet, TCP/IP, USB, Serial,

FireWire, TWAIN

RIP - AND PRINTING SOFTWARE

ColorGATE Productionserver (PS) (Professional and advanced colour management - in bundle with mainframe)

Features: High-quality modular components

Optimal color rendering

Consistency of reproduction at any time

Maximum productivity

Intuitive control concept and user interface Utilizes the latest Adobe PDF print engine

- Product appearance and specifications may be changed without prior notice for improvement purposes.
- The actual colour of the product may vary from the pictures.
- Windows are either registered trademarks or trademarks of Microsoft Corp. in the United States and/or other countries.
- Intel are trademarks of Intel Corporation in the United States and/or other countries.
- Company and product names are trademarks or registered trademarks of their respective companies.
- Please contact your sales representative for details on performance, specifications, and restricting conditions, etc.











The facts and figures shown in this brochure relate to specific business cases. Individual circumstances may produce different results. All company, brand, product and service names are the property of and are registered trademarks of their respective owners. Copyright © 2019 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/ or incorporated into other works without the prior written permission of Ricoh Europe PLC.