

#### DATASHEET / BROCHURE





# Improve document workflow processes with this reliable A4 network-ready departmental scanner

Engineered to integrate seamlessly into document management systems, this networked document scanner ensures heavy-duty scanning jobs are performed quickly, efficiently & effortlessly.

The Epson WorkForce DS-7500N can handle large batches of documents in a single go, quickly and efficiently. With a scanning speed up to 40ppm/80ipm, this departmental scanner ensures fast and trouble-free scanning due to a 100page ADF, one-pass duplex scanning, and Double Feed Detection.

Epson Document Capture Pro makes it easy to integrate high-speed scanning into your document management system, speeding up workflow and enabling users to capture, convert and distribute scanned information in virtually any document repository or document management system.

The scanner and its features can be shared between multiple users using the built-in Network Interface Panel. Combined with Document Capture Pro, the Network Interface Panel allows users to benefit from Push Scan features and customise 'scan to' job functions, such as 'scan to email' or 'scan to Microsoft SharePoint®', among others\*2. You can also benefit from its optional Push Scan features to increase productivity. These features enable complicated tasks to be carried out effortlessly, increasing users' acceptance and eliminating training requirements.

Epson ReadyScan LED technology eradicates warm-up time, guarantees an absence of mercury, and lowers power consumption. These elements create an environment friendly device for your office workspace.

### **KEY FEATURES**

- High speed scanner Scan up to 40ppm/80ipm
- High capacity ADF 100-page ADF capacity
- Hassle-free **Double Feed Detection** Network-readv
- Network Interface Panel • Push Scan features
- Simple one-touch scanning\*1







## PRODUCT SPECIFICATIONS

TECHNOLOGY	
Scanner Type	Flatbed Scanner, Sheetfed Scanner
Optical Resolution	1,200 DPI x 1,200 DPI (Horizontal x Vertical)
ADF Minimum Document Size	e 100 mm x 148 mm (Horizontal x Vertical)
ADF Maximum Document Size	e216 mm x 1,016 mm (Horizontal x Vertical)
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, Letter, Legal, Executive
Scanning color depth	Input: 48 Bits Color / 16 Bits Monochrome , Output: 24 Bits Color / 8 Bits Monochrome
Ultrasonic Sensor	Yes
Category	Network & Wifi, High Capacity, General Office
SCANNER	
Light Source	ReadyScan LED technology
LCD Display	Epson Network Interface Panel
SCAN SPEED	
Scanning Speed	Monochrome: 40 pages/min - Color: 40 pages/min measured with Size: A4 , Resolution: 200 /
	300 dpi, Monochrome: 80 image/min - Color: 80 image/min measured with Size: A4,
	Resolution: 200 / 300 dpi
PAPER / MEDIA HANDLING	
Paper Setting Capacity	100 Sheets
Paper weight	Auto loading: 50 - 128 g/m <sup>2</sup>
Reliability Daily Duty Cycle	4,000 pages
Automatic Document Feed	100 pages
Duplex Scan	Yes
SCANNING FEATURES	
Features	Skip blank page, Pre-defined scanning settings, Automatic area segmentation, Automatic de-
	skew, Automatic B/W colour original detection, Dual Image Output (Windows only), Auto-
	rotation, Text enhancement, Edge fill, Advanced cropping feature for Auto size, Unsharp Mash
	(USM), Descreening
Output formats	JPEG, TIFF, multi-TIFF, PDF, PDF / batch, searchable PDF, secure PDF, PDF/A
File compression features	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression
Advanced document	Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web
integration	folders, Scan to Network folders
CONNECTIVITY	
Interfaces	Ethernet interface (100 Base-TX / 10 Base-T)
Network Interface Panel /	Built-in
Unit	
Ethernet settings	10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex
Panel type	5-line LCD with Push Scan features
Protocol support	TCP/IP, DHCP, DNS, SNMP, SLP
IPv6 support	Yes
IF VU SUPPOIL	165
Push scan features	Yes (with Document Capture Pro solutions)

#### WorkForce DS-7500N

# WHAT'S IN THE BOX

- Main unit
- Power cable
- Setup guide
- Software (CD)
- USB cable
- User manual (CD)
- Warranty document
- Epson Network Interface Panel



### PRODUCT SPECIFICATIONS

GENERAL

Drivers Included Software

Systems

Options OTHER Warranty

Supply Voltage

Product weight

Product dimensions

Compatible Operating

Power consumption Supported Humidity

Supported Temperature

WorkForce DS-7500N

## WHAT'S IN THE BOX

- Main unit
- Power cable
- Setup guide
- Software (CD)
- USB cable
- User manual (CD)
- Warranty document
- Epson Network Interface Panel

Roller Assembly Kit 12 months On-site service

10.28 kg

Optional warranty extension available

AC 100 V - 240 V, 50 Hz - 60 Hz

TWAIN, WIA, ISIS (Web download)

495 x 360 x 217 mm (Width x Depth x Height)

download), Epson Event Manager (Mac Only), Epson Scan

49 Watt, 15.5 Watt (economy), 4.8 Watt (standby)

Operation 10% - 80%, Storage 10% - 85%

Operation 5° C - 35° C, Storage -25° C - 60° C

Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free

Citrix XenApp 5.0, Citrix XenApp 6.0, Mac OS 10.4.11 or later (Epson Scan Only), Presentation Server 4.5, Terminal Service, Windows 7, Windows 7 x64, Windows 8, Windows 8.1, Windows

Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows

Vista, Windows Vista x64, Windows XP, Windows XP x64, Windows Server 2003 R2



### **OPTIONAL ACCESSORIES**

- Roller Assembly Kit
- B12B813481
- Cleaning Kit B12B819291

## LOGISTICS INFORMATION

ѕки	B11B205331BU
EAN code	8715946510866
Country of Origin	China
Layer	2 Units

WorkForce DS-7500N



For more information please contact: Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate.

Web: www.epson.co.uk www.epson.ie 1. Scan-to email, FTP, SharePoint, print, web folders, network folders, Google Docs

**EPSON**<sup>°</sup>

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.