

## Taking professional colour printing to the next level



PRINT



Print up to 40 pages per minute  
2-sided print, up to 28 images per minute  
8.76cm Colour Touchscreen LCD  
Integrated NFC reader  
520 Sheet paper input tray expandable up to 2,600  
9,000 pages (BK), 6,500 pages (CMY) inbox toners\*

Trade Price

HL-L9430CDN

€ 449.86 ex vat



PRINT



Print up to 40 pages per minute  
2-sided print, up to 40 images per minute  
8.76cm Colour Touchscreen LCD  
Integrated NFC reader  
Expanded external print storage  
520 Sheet paper input tray expandable to 2,600  
12,000 pages (BK), 9,000 pages (CMY) inbox toners\*  
Product Upgrades Secure Print Plus, Barcode Print Plus

Trade Price

HL-L9470CDN

€ 557.76 ex vat



PRINT



COPY



SCAN



FAX



Print up to 40 pages per minute  
2-sided print, up to 28 images per minute  
17.6cm Colour Touchscreen LCD  
Integrated NFC reader  
100 sheets Automatic Document Feeder (ADF)  
2-sided scan up to 100 images per minute Colour and Mono  
520 Sheet paper input tray expandable to 2,600  
9,000 pages (BK), 6,500 pages (CMY) inbox toners\*

Trade Price

MFC-L9630CDN

€ 921.30 ex vat



PRINT



COPY



SCAN



FAX



Print up to 40 pages per minute  
2-sided print, up to 40 images per minute  
17.6cm Colour Touchscreen LCD  
Integrated NFC reader  
Expanded external print storage  
100 sheets Automatic Document Feeder (ADF)  
2-sided scan up to 100 images per minute Colour and Mono  
520 Sheet paper input tray expandable to 2,600  
12,000 pages (BK), 9,000 pages (CMY) inbox toners\*  
Product Upgrades Secure Print Plus, Barcode Print Plus  
Dedicated user shortcuts on home screen

Trade Price

MFC-L9670CDN

€ 1074.85 ex vat

# Specification and Features

- MFC-L9670CDN
- MFC-L9630CDN
- HL-L9470CDN
- HL-L9430CDN

	<b>General</b>
	8.76cm Colour Touchscreen LCD
	17.6cm Colour Touchscreen LCD
	USB 2.0, USB 2.0 Host (Front   Rear) <sup>5</sup> , GigE (10Base-T/100Base-TX/1000Base-T), Wireless <sup>2</sup> 2.4GHz/IEEE 802.11b/g/n 5GHz/IEEE 802.11a/n, Wi-Fi Direct™
	Telephone Line port, External Telephone Answering Device port (TAD)
	Memory 2GB Internal
	Memory 1GB Internal
	Integrated NFC Reader
	<b>Print</b> <sup>8,9</sup>
	Up to 40ppm (pages per minute) mono & colour up to 2,400dpi (2,400 x 600dpi)
	Up to 28 sides per minute (14 sheets per minute) 2-sided colour/mono
	Up to 12,000 pages recommended monthly print volume
	Up to 40 sides per minute (20 sheets per minute) 2-sided colour/mono
	Up to 15,000 pages recommended monthly print volume
	PCL5e, PCL5c, PCL6 (PCL XL Class3.0), BR-Script3, PDF Version 1.7, XPS Version 1.0
	<b>Scan</b> <sup>10</sup>
	Up to 100 ipm (images per minute) colour and mono 2-Sided Scan
	Up to 600 x 600dpi (dots per inch) optical scan resolution
	Supported file formats including PDF (single, multi, searchable <sup>4</sup> , Secured, Signed, PDF/A-1b), TIFF, JPEG, (Greyscale/Colour)
	Scan to File <sup>4</sup> , email <sup>4</sup> , OCR <sup>4</sup> , Image <sup>4</sup> , USB flash drive, Direct Scan to PC
	Scan to 25 network folder (SMB) <sup>3</sup> and FTP, SFTP locations, Email Server, 64 touch screen shortcuts, SharePoint, Document Separation
	<b>Copy</b> <sup>11</sup>
	Up to 40 cpm (copies per minute) colour/mono up to 600 x 600dpi
	Automatic 2-sided Copy
	<b>Fax</b>
	33.6kbps Super G3
	Automatic 2-sided Fax Send   Receive
	<b>Mobile &amp; Web Connectivity</b>
	Mobile Print - Mobile Connect, Brother print Service Plugin <sup>4</sup> , Apple AirPrint, Mopria
	Download to print and upload from scan and fax <sup>12</sup> for Box, SharePoint Online, Dropbox, Evernote, OneDrive, Google Drive™, OneNote
	Download to print <sup>12</sup> for Box, SharePoint Online, Dropbox, Evernote, OneDrive, Google Drive™, OneNote
	<b>Solutions</b>
	Dedicated UI
	Secure Print Plus <sup>7</sup> , Barcode Print Plus
	Cloud Secure Print <sup>12</sup> , BSI (Brother Solutions Interface)
MFC-L9670CDN	• • • • •
MFC-L9630CDN	• • • • •
HL-L9470CDN	• • • • •
HL-L9430CDN	• • • • •

Continued on the next page

MFC-L9670CDN  
MFC-L9630CDN  
HL-L9470CDN  
HL-L9430CDN

# Specification and Features

	Paper Handling <sup>1</sup>
	Standard Input Tray - 520 Sheets, Multi Purpose Tray - 100 Sheets, 15 Envelopes, Media Weights Standard (Tray 1) Multi Purpose Tray 60 - 230gsm, Optional (Trays 2-5) 64 - 105gsm
	Output Tray - Face down 250 sheets face down, 1 sheet face up (Straight Path)
	Automatic Document Feeder (ADF) - 100 Sheets, Media Weights 45 - 120gsm
	Optional Stapler Finisher (offset stacker stapler) 500 sheets face down, Optional Mailbox 400 sheets
	Supplies <sup>9</sup> and Accessories
	Inbox Toner 12,000 pages (BK) 9,000 pages CMY
	Inbox Toner 9,000 pages (BK) 6,500 pages CMY
	High Yield Toner: TN821XL 1 x 12,000 pages (BK) 3 x 9,000 pages (CMY)
	Super High Yield Toner: TN821XXL 1 x 15,000 pages (BK) 3 x 12,000 pages (CMY)
	Drum Unit - (DR821CL) Approx 100,000 pages at 3 pages per job
	Belt - (BU800CL) Approx. 150,000 pages at 2 pages per job
	Waste Toner Box (WT800CL) Approx 100,000 pages
	Optional Accessories - Paper Trays <sup>6</sup> - 250 sheet tray (LT-330CL), 500 sheet tray (LT-340CL), 4 x 520 sheet tower tray (TT-4000), Tower Tray Connector (TC-4100), CH-1000 External NFC Card reader holder, Wi-Fi Module (NC-9000w)
	Optional Product Upgrades <sup>12</sup>
	Secure Print Plus <sup>7</sup> , Barcode Print Plus
	Brother ThinPrint Client, Remote Panel, Request Help, Order Supplies, Barcode Utility, Custom UI
	Order Supplies, Request Help, Remote Panel, Brother ThinPrint Client

- 1 Calculated with 80gsm sheets of paper
- 2 Optional Wireless module required, 5Ghz may not be available in your region
- 3 Windows only
- 4 Requires Brother Software, free download from the Brother Solutions Centre <http://solutions.brother.com>
- 5 Third Party USB hubs not supported
- 6 Maximum of 3 optional LT-330CL or 2 optional LT-340CL or 1 x LT-330CL together with 1 x LT-340CL or 4 x 500 sheet tower tray (TT-4000 and TC-4100)
- 7 When using macOS - AirPrint only
- 8 Based on ISO/IEC 24734
- 9 Approx declared toner yield value in accordance with ISO/IEC 19798
- 10 Based on ISO/IEC 17991
- 11 Based on ISO/IEC 24735
- 12 Requires an Internet connection and additional activation