

Digital colour multifunction printers



☑ Printer ☑ Copier ☑ Scanner ☑ Fax 100 . 200 A40 



IM C2510

25 ppr

IM C4510(A)

IM C3010(A)

IM C5510A



IM C6010

# Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and workflow automation.





## Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

#### A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

#### More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

#### More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

## Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with endto-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

#### **Ongoing security**

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.

### More security – Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.

#### Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.







# Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates workflows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

#### **Third-generation Smart Operation Panel**

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.

#### Improved user experience

- · Android OS 10 for better security and usability
- Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility & new capacitive touch sensor
- Fast wake up time from sleep mode

### Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.







# Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

#### Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a workflow is now simpler with Ricoh's software.

#### Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.

### Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.





## The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

#### IM C2010/IM C2010A/IM C2510

- 20 to 25 ppm A3 all-in-one printer for all-round support
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

#### IM C3010/IM C3010A/IM C3510/IM C3510A


- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- · Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation): 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

#### IM C4510/IM C4510A/IM C5510A/IM C6010

- Productive 45 to 60 ppm A3 all-in-one printer for top performance
- · Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Super fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.62 (55ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/726 W (55ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



## Hardware configuration



## IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

	IM C2010(A)	IM C2510	IM C3010(A)	IM C3510(A)	IM C4510(A)	IM C5510A	IM C6010	
GENERAL								
Warm-up time First copy speed: B/W First copy speed: full colour	24 seconds 5.1 seconds 7.4 seconds	24 seconds 5.1 seconds 7.4 seconds	24 seconds 4.5 seconds 6.9 seconds	24 seconds 4.5 seconds 6.9 seconds	23 seconds 3.6 seconds 5.4 seconds	23 seconds 2.9 seconds 4.2 seconds	23 second 2.9 second 4.2 second	
Continuous output speed Memory: standard	20 ppm 6 GB	25 ppm 6 GB	30 ppm 8 GB	35 ppm 8 GB	45 ppm 8 GB	55 ppm 8 GB	60 ppm 8 GB	
Aemory: maximum SSD: standard	6 GB	6 GB	8 GB	8 GB 256 GB	8 GB	8 GB	8 GB	
SSD: optional IDD: optional	1 TB 320 GB							
RDF capacity	100 sheets	100 sheets	100 sheets	100 sheets	100 sheets	-	-	
PDF capacity Veight ARDF model (kg)	220 sheets 89.7	- 89.7	220 sheets 92.9	220 sheets 92.9	220 sheets 94.4	220 sheets	220 sheet -	
Veight SPDF model (kg) limensions ARDF model: VxDxH	96.1	-	99.3	99.3 587 x 701 x 913 mr	100.8 n	100.8	100.8	
Dimensions SPDF model: VxDxH	587 x 701 x 963 mm							
Power source	220 - 240 V, 50 - 60 Hz							
OPIER								
Aultiple copying Resolution				Up to 999 copies 600 dpi				
Zoom		From 25% to 400% in 1% steps						
PRINTER								
irst print speed: B/W irst print speed: full colour	4.5 seconds 7 seconds	4.5 seconds 7 seconds	4 seconds 6.6 seconds	4 seconds 6.6 seconds	3.2 seconds 5.2 seconds	2.5 seconds 3.8 seconds	2.4 second 3.8 second	
PU (IM C2010(A), IM C2510, M C3010(A), IM C3510(A))	ApolloLake E3930 1.3 GHz							
rinter language: standard	PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation)							
rinter language: option rint resolution: maximum	Genuine Adobe® PostScript®3™, XPS, PictBridge, PDF Direct from Adobe® 4,800 x 1,200 dpi equivalent							
etwork interface: standard	Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host I/F Type A, USB Device I/F Type B							
etwork interface: option	Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2nd port)							
lobile printing capability /indows® environments	Apple AirPrint, Mopria®, Ricoh Smart Device Connector Windows® 8.1, Windows® 10, Windows® 11, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019,							
lac OS environments	Windows® Server 2022 Macintosh OS X v10.15 or later							
INIX environments	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux Enterprise, IBM® AIX							
AP® environments	SAP® R/3®, SAP® S/4®							
other supported environments				IBM iSeries				
CANNER				80 ipm (200/300 dp	i)			
3/W full colour) Scanning speed: SPDF (A4 LEF,	150 ipm (simplex)/300 ipm (duplex)							
00dpi, B/W full colour) Resolution: maximum	1,200 dpi							
ile formats	Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFI Multi page PDF, Multi page High compression PDF, Multi page PDF/A, Single page Encryption PDF, Multi page Encryption PDF Single/multi OCR (optional)							
Scan modes				E-mail, Folder, USI	,			
AX								
ircuit	PSTN, PBX							
ransmission speed lodem speed: maximum	seconds							
esolution: standard	Kbps 8x3.85 line/mm 200x100 dni							
Resolution: option	8x3.85 line/mm, 200x100 dpi 16x15.4 line/mm, 400x400 dpi							
Compression method				MH, MR, MMR, JBI				
canning speed (A4 LEF): ARDF				68 spm				
Scanning speed (A4 LEF): SPDF								
lemory: standard	4 MB, (320 pages)							
Memory: maximum			6	60 MB, (4,800 page	s)			

### IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

	IM C2010(A)	IM C2510	IM C3010(A)	IM C3510(A)	IM C4510(A)	IM C5510A	IM C6010		
PAPER HANDLING									
Recommended paper size	Standard paper tray(s) : SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s) : SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray : SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper								
Paper input: standard				1,200 sheets					
Paper input: maximum	2,300 sheets	2,300 sheets	4,700 sheets						
Paper output: standard				500 sheets					
Paper output: max. (IM C2010(A), IM C2510, IM C3010(A), IM C3510(A))				1,625 sheets					
Paper output: max. (IM C4510(A), IM C5510A, IM C6010)				3,625 sheets					
Paper weight : Trays	60 - 300 g/m <sup>2</sup>	60 - 300 g/m <sup>2</sup>	60 - 300 g/m <sup>2</sup>	60 - 300 g/m <sup>2</sup>	60 - 300 g/m <sup>2</sup>	60 - 300 g/m²	60 - 300 g/m²		
Paper weight : Bypass	52 - 300 g/m <sup>2</sup>	52 - 300 g/m <sup>2</sup>	52 - 300 g/m <sup>2</sup>	52 - 300 g/m <sup>2</sup>	52 - 300 g/m <sup>2</sup>	52 - 300 g/m <sup>2</sup>	52 - 300 g/m <sup>2</sup>		
Paper weight : Duplex	52 - 169 g/m <sup>2</sup>	52 - 169 g/m <sup>2</sup>	52 - 256 g/m <sup>2</sup>						
Paper types	Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coa Envelope, Gloss paper, Label paper								

ECOLOGY

Power consumption: max. Power consumption operation: B&W	Less than 1,700 W 411.8 W	Less than 1,700 W 449.2 W	Less than 1,700 W 464.4 W	/Less than 1,700 W 500.5 W	Less than 1,850 W 576.6 W	Less than 1,850 W 726 W	Less than 1,850 W 763.3 W
Power consumption operation: Full colour	456.3 W	494.5 W	515.3 W	543.6 W	664.9 W	827.1 W	871.2 W
Power consumption: ready	37.7 W	37.7 W	38.5 W	38.5 W	40.5 W	40.6 W	40.1 W
Power consumption: sleep	0.3 W	0.3 W	0.3 W	0.3 W	0.32 W	0.32 W	0.32 W
TEC* * It is a reference value based on	0.2 kWh/week	0.25 kWh/week	0.3 kWh/week	0.35 kWh/week	0.45 kWh/week	0.62 kWh/week	0.67 kWh/week

the ENERGY STAR Ver.3.0 test

method.

#### OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,650-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 3,000-sheet finisher, 1,000-sheet Booklet finisher, 3,000-sheet booklet finisher, 250-sheet Internal finisher, 500-sheet Internal finisher, Stapleless internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit

#### OTHER OPTIONS

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Cabinet, Caster table, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Camera direct print card, PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, External keyboard bracket, Counter I/F unit, NFC card reader, EFI controller, EFI Adobe Acrobat, EFI Color Profiler Suite, EFI Jobflow, EFI Fiery ColorRight, EFI Impose, EFI Compose, EFI Fiery Automation, EFI Hot folders, EFI JobExpert and PDF Processing Kit, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, HDD Option, Bridge unit, XPS, SD card for fonts, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

#### CONSUMABLES

Toner (black)	30,000 prints	30,000 prints	40,000 prints	40,000 prints	42,000 prints	42,000 prints	42,000 prints
Toner (cyan/magenta/yellow)	18.000 prints	18.000 prints	28.000 prints				
Consumable yield based on 5% coverage/A4	2p⁄j	2p⁄j	3p∕j	3p∕j	4p⁄j	4p⁄ j	4p⁄j





Apple AirPrint



intel

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2023 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

