WORKSPACE

FLEX OFFICE, MULTI-SPACE, SHARED WORKSTATIONS, CO-WORKING

There are as many types of work space as there are new work modes.

Looking into user well-being and comfort, and making it the focus of the furnishing process has become a top priority. Fitting out a work space means adapting to individual and collective contexts, particular organisational configurations, essentially providing a whole ecosystem of solutions including desking, storage, partitions...

The key words are: comprehensive and versatile solutions, flexible and customisable furniture, alongside invigorating colour schemes that help frame your organisation's identity whilst at the same time guaranteeing creativity, performance and the wellness of employees.

A DESK REFLECTING YOUR IMAGE

It is certainly the most personal of spaces within the company, since it reflects the personality and management style of its leader.

At times a place for face-to-face exchanges, for meetings and concentration, this authoritative space embraces ergonomy and a considered visual aesthetic.

Characterised by clean and elegant lines, our executive desks are the perfect solution with which to furnish these environments.

For a more contemporary style, lean towards the timeless designs of the MOKA and KARA ranges.

If it is a more traditional style you are after,
RIO is ideal as it provides an respectable desking
solution for open-spaces as much as private offices.

Executive desks

| (ARA | 40 |
|-------|----|
| RIO | 48 |
| √N○KA | 52 |

KARA

KARA instantly stands out by the generous thickness of its worktops and its timeless design style. Its worktops and storage units adapt to a users' every need, allowing numerous layout configurations, offering an extensive work surface and making it the perfect desking solution for managerial or executive spaces.









Rectangular desk W. 170 cm, square section melamine legs with melamine cladding.
Royal brown oak finish, matching modesty panel.



• Executive chairs, page 195

Rectangular desk W. 200 cm including a structural pedestal with 3 drawers and an offset return with melamine top. Amber walnut decorative finish.



- Executive chairs, page 195Cable and Power management, page 273




Classic & refined



2 TYPES OF LEG DESIGN



FINISHES & PRODUCT OVERVIEW





with modesty panel Melamine cladding to both external facades (Melamine leg in matching finish to worktop) WORKSPACE D. 90 cm Rectangular worktops W.170 cm 3 636 113 3 636 190 W. 200 cm 3 636 115 3 636 191 **Curved worktops** W. 200 cm 3 636 320 3 636 561 Desks with 3 drawer structural pedestal. Structural pedestal can be placed on left or right-hand side. Rectangular with structural pedestal - melamine top W. 210 cm 3 636 114 3 636 562 W. 240 cm 3 636 116 3 636 563 Rectangular with structural pedestal - glass top* W. 210 cm 3 636 321 3 636 662 W. 240 cm 3 636 322 3 636 663 Curved with structural pedestal - melamine top 3 636 323 W. 238 cm 3 636 564 Curved with structural pedestal - glass top* W. 238 cm 3 636 324 3 636 664 D. 200 cm Desks with closed panel return. Return can be placed on either the left or right-hand side. Rectangular with aligned return - melamine top W.170 cm 3 636 301 3 636 568 W. 200 cm 3 636 308 3 636 569 Rectangular with ALIGNED return - glass top* W.170 cm 3 636 302 3 636 668 W. 200 cm 3 636 309 3 636 669 Rectangular with offset return - melamine top W. 210 cm 3 636 396 3 636 565 W. 240 cm 3 636 399 3 636 566 Rectangular with OFFSET return - glass top* W. 210 cm 3 636 304 3 636 665 W. 240 cm 3 636 306 3 636 666 Curved with offset return - melamine top W. 238 cm 3 636 307 3 636 567 Curved with OFFSET return - glass top* W. 238 cm 3 636 310 3 636 667

Melamine panel legs

Square section metal legs

^{*} For the glass top version: Ref. + top + top + GS for panel leg version or Ref. + top + fin + GS for metal leg version.

Price excl. taxes : From stock On request

| WORKSPACE (Continued) | | Ref. + top + top* | ı | | |
|--|--|--|--|--|--|
| D. 200 cm | | | _ | | |
| Desks with closed panel return and structu | ral pedestal. Structural pedestal and return car | be placed on either the left or right-hand side. | | | |
| | With 3 drawer structural pedestal and alig | ned return - 2 melamine tops | | | |
| | W. 210 cm | 3 636 394 | | | |
| | W. 240 cm | 3 636 398 | | | |
| | With 3 drawer structural pedestal and alig | ned return - 1 glass top* | | | |
| | W. 210 cm | 3 636 313 | | | |
| | W. 240 cm | 3 636 314 | | | |
| | With 3 drawer structural pedestal and alig | ned return - 2 glass tops* | | | |
| | W. 210 cm | 3 636 311 | | | |
| | W. 240 cm | 3 636 312 | | | |
| | With 3 drawer structural pedestal and offse | et return - 2 melamine tops | | | |
| | W. 250 cm | 3 636 397 | | | |
| | W. 280 cm | 3 636 300 | | | |
| | With 3 drawer structural pedestal and offset return - 1 glass top* | | | | |
| | W. 250 cm | 3 636 315 | | | |
| | W. 280 cm | 3 636 316 | | | |
| | With 3 drawer structural pedestal and offset return - 2 glass tops* | | | | |
| | W. 250 cm | 3 636 303 | | | |
| | W. 280 cm | 3 636 305 | | | |
| | | Standard worktops | Worktops with pre-cut openings (cable trough included) | | |
| MEETING SPACES | | Ref. + top + fin. | Ref. + top + fin. | | |
| | | | | | |
| | Circular table. 4 square section metal legs | - melamine cladding. | | | |
| | Circular table. 4 square section metal legs Ø 120 | - melamine cladding. 3 636 203 | | | |
| | | 3 636 203 | | | |
| | Ø 120 | 3 636 203 | 3 636 581 | | |
| | Ø 120 Square and rectangular tables. 4 square so | 3 636 203 ection metal legs - melamine cladding. | 3 636 581 3 636 582 | | |
| | Ø 120 Square and rectangular tables. 4 square so W. 120 x D. 120 cm | 3 636 203 ection metal legs - melamine cladding. 3 636 165 3 636 166 | | | |

^{*} For the glass top version: Ref. + top + top + GS.

STORAGE UNITS

Ref. + top + SA

Ref. + top + MG

Melamine mobile pedestals. W. 40 x D. 60 x H. 55.40 cm

Integrated pen tray. Selective drawer opening system, full depth extraction. Central locking. Metal handles in an Aluminium grey finish.



1 box drawer + 1 SF 3 636 584


3 drawers

3 636 585


Cupboards

ck in a Snow white MG finish. Swing doors and drawers: opening by push-release system. Sliding d

Melamine cupboard shell 38 mm thick in wood decorative finish, back and front panels 19 mm thick in a Snow white MG finish. Swing doors and drawers: opening by push-release system. Sliding doors in a Snow white MG finish or toughened safety glass GS, with lock. Select cupboard models can be fitted with swing doors and drawers, but they do not include rails to allow fitting of sliding doors. Cupboards with sliding doors feature guide rails fitted to the top and base of the units. High cupboards are formed by the combination of a medium and a low cupboard. W. 120 x D. 46 cm.



Modesty panels for metal legs. Not compatible with desks incorporating an aligned return.



| Metal | | |
|-------------------------------|------------------|--|
| Rectangular worktop W. 170 cm | 3 636 200 + fin. | |
| Rectangular worktop W. 200 cm | 3 636 201 + fin. | |
| Rectangular worktop W. 200 cm | 3 636 586 + fin. | |
| Melamine | | |
| Rectangular worktop W. 170 cm | 3 500 518 + top | |
| Rectangular worktop W. 200 cm | 3 500 519 + top | |
| Curved worktop W. 170 cm | 3 500 519 + top | |





Top access housing Module to be ordered separately

Choice of finish for melamine worktops, panel legs, structural pedestals or closed panel returns in matching finish (+ top)

Choice of metal finish for legs (+ fin.)

Choice of glass top colour finish

SO SA GS

FROM STOCK

RIO

RIO is presented in a choice of either melamine or glass enamelled worktops mounted on a metal frame. Its sober and decidedly contemporary aesthetic make this desk the ideal solution for the fitting out of managerial spaces, whether in an open-space floorplan or in private offices.









- Cupboards, page 121
- Ergonomic chairs, page 195
- Decorative lamps, page 253



Modern & sober

Melamine worktop 25 mm thick, 4 choices of finish Glass worktop 8 mm thick, 2 choices of colour Melamine worktops with drilled out openings for cable ports or pre-cut for top access housings

Metal bridge design legs on adjustable stabilizer feet 2 choices of finish

3 RETURN DESIGNS



Structural return with Altuglas® sliding doors on matching metal legs




Fixed return
1 bridge shaped leg
to create a lighter structure



Free-standing return 2 bridge design metal legs

FINISHES & PRODUCT OVERVIEW





| | Melamine worktops with drilled out openings for cable ports | Pre-cut melamine worktops with openings for top access housings (cable trough included) | Glass top |
|---|---|---|--|
| WORKSPACE | Ref. + top 1 + fin. | Ref. + top 1 + fin. | Ref. + top 2 + fin. |
| Rectangular desks | | | |
| V. 160 x D. 80 cm | 3 665 315 | 3 665 600 | 3 665 318 |
| V. 180 x D. 80 cm | 3 665 316 | 3 665 601 | 3 665 319 |
| V. 200 x D. 100 cm | 3 665 317 | 3 665 602 | 3 665 320 |
| | Réf. + décor 1 + fin. + col. | Réf. + décor 1 + fin. + col. | Réf. + décor 2 + fin. + col. |
| ectangular desks with structural r | returns - Melamine return in MG (White) or MU (Alu | uminium grey) finish, matching the legs - Altuglas doors OA/C | DB (+ col.) |
| Structural return with user side ac | ccess | _ | |
| . 182 x D. 165 cm | 3 665 603 | 3 665 606 | 3 665 609 |
| /. 202 x D. 165 cm | 3 665 604 | 3 665 607 | 3 665 610 |
| <i>I</i> . 222 x D. 165 cm | 3 665 605 | 3 665 608 | 3 665 611 |
| Structural return with double sided | d access | | |
| '. 182 x D. 165 cm | 3 665 321 | 3 665 612 | 3 665 324 |
| /. 202 x D. 165 cm | 3 665 322 | 3 665 613 | 3 665 325 |
| . 222 x D. 165 cm | 3 665 323 | 3 665 614 | 3 665 326 |
| | Ref. + top 1 + fin. | Ref. + top 1 + fin. | Ref. + top 2 + fin. |
| ectangular desks with fixed return | ns | | |
| . 160 x D. 180 cm | 3 665 327 | 3 665 615 | 3 665 330 |
| . 180 x D. 180 cm | 3 665 328 | 3 665 616 | 3 665 331 |
| . 200 x D. 200 cm | 3 665 329 | 3 665 617 | 3 665 332 |
| xed returns - Positioned to the left o | r right-hand side of rectangular desks. | | |
| . 100 x D. 60 cm | 3 665 333 | | 3 665 334 |
| ee-standing return | | | |
| . 100 x D. 60 cm | 3 665 335 | | 3 665 336 |
| | Ref. + fin. | Ref. + fin. | Ref. + fin. |
| etal modesty panels - Modesty pan | nel attaches to the underside of melamine worktops | or secures to a crossbeam spanning the legs of glass top de | sks. |
| | For free-standing desks or desks with fixed returns | For desks with structural returns | |
| . 160 cm | 3 665 103 | 3 665 337 | |
| | 3 665 104 | 3 665 103 | |
| . 200 cm | 3 665 105 | 3 665 104 | |
| | Melamine worktop | Pre-cut melamine worktops with openings | Glass top |
| MEETING SPACE | Ref. + top 1 + fin. | for top access housings (cable trough included) Ref. + top 1 + fin. | Ref. + top 2 + fin. |
| ectangular table | | | |
| . 200 x D. 100 cm | 3 665 317 | 3 665 618 | 3 665 320 |
| arrel shaped table | | | |
| . 200 x D. 100 cm | 3 665 619 | 3 665 620 | Top access housing Module to be ordered separately |

^{*} From stock worktop availability in RI finish only.

MOKA

MOKA is a favourite in the furnishing of executive office spaces. With its characteristic panel legs, it projects allure and poise throughout your work space. Combined with its matching range of easy reach storage solutions, this is the ideal desk for managers seeking tradition and practicality.









- Executive chairs, page 195
- Cupboards, page 121
- Cable and Power management, page 273



Timeless & functional

Melamine worktop

25 mm thick, 3 choices of finish Pre-drilled worktops with openings to receive optional cable ports*

Structural modesty panel

with openings foreseen in the upper section to facilitate cable routing



3 STORAGE UNIT DESIGNS



Structural return with user side access



Structural return with visitor side access




Mobile pedestal

^{*} Cannot be located on the extremity supported by a structural return.

FINISHES & PRODUCT OVERVIEW

choices of finish for FROM STOCK melamine worktops, panel legs, structural pedestals or closed panel returns RL in matching finish (+ top) Light oak Amber walnut Royal brown oak FROM STOCK choice of sliding door melamine finish on structural return MU Aluminium grey



Corner angle unit

Easy-reach storage units

68,1

43,2

59,4

43,9



| WORKSPACE | | Ref. + top | | |
|--------------------|---|----------------------|--|--|
| | Individual desks | | | |
| | Rectangular desk W. 80 x D. 80 cm | 3 442 500 | | |
| | Rectangular desk W. 160 x D. 80 cm | 3 442 501 | | |
| | Rectangular desk W. 180 x D. 80 cm | 3 442 502 | | |
| | Curved desk W. 180 x D. 97 cm | 3 442 503 | | |
| | | | | |
| | Desk with structural return unit (can be placed on left or right-hand side) | | | |
| | Rectangular desk W. 182 x D. 160 cm | 3 442 504 | | |
| | Rectangular desk W. 202 x D. 160 cm | 3 442 505 | | |
| | Curved desk W. 202 x D. 177 cm | 3 442 506 | | |
| | Optional sliding door | 3 442 359 + MU | | |
| | | | | |
| | Panoramic desks. Desk configuration comprising a 90° corner angle and a rectangular desk W. 80 cm | | | |
| | Rectangular desk W. 240 x D. 160 cm | 3 442 507 | | |
| | Rectangular desk W. 260 x D. 160 cm | 3 442 508 | | |
| | Curved desk W. 260 cm x D. 177 cm | 3 442 509 | | |
| | | | | |
| | Corner angle unit | | | |
| | 90° angle worktop | 3 442 112 | | |
| | Tubular leg Ø 60 mm in Aluminium grey finish (support leg required upwards of 20 kg expected loads) | 3 442 370 + SB | | |
| | | | | |
| EASY-REACH STORAGE | | Ref. | | |
| | Storage unit with sliding doors | | | |
| | Unit incorporating a median vertical partition and 2 half-width shelves | 3 442 510 + top + MU | | |
| | Mahila malamina nadastala | | | |
| | Mobile melamine pedestals | 2 440 112 · ton · CD | | |
| | 2 drawers | 3 442 113 + top + SB | | |
| | 3 drawers | 3 442 114 + top + SB | | |



THE KEY TO PERFORMANCE AND WELL-BEING

Whether destined to be used by several people, or an individual, the shared workstation for collaborative work is a key element in ensuring the well-being of employees.

Sit-stand desks allow users to alternate their working stance throughout the day and are therefore the ideal solution to promote continued dynamic engagement and comfort.

Choose AXEL or ESSENTIEL UP and equip yourself with the ideal response to this emerging working mode.

Fixed height desks, for their part, must offer a range of ergonomic configurations, complemented by ingenious storage solutions to guarantee comfort at work.

CONECT is the expression of these new solutions, thanks to its highly modular design and structural storage components.

Finally, ARIAL provides a workable shared workstation desking solution to meet the needs of tighter budgets.

Sit-stand desks

| AXEL | 58 |
|--------------------|----|
| ESSENTIEL UP | 64 |
| | |
| Fixed height desks | |
| CONECT | 68 |
| ARIALnew | 80 |
| IDOL | 86 |
| FODSTVI | 94 |

AXEL

Health and well-being are of paramount concern to organisations. In order to promote movement and avoid sedentary habits, AXEL allows you to switch from sitting to standing positions throughout the day, thereby improving your comfort levels and well-being at work.










- Desktop screens, page 99
 Multi-compartment storage unit, page 131
 Ergonomic chairs, page 195
 Decorative plants, page 253



Adjustable & ergonomic



2 TYPES OF ADJUSTMENT SYSTEM



Manual adjustment by hand lever (stows away under worktop):


adjusts from 71.5 to 117 cm (individual desk) and from 71.5 to 116 cm (bench shared desk). Centred perimeter leg comprising 2 telescopic shafts




Powered by an electric motor with a built-in digital control panel, 4 preset memory positions,

between 65 and 130 cm.
Centred perimeter leg comprising
3 telescopic shafts, with 1 motor
to each leg

FINISHES & PRODUCT OVERVIEW





(See page 277 for upper cable troughs)

W. 180 cm

1 532 160



1 532 058



Hand lever operated height-adjustment

Height-adjustable desks, from 71.5 to 116 cm Twin compartment cable trough included



Power assisted height adjustment

Height-adjustable desks, from 65 to 130 cm. Control panel with 4 positions memory. Twin compartment cable trough included.



DESKS WITH

SHARED STRUCTURAL FRAME

| Ref. + top + fin. | | Ref. + top + fin. | |
|-------------------|--|-------------------|--|
|-------------------|--|-------------------|--|

D. 80 cm / D. 166.5 cm

> 2 rectangular worktops with pre-drilled openings for cable ports (sold separately). Desk W. 200 cm is mounted on a W. 180 cm structural frame.

| | | W. 120 cm | 1 532 025 | 1 532 059 | |
|---------|---------------------|--|----------------------|-----------|--|
| | | W. 140 cm | 1 532 026 | 1 532 060 | |
| | 0 0 | J W. 160 cm | 1 532 027 | 1 532 061 | |
| | | W. 180 cm | 1 532 028 | 1 532 062 | |
| | | W. 200 cm | 1 532 029 | 1 532 063 | |
| > 2 rec | tangular worktops v | vith scallop edge. MG and RI finishes a | vailable from stock. | | |
| | | W. 120 cm | - | 1 532 100 | |
| | | W. 140 cm | - | 1 532 101 | |
| | | W. 160 cm | - | 1 532 102 | |
| | | W. 180 cm | - | 1 532 103 | |
| | | vith pre-cut openings for soft closing its own metal cable trough, in a matchin | | | |
| | | W. 120 cm | 1 532 161 | 1 532 064 | |
| | | W 140 cm | 1 520 160 | 1 522 065 | |

W. 140 cm 1 532 162 1 532 065 W. 160 cm 1 532 163 1 532 066 W. 180 cm 1 532 164 1 532 067

OPTIONS





Set of 2 spacing bars for shared workstations (powered version).

These create a space between adjoining desks in order to prevent the accidental trapping of fingers during worktop height adjustments. Attach to the desk structure. Available in a choice of White SO, Aluminium grey SA or Black SG (+ fin.).

1 532 114

| | | Bondaï fabrics (Cat. A) | Xtreme CS fabrics (Cat. B) | Blazer fabrics (Cat. D) |
|-----------------|-------------|----------------------------|-------------------------------|----------------------------|
| DESKTOP SCREENS | Ref. + fab. | | | |

> For desks with a shared structural frame

Acoustic desktop screens H. 70 cm : specially designed for AXEL workstations

Outer frame made from aluminium covered with fabric - Core made from honeycomb cardboard 25 mm thick, clad with 1 layer of 10 mm thick acoustic polyester fibre on each panel face. 47 mm thick. Tackable panel surface. Mounted on the desk structural frame using fixing clamps, sold separately. Not designed to receive an accessories rail.



Fixing clamps. Must be included in your order.

Epoxy lacquered metal clamps - Choice of finish in White SO, Aluminium grey SA or Black SG (+fin.).

Clamps for screens H. 70 cm 1 532 012

> For individual desks, see the complete desktop screen offering on p. 99.



ESSENTIEL UP

Exemplifying the current shifting trend towards sit-stand desks, Essentiel UP allows a user to effortlessly alternate working positions throughout the day, thanks to its electrically powered lift mechanism. Essentiel UP is a cost-effective desking solution bringing together user comfort with a clean design.







- Cupboards, page 121
- Ergonomic chairs, page 195
- Desktop lamps, page 253
- Decorative plants, page 253
- Cable and Power management, page 273



Economical & ergonomic







Height-adjustment control switch

OPTIONS



Optional slimline desk drawer (See page 266)



Rotatable storage tray made from ABS

FINISHES & PRODUCT OVERVIEW

choices of melamine finish for 19 mm thick worktops

(+ top)




7

choices of melamine finish for 25 mm thick worktops (+ top)



3

choices of metal finish for legs (+ fin.)



ON REQUEST: allow 6 weeks


FROM STOCK


Rectangular worktops 19 mm thick



Rectangular worktops 25 mm thick







*Different top access housing modules dependent on worktop thickness.



ON REQUEST: allow 6 weeks

CONECT

Thanks to its one-piece construction metal structure, CONECT caters fully to the current trend for shared spaces that promote communication and proximity. With its angular lines and clean aesthetic design, CONECT sits comfortably within modern collaborative work environments. Additionally, a desk frame that sits slightly apart from the worktop confers a sense of lightness to this expansive desk.













Workstation comprising 4 rectangular desks resting on a shared structural storage unit. Bridge design legs.



- Accessory rails, page 99
 Cupboards, page 121
 Ergonomic chairs, page 195

2 workstations each comprising 2 shared structure rectangular desks, bridge legs and socket feed housings. Individual tower pedestals.



- Desktop screens, page 99
 Pedestals and multi-compartment storage units, page 121
 Ergonomic chairs, page 195
 Accessories, page 253



Timeless & versatile

Individual desks D. 70 or 80 cm

Desks with shared structural frame D. 142 or 165 cm

Power and cable management solutions:

cable ports, recess in worktop or top access housing

Melamine worktops

25 mm thick (7 choices of finish).



3 TYPES OF LEG DESIGN



storage unit.

Fixed height rectangular bridge leg H. 73.5 cm




Fixed height rectangular frame leg H. 73.5 cm



Height-adjustable rectangular bridge leg H. 62 to 86 cm


FINISHES





OVERVIEW

Individual desks

Individual desks with storage units










Desks with shared structural frame


Desks with shared structural frame and storage units









Extension units








PRICES Price excl. taxes: From stock On request НА* Fixed height Fixed height rectangular bridge legs rectangular frame legs rectangular bridge legs INDIVIDUAL DESKS Ref. + top + fin. Ref. + top + fin. Ref. + top + fin. D. 60 cm > Rectangular desks (without cable port openings) W. 80 cm 1 171 128 1 171 191 1 171 267 W. 120 cm 1 171 129 1 171 192 1 171 268 D. 70 cm > Rectangular worktops with pre-drilled openings for cable ports (sold separately - see p. 275) W. 120 cm 1 172 499 1 172 474 1 172 495 W. 140 cm 1 172 475 1 172 496 1 172 500 W. 160 cm 1 172 476 1 172 497 1 172 501 W. 180 cm 1 172 477 1 172 498 1 172 502 > Rectangular worktops with scallop edge. From stock availability in MG and RI finish only. W. 120 cm 1 172 486 1 172 503 1 172 506 W. 140 cm 1 172 487 1 172 504 1 172 507 W. 160 cm 1 172 488 1 172 505 1 172 508 Ď > Rectangular worktops with pre-cut openings for soft closing top access housings (see p. 275). Metal cable trough included, in a matching finish to legs. W. 120 cm 1 173 297 1 173 306 1 173 309 W. 140 cm 1 173 298 1 173 307 1 173 310 W. 160 cm 1 173 299 1 173 308 1 173 311 D. 80 cm > Rectangular worktops with pre-drilled openings for cable ports (sold separately) Starter unit W. 80 cm 1 171 001 1 171 261 1 171 195 W. 120 cm 1 171 002 1 171 196 1 171 262 W. 140 cm 1 171 003 1 171 197 1 171 263 W. 160 cm 1 171 004 1 171 198 1 171 264 W. 180 cm 1 171 005 1 171 199 1 171 265 W. 200 cm 1 171 825 1 171 188 1 171 266 Add-on (the add-on desk unit adapts to all types of fixed height leg structures) Intermediary leg on the user side is set back. W. 120 cm 1 172 567 Power and cable management W. 140 cm 1 172 568 Optional - see page 273 W. 160 cm 1 172 569 Top access housing W. 180 cm 1 172 570 Module to be ordered separately - see page 275

^{*} HA: Height-adjustable



PRICES Price excl. taxes: From stock НА* Fixed height Fixed height rectangular bridge legs rectangular frame legs rectangular bridge legs INDIVIDUAL DESKS Ref. + top + fin. Ref. + top + fin. > Extension units Ref. + top + fin. > Rectangular returns mounted on legs D. 60 cm. Can be positioned on either the left or right-hand side of rectangular desks and on the return of asymmetrical compact desks. W. 80 cm 1 171 061 1 171 595 1 171 383 1 171 596 W. 120 cm 1 171 175 1 171 384 > Returns mounted on structural pedestals D. 60 cm x W. 42 cm. Metal pedestal with 2 box drawers and 1 suspension file drawer - Available in a choice of White SO, Aluminium grey SB and Graphite grey SC finish.



> Half-moon worktop on support leg D. 40 cm. Designed to be placed at the extremities of an individual desk D.80 cm Supported by 1 square section leg 60x60 mm.



INDIVIDUAL DESKS

> With easy reach structural storage unit

Examples of layouts/configurations (contact us for information on alternative configurations and finishes)

Melamine sliding doors - Front user side or two-sided access. Desk height storage unit shell available in a White MG or Aluminium grey MU finish, matching the corresponding White SO and Aluminium grey SA legs finish. Option to add a countertop storage unit with Altuglas® sliding doors, sold separately.

Workstation configured around a rectangular desk D. 80 cm with desk height storage unit - fixed height legs.


Worktops with pre-drilled openings for cable ports (sold separately). The desk height return can be positioned to the left or right-hand side of the main work surface.

| | > Front side user access with sliding doors Bridge design legs | | Frame design legs |
|-----|--|-----------|-------------------|
| | W. 183 x D. 165 cm (Worktop 140 cm) | 1 171 229 | 1 171 237 |
| | W. 203 x D. 165 cm (Worktop 160 cm) | 1 171 230 | 1 171 238 |
| 0 0 | W. 223 x D. 165 cm (Worktop 180 cm) | 1 171 231 | 1 171 239 |
| | > Two-sided user access with sliding doors | | |
| | W. 183 x D. 165 cm (Worktop 140 cm) | 1 171 617 | 1 171 620 |
| | W. 203 x D. 165 cm (Worktop 160 cm) | 1 171 618 | 1 171 621 |
| | W. 223 x D. 165 cm (Worktop 180 cm) | 1 171 619 | 1 171 622 |


Central storage unit - 2 rectangular worktops D. 80 cm with desk height storage - fixed height legs.

Worktops with pre-drilled openings for cable ports (sold separately). Pair of worktops assembled either side of the central storage unit.

| | > Two-sided user access with sliding doors | Bridge design legs | Frame design legs |
|-----|--|--------------------|-------------------|
| | W. 323 x D. 165 cm (Worktop 140 cm) | 1 171 489 | 1 171 505 |
| | W. 363 x D. 165 cm (Worktop 160 cm) | 1 171 490 | 1 171 506 |
| 0 0 | W. 403 x D. 165 cm (Worktop 180 cm) | 1 171 491 | 1 171 507 |










| DESKS WITH SHARED STRUCTURAL FRAME > Extension units | | Fixed height rectangular bridge legs Ref. + top + fin. | Fixed height rectangular frame legs Ref. + top + fin. |
|--|---|---|--|
| Rectangular worktop. Rectangula | r worktop designed to be placed at the extremity of share | d structure workstations D. 165 cm | |
| ==== | W. 165 x D. 80 cm | 1 171 957 | 1 171 436 |
| | egs. Designed to be placed at the extremity of shared stru- 60 x 60 mm for the D. 82.5 cm and 1 leg for D. 60 cm | ucture workstations D. 165 cm. | : |
| | | Square fixed leg(s) | Square height-adjustable leg(s) |
| | W. 165 x D. 60 cm | 1 171 063 | 1 171 174 |
| | W. 165 x D. 82.5 cm | 1 171 179 | 1 171 181 |
| | RED STRUCTURAL FRAME | Ref ⊥ton⊥fin ⊥col 1 | Raf ⊥tnn ⊥fin ⊥rol 1 |
| | h structural storage units | Ref. + top + fin. + col. 1 | Ref. + top + fin. + col. 1 |

Examples of layouts/configurations (contact us for information on alternative configurations and finishes).

Melamine sliding doors - Front user side or two-sided access. Desk height storage unit shell available in a White MG or Aluminium grey MU finish, matching the corresponding White SO and Aluminium grey SA legs finish. The desk height return can be positioned to the left or right-hand side of the main work surface. Option to add a countertop storage unit with Altuglas® sliding doors, sold separately.

> Central storage unit - 4 rectangular worktops D. 80 cm with desk height storage. Worktops with pre-drilled openings for cable ports (sold separately).

2 individual worktops assembled to one side of the central storage unit and a further 2 shared structure worktops assembled to the other side.



> Desks with shared structural frame - 2 rectangular worktops D. 80 cm with desk height storage units. 1 fixed height Bridge or Frame design perimeter leg and 2 desk height structural returns.

Worktops with pre-drilled openings for cable ports (sold separately).


| | , | : | |
|-----|-------------------------------------|--------------------|-------------------|
| | Front side user access | Bridge design legs | Frame design legs |
| 0 0 | W. 183 x D. 330 cm (Worktop 140 cm) | 1 171 397 | 1 171 445 |
| 0 0 | W. 203 x D. 330 cm (Worktop 160 cm) | 1 171 398 | 1 171 446 |
| | W. 223 x D. 330 cm (Worktop 180 cm) | 1 171 399 | 1 171 447 |
| | Two-sided user access | | |
| 0 0 | W. 183 x D. 330 cm (Worktop 140 cm) | 1 171 405 | 1 171 453 |
| 0 0 | W. 203 x D. 330 cm (Worktop 160 cm) | 1 171 406 | 1 171 454 |
| | W. 223 x D. 330 cm (Worktop 180 cm) | 1 171 407 | 1 171 455 |



Pre-cut worktops with openings for soft closing top access housings (See p. 275). Twin compartment metal cable trough included, in a matching finish to legs. From stock availability in MG and RI finish only.



Front side user access



| W. 183 x D. 330 cm (Worktop 140 cm) | 1 173 965 | 1 173 354 |
|-------------------------------------|-----------|-----------|
| W. 203 x D. 330 cm (Worktop 160 cm) | 1 173 966 | 1 173 355 |
| W. 223 x D. 330 cm (Worktop 180 cm) | 1 173 967 | 1 173 356 |
| Two-sided user access | | |
| W. 183 x D. 330 cm (Worktop 140 cm) | 1 173 971 | 1 173 357 |
| W. 203 x D. 330 cm (Worktop 160 cm) | 1 173 972 | 1 173 358 |
| W. 223 x D. 330 cm (Worktop 180 cm) | 1 173 973 | 1 173 359 |

ACCESSORIES FOR EASY REACH STRUCTURAL STORAGE UNITS

Ref. + col. 2 + fin. 1

Ref. + col. 2 + fin. 1

Counter top storage unit for desk height returns.

Melamine shell in a White MG or Aluminium grey MU finish (+fin. 1) - For all other colours: contact us for details. Altuglas® sliding doors (+ col. 2). To be placed on top of Desk Height returns - Front user side or two-sided access.



H. 42.5 x W. 165 x D. 43.2 cm

Front side user access

Power and cable management

Two-sided user access

1 171 530





Top access housing
Module to be ordered
separately - see page 275



ON REQUEST: allow 6 weeks

ON REQUEST ON REQUEST

ON REQUEST

ARIAL

With its sleek styling and multiple power management solutions, the ARIAL range offers efficient and functional furnishing. Whether in the form of individual desks or shared workstations, ARIAL adapts perfectly to your needs while offering outstanding value for money.









- Desktop screens, page 99
- Pedestals, page 121Ergonomic chairs, page 195
- Desktop lamps, page 253



Economical & functional

Multiple power and cable management solutions:

cable ports, recess in worktop or top access housing

Melamine worktop

19 mm thick (2 choices of finish) or 25 mm (7 choices of finish)

Fixed or height-adjustable desks



3 TYPES OF LEG DESIGN



Fixed height semi-oblong bridge design legs H. 73.5 cm (25 mm thick)




Fixed height square bridge leg H. 73.5 cm (25 mm thick)



Height-adjustable square bridge leg H. 62 to 86 cm (25 mm thick)

FINISHES & PRODUCT OVERVIEW






| INDIVIDUAL DESKS | |
|---|---|
| | |
| > Rectangular worktops Ref. + top + fin. Ref. + top + fin. Ref. + top + fin. | |
| D. 70 cm - 25 mm thick worktops | |
| > Worktops with pre-drilled openings for cable ports (sold separately). | |
| W. 120 cm 2 370 170 2 370 174 2 370 178 | |
| W. 140 cm 2 370 171 2 370 175 2 370 179 | |
| W. 160 cm 2 370 172 2 370 176 2 370 180 | |
| W. 180 cm 2 370 173 2 370 177 2 370 181 | |
| > Worktops with scallop edge. From stock availability in MG and RI finish only. | |
| W. 120 cm 2 370 182 2 370 185 2 370 188 | |
| W. 140 cm 2 370 183 2 370 186 2 370 189 | |
| W. 160 cm 2 370 184 2 370 187 2 370 190 | |
| > Worktops include a soft closing top access housing and a metal cable trough (both in a matching finish to legs). | |
| W. 120 cm 2 370 191 2 370 194 2 370 197 | |
| W. 140 cm 2 370 192 2 370 195 2 370 198 | |
| W. 160 cm 2 370 193 2 370 196 2 370 199 | |
| D. 80 cm - 19 mm thick worktops | |
| > Plain worktops | |
| W. 120 cm 2 370 054 2 370 035 2 370 150 | |
| W. 140 cm 2 370 055 2 370 036 2 370 151 | |
| W. 160 cm 2 370 056 2 370 037 2 370 152 | |
| W. 180 cm 2 370 057 2 370 038 2 370 153 | |
| > Worktops include an ABS soft closing top access housing and a metal cable trough (both in a matching finish to legs). | |
| W. 120 cm 2 370 067 2 370 066 2 370 154 | |
| □ W. 140 cm 2 370 058 2 370 039 2 370 155 | |
| W. 160 cm 2 370 059 2 370 040 2 370 156 | |
| W. 180 cm 2 370 060 2 370 041 2 370 157 | |
| D. 80 cm - 25 mm thick worktops | _ |
| > Worktops with pre-drilled openings for cable ports (sold separately). | |
| W. 120 cm 2 370 099 2 370 080 2 370 158 | |
| W. 140 cm 2 370 100 2 370 081 2 370 159 | |
| © W. 160 cm 2 370 101 2 370 082 2 370 160 | |
| W. 180 cm 2 370 102 2 370 083 2 370 161 | |

Price excl. taxes: From stock On request

| | | Fixed height semi-oblong bridge legs | Fixed height square bridge legs | Height-adjustable square bridge legs |
|--|---|--|---|---|
| NDIVID | UAL DESKS | | | |
| Recta | ıngular worktops | Ref. + top + fin. | Ref. + top + fin. | Ref. + top + fin. |
| . 80 cm - 25 ı | mm thick worktops | | | |
| Worktops wi | th scallop edge. From stock availability in | MG and RI finish only. | | |
| | W. 120 cm | 2 370 218 | 2 370 222 | 2 370 226 |
| | W. 140 cm | 2 370 219 | 2 370 223 | 2 370 227 |
| | W. 160 cm | 2 370 220 | 2 370 224 | 2 370 228 |
| | W. 180 cm | 2 370 221 | 2 370 225 | 2 370 229 |
| Worktops inc | clude a soft closing top access housing | and a metal cable trough (both in a matching | inish to legs). From stock availability in MG ar | nd RI finish only. |
| | W. 120 cm | 2 370 112 | 2 370 111 | 2 370 162 |
| | W. 140 cm | 2 370 103 | 2 370 084 | 2 370 163 |
| | W. 160 cm | 2 370 104 | 2 370 085 | 2 370 164 |
| | W. 180 cm | 2 370 105 | 2 370 086 | 2 370 165 |
|). 90 cm - 19 i | mm thick worktops | | | |
| Plain workto | ps. | | | |
| | W. 180 cm | 2 370 061 | 2 370 042 | 2 370 166 |
| | W. 200 cm | 2 370 062 | 2 370 043 | 2 370 167 |
| Worktone wi | th nre-drilled openings for cable ports (| sold senarately). From stock availability in MG an | nd RI finish only | |
| Worktops wi | th pre-drilled openings for cable ports (W. 180 cm | sold separately). From stock availability in MG ar 2 370 106 | nd RI finish only. | 2 370 168 |
| | | | | 2 370 168 2 370 169 |
| 0 | W. 180 cm | 2 370 106 | 2 370 087 2 370 088 | |
| esks w | W. 180 cm W. 200 cm | 2 370 106 2 370 107 | 2 370 087 2 370 088 | |
| DESKS W | W. 180 cm | 2370 106 2370 107 JRAL FRAME > SINGLE V | 2 370 087 2 370 088 | |
| ESKS W | W. 180 cm W. 200 cm /ITH SHARED STRUCTO inmm thick worktops | 2370 106 2370 107 JRAL FRAME > SINGLE V | 2 370 087 2 370 088 | |
| ESKS W 142 cm - 25 Worktops wi | W. 180 cm W. 200 cm /ITH SHARED STRUCTO formm thick worktops th pre-drilled openings for cable ports (| 2 370 106 2 370 107 JRAL FRAME > SINGLE V | 2 370 087 2 370 088 VORKTOP | |
| ESKS W 142 cm - 25 Worktops wi | W. 180 cm W. 200 cm VITH SHARED STRUCTU 5 mm thick worktops th pre-drilled openings for cable ports (| 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 | 2 370 087 2 370 088 VORKTOP 2 370 203 | |
| DESKS W D. 142 cm - 25 Worktops wi | W. 180 cm W. 200 cm VITH SHARED STRUCTO is mm thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 140 cm | 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 | |
| DESKS W. J. 142 cm - 25 Worktops wi | W. 180 cm W. 200 cm VITH SHARED STRUCTU 5 mm thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 120 cm W. 160 cm | 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 2 370 202 | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 | |
| ESKS W. 1.142 cm - 25 Worktops wi | W. 180 cm W. 200 cm VITH SHARED STRUCTU 5 mm thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 140 cm W. 160 cm W. 120 cm | 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 2 370 202 2 370 206 | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 | |
| ESKS W .142 cm - 25 Worktops wi tarter unit | W. 180 cm W. 200 cm VITH SHARED STRUCTU To mm thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 160 cm W. 120 cm W. 120 cm W. 160 cm W. 160 cm | 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 2 370 202 2 370 206 2 370 207 | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 2 370 205 | 2 370 169 |
| ESKS W .142 cm - 25 Worktops wi tarter unit | W. 180 cm W. 200 cm VITH SHARED STRUCTU To mm thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 160 cm W. 120 cm W. 120 cm W. 160 cm W. 160 cm | 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 2 370 202 2 370 206 2 370 207 2 370 208 | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 2 370 205 | 2 370 169 |
| ESKS W 142 cm - 25 Worktops wi tarter unit dd-on unit* | W. 180 cm W. 200 cm /ITH SHARED STRUCTO form thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 140 cm W. 160 cm W. 140 cm W. 160 cm W. 160 cm Cluding 2 soft closing top access housing | 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 2 370 202 2 370 206 2 370 207 2 370 208 gs and a twin metal cable trough (all in a matalyster). | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 2 370 205 ching finish to legs). From stock availability in | 2 370 169 |
| ESKS W 142 cm - 25 Worktops wi tarter unit dd-on unit* | W. 180 cm W. 200 cm VITH SHARED STRUCTU formm thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 160 cm W. 120 cm W. 120 cm W. 160 cm W. 120 cm | 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 2 370 202 2 370 206 2 370 207 2 370 208 gs and a twin metal cable trough (all in a matall 2 370 209 | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 2 370 205 ching finish to legs). From stock availability in 2 370 212 | 2 370 169 |
| DESKS W D. 142 cm - 25 Worktops wi Starter unit | W. 180 cm W. 200 cm VITH SHARED STRUCTU formm thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 140 cm W. 160 cm W. 160 cm W. 160 cm W. 160 cm W. 120 cm W. 120 cm W. 120 cm W. 120 cm W. 140 cm W. 140 cm W. 140 cm | 2 370 106 2 370 107 URAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 2 370 202 2 370 206 2 370 207 2 370 208 gs and a twin metal cable trough (all in a matall 2 370 209 2 370 210 | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 2 370 205 tching finish to legs). From stock availability in 2 370 212 2 370 213 | 2 370 169 |
| DESKS W D. 142 cm - 25 Worktops wi Starter unit Add-on unit* | W. 180 cm W. 200 cm VITH SHARED STRUCTU 6 mm thick worktops th pre-drilled openings for cable ports (W. 120 cm W. 140 cm W. 160 cm W. 160 cm VW. 120 cm W. 140 cm W. 160 cm VW. 120 cm W. 160 cm W. 120 cm W. 160 cm W. 160 cm W. 120 cm W. 160 cm W. 160 cm W. 160 cm W. 160 cm | 2 370 106 2 370 107 JRAL FRAME > SINGLE V sold separately). 2 370 200 2 370 201 2 370 202 2 370 206 2 370 207 2 370 208 gs and a twin metal cable trough (all in a matall 2 370 209 2 370 210 2 370 211 | 2 370 087 2 370 088 VORKTOP 2 370 203 2 370 204 2 370 205 tching finish to legs). From stock availability in 2 370 212 2 370 213 | 2 370 169 |

^{*} The square section intermediary leg for the add-on workstation is compatible with both leg types.



IDOL is a highly versatile, effective and dynamic furnishing solution for work spaces. Its different structural frames, combined with a variety of worktop designs and optimised cable and power management, offer a host of solutions to meet the requirements of any office fit-out project.















90° asymmetrical compact desks. W. 180 cm with return on structural pedestal. Cantilever style legs with covered cable holders, melamine structural modesty panel. Worktop in a light oak decorative finish.



- Desktop screens, page 99
 Storage units, page 121
 Ergonomic chairs, page 195
- Desktop lamps, page 253
 Cable port hole covers, page 275



Dynamic and diverse



Optional metal cable holder for fixed height legs, to facilitate cable routing to the feet

5 TYPES OF LEG DESIGN



Fixed height perimeter legs Optional cable holder H. 73.5 cm



perimeter legs Cable holder included

HA* H. 62 to 86 cm

* HA: Height-adjustable



Fixed height cantilever legs Optional cable holder H. 73.5 cm





Fixed height cantilever legs Metal modesty panel Optional cable holder H. 73.5 cm



Fixed height cantilever legs Melamine modesty panel Optional cable holder H. 73.5 cm


FINISHES & PRODUCT OVERVIEW






Price excl. taxes: From stock On request

| | | Fixed height legs WITHOUT CABLE HOLDERS | Fixed height legs WITH CABLE HOLDERS | Height-adjustable legs WITH CABLE HOLDERS* |
|-------------------------|-------------------------------|---|---|--|
| | | | | |
| RECTANGUL | AR DESKS | Ref. + top + fin. | Ref. + top + fin.+ col. | Ref. + top + fin. |
| D. 60 cm - The worktops | s do not come pre-drilled for | cable ports. | | |
| | > Perimeter legs - Cross | beam | | |
| | W. 80 cm | 2 315 258 | 2 315 259 | 2 315 260 |
| | W. 120 cm | 2 315 066 | 2 315 067 | 2 315 068 |
| D. 80 cm | | | | |
| | > Perimeter legs - Cross | beam | | |
| | W. 80 cm | 2 315 015 | 2 315 020 | 2 315 055 |
| | W. 120 cm | 2 315 016 | 2 315 021 | 2 315 056 |
| | W. 140 cm | 2 315 017 | 2 315 022 | 2 315 057 |
| | W. 160 cm | 2 315 018 | 2 315 023 | 2 315 058 |
| | W. 180 cm | 2 315 019 | 2 315 024 | 2 315 059 |
| | > Cantilever legs - Cross | | 0.045.000 | |
| | W. 80 cm | 2 315 025 | 2 315 030 | |
| | W. 120 cm W. 140 cm | 2 315 026 2 315 027 | 2 315 031 2 315 032 | |
| | W. 140 cm | 2 315 027 | 2 315 032 | |
| 0 0 | W. 180 cm | 2 315 029 | 2 315 034 | |
| | > Cantilever legs - Meta | | 2 313 004 | |
| | W. 80 cm | 2 315 035 | 2 315 040 | |
| | W. 120 cm | 2 315 036 | 2 315 041 | |
| | W. 140 cm | 2 315 037 | 2 315 042 | |
| | W. 160 cm | 2 315 038 | 2 315 043 | |
| | W. 180 cm | 2 315 039 | 2 315 044 | |
| | > Cantilever legs - Mela | mine modesty panel | | |
| | W. 80 cm | 2 315 045 | 2 315 050 | |
| | W. 120 cm | 2 315 046 | 2 315 051 | |
| | W. 140 cm | 2 315 047 | 2 315 052 | |
| | W. 160 cm | 2 315 048 | 2 315 053 | |
| | W. 180 cm | 2 315 049 | 2 315 054 | |
| RECTANGUL | AR DESKS > W | ith structural pede | estal | |
| D. 80 cm - Perimeter le | egs - Metal structural pedes | tal with 3 drawers D.80 x W. 42 cm. (F | Pedestal in a matching finish to the metallic finish of t | the legs). |
| | Pedestal on the left | | | |
| | W. 140 cm | 2 315 232 | 2 315 235 | |
| S L | W. 160 cm | 2 315 233 | 2 315 236 | |
| | W. 180 cm | 2 315 234 | 2 315 237 | |
| R X | Pedestal on the right | | | |
| | W. 140 cm | 2 315 060 | 2 315 063 | |
| | W. 160 cm | 2 315 061 | 2 315 064 | |
| | W. 180 cm | 2 315 062 | 2 315 065 | |






2 315 191

W. 120 x W. 120 cm

2 315 190



FORSTYL

Thanks to its `L' shaped or panel leg designs, FORSTYL offers functional and ergonomic workstation configurations. It is the perfect solution for tighter budgets looking for a simple and visually appealing solution.









- Pedestals, page 121
- Ergonomic chairs, page 195
- Desktop accessories, page 253



Functional & economical




2 TYPES OF LEG DESIGN



FINISHES & PRODUCT OVERVIEW

FROM STOCK choices of melamine worktop MG M6 R2 RI (+ top) Snow white Cashmere grey Honfleur beech Light oak wood FROM STOCK choices of melamine leg (+ top 2) R2 ΜU MG M6 RI Snow white Cashmere grey Honfleur beech Light oak Aluminium grey wood FROM STOCK choice of metal finish for legs SA Aluminium grey



Price excl. taxes: From stock On request

| W. 160 cm - Return on left-hand side 2 057 309 2 057 265 W. 160 cm - Return on right-hand side 2 057 310 2 057 266 O° ASYMMETRICAL COMPACT DESKS - RETURN 60 CM ibular support leg Ø 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on left-hand side 2 057 306 2 057 276 W. 180 cm - Return on left-hand side 2 057 307 2 057 277 W. 180 cm - Return on right-hand side 2 057 308 2 057 278 IXED RETURN D. 60 CM Ref. + top + SA Ref. + top + | Ref. + top + top 2 2 057 255 2 057 256 2 057 257 2 057 258 2 057 259 | Ref. + top + top 2 2 057 300 2 057 301 2 057 302 2 057 303 2 057 304 | W. 80 cm W. 120 cm W. 140 cm W. 160 cm W. 180 cm |
|--|--|--|---|
| W. 80 cm 2 057 300 2 057 255 W. 120 cm 2 057 301 2 057 256 W. 140 cm 2 057 302 2 057 257 W. 160 cm 2 057 303 2 057 258 W. 180 cm 2 057 304 2 057 258 W. 180 cm 2 057 304 2 057 259 SSYMMETRICAL WAVE DESKS D. 80/100 CM SYMMETRICAL WAVE DESKS D. 80/100 CM W. 160 cm - Return on left-hand side 2 057 309 2 057 258 W. 160 cm - Return on left-hand side 2 057 309 2 057 266 O° ASYMMETRICAL COMPACT DESKS - RETURN 60 CM bular support leg 0 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on left-hand side 2 057 306 2 057 276 W. 160 cm - Return on left-hand side 2 057 306 2 057 276 W. 180 cm - Return on left-hand side 2 057 307 2 057 277 W. 180 cm - Return on left-hand side 2 057 308 2 057 278 IXED RETURN D. 60 CM Ret. + top + SA Ref. + top + SA O° CORNER ANGLE UNIT D. 80 CM Ref. + top O° CORNER ANGLE UNIT D. 80 CM Ref. + top O° CORNER ANGLE UNIT D. 80 CM Ref. + top O° CORNER ANGLE UNIT D. 80 CM Ref. + top O° CORNER ANGLE UNIT D. 80 CM Ref. + top For PANEL LEG desks For desks with L shar. | 2 057 255 2 057 256 2 057 257 2 057 258 2 057 259 2 057 265 | 2 057 300 2 057 301 2 057 302 2 057 303 2 057 304 | W. 80 cm W. 120 cm W. 140 cm W. 160 cm W. 180 cm |
| W. 80 cm 2 057 300 2 057 255 W. 120 cm 2 057 301 2 057 256 W. 140 cm 2 057 302 2 057 257 W. 160 cm 2 057 303 2 2 057 258 W. 180 cm 2 057 304 2 057 258 W. 180 cm 2 057 304 2 057 259 SSYMMETRICAL WAVE DESKS D. 80/100 CM W. 160 cm - Return on left-hand side 2 057 309 2 057 259 W. 160 cm - Return on left-hand side 2 057 309 2 057 266 O° ASYMMETRICAL COMPACT DESKS - RETURN 60 CM bular support leg 0 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on left-hand side 2 057 306 2 057 276 W. 180 cm - Return on left-hand side 2 057 307 2 057 277 W. 180 cm - Return on left-hand side 2 057 308 2 057 278 IXED RETURN D. 60 CM Ret. + top + SA Ref. + top + SA Ref. + top + SA O° CORNER ANGLE UNIT D. 80 CM Ref. + top For PANEL LEG desks For desks with L shark ### Company of the com | 2 057 255 2 057 256 2 057 257 2 057 258 2 057 259 2 057 265 | 2 057 300 2 057 301 2 057 302 2 057 303 2 057 304 | W. 80 cm W. 120 cm W. 140 cm W. 160 cm W. 180 cm |
| W. 80 cm 2 057 300 2 057 255 W. 120 cm 2 057 301 2 057 256 W. 140 cm 2 057 302 2 057 257 W. 160 cm 2 057 303 2 2 057 258 W. 180 cm 2 057 304 2 057 258 W. 180 cm 2 057 304 2 057 259 XSYMMETRICAL WAVE DESKS D. 80 / 100 CM Symmetrical wave described by the control of the | 2 057 255 2 057 256 2 057 257 2 057 258 2 057 259 2 057 265 | 2 057 300 2 057 301 2 057 302 2 057 303 2 057 304 | W. 80 cm W. 120 cm W. 140 cm W. 160 cm W. 180 cm |
| W. 120 cm 2 057 301 2 057 256 W. 140 cm 2 057 302 2 057 257 W. 160 cm 2 057 303 2 057 258 W. 180 cm 2 057 304 2 057 259 ASYMMETRICAL WAVE DESKS D. 80 / 100 CM | 2 057 256 2 057 257 2 057 258 2 057 259 2 057 265 | 2 057 301 2 057 302 2 057 303 2 057 304 | W. 120 cm W. 140 cm W. 160 cm W. 180 cm |
| W. 140 cm 2 057 302 2 057 257 W. 160 cm 2 057 303 2 057 258 W. 180 cm 2 057 304 2 057 259 ASYMMETRICAL WAVE DESKS D. 8 0 / 1 0 0 CM W. 160 cm - Return on left- hand side 2 057 309 2 057 265 W. 160 cm - Return on right- hand side 2 057 310 2 057 266 DO ASYMMETRICAL COMPACT DESKS - RETURN 60 CM W. 160 cm - Return on left- hand side 2 057 305 2 057 276 W. 160 cm - Return on left- hand side 2 057 305 2 057 277 W. 180 cm - Return on left- hand side 2 057 307 2 057 277 W. 180 cm - Return on left- hand side 2 057 308 2 057 278 EIXED RETURN D. 60 CM Ref. + top + SA Ref. + top - | 2 057 257 2 057 258 2 057 259 2 057 265 | 2 057 302 2 057 303 2 057 304 | W. 140 cm W. 160 cm W. 180 cm |
| W. 160 cm 2 057 303 2 057 258 W. 180 cm 2 057 304 2 057 259 ASYMMETRICAL WAVE DESKS D. 80/100 CM W. 160 cm - Return on left-hand side 2 057 309 2 057 265 W. 160 cm - Return on right-hand side 2 057 310 2 057 266 PO° ASYMMETRICAL COMPACT DESKS - RETURN 60 CM ubular support leg 0 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 L | 2 057 258 2 057 259 2 057 265 | 2 057 303 2 057 304 | W. 160 cm W. 180 cm |
| W. 180 cm 2 057 304 2 057 259 ASYMMETRICAL WAVE DESKS D. 80/100 CM W. 160 cm - Return on right-hand side 2 057 309 2 057 265 W. 160 cm - Return on right-hand side 2 057 310 2 057 266 PO° ASYMMETRICAL COMPACT DESKS - RETURN 60 CM ubular support leg 0 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 L | 2 057 259 2 057 265 | 2 057 304 | W. 180 cm |
| ASYMMETRICAL WAVE DESKS D. 80/100 CM L R W.160 cm - Return on right-hand side 2 057 309 2 057 265 W.160 cm - Return on right-hand side 2 057 310 2 057 266 DO ASYMMETRICAL COMPACT DESKS - RETURN 60 CM Subular support leg 0 60 mm in Aluminium grey finish included under the desk return. W.160 cm - Return on left-hand side 2 057 305 2 057 275 W.160 cm - Return on right-hand side 2 057 306 2 057 276 W.180 cm - Return on right-hand side 2 057 307 2 057 277 W.180 cm - Return on right-hand side 2 057 308 2 057 278 EIXED RETURN D. 60 CM Ref. + top + SA Ref. + | 2 057 265 | | |
| W. 160 cm - Return on left-hand side 2 057 309 2 057 265 W. 160 cm - Return on right-hand side 2 057 310 2 057 266 DO ASYMMETRICAL COMPACT DESKS - RETURN 60 CM shular support leg 0 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on right-hand side 2 057 306 2 057 276 W. 180 cm - Return on left-hand side 2 057 307 2 057 277 W. 180 cm - Return on right-hand side 2 057 308 2 057 278 EIXED RETURN D. 60 CM Ref. + top + SA Ref. + top | | 2 057 309 | |
| W. 160 cm - Return on right-hand side 2 057 310 2 057 266 DO ASYMMETRICAL COMPACT DESKS - RETURN 60 CM Abular support leg 0 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on right-hand side 2 057 305 2 057 275 W. 160 cm - Return on right-hand side 2 057 306 2 057 276 W. 180 cm - Return on right-hand side 2 057 307 2 057 277 W. 180 cm - Return on right-hand side 2 057 308 2 057 278 EIXED RETURN D. 60 CM Ref. + top + SA Ref. + top + SA Ref. + top + SA Ref. + top This included under the desk return. W. 120 cm 2 057 181 W. 120 cm Ref. + top | | 2 057 309 | SYMMETRICAL WAVE DESKS D. 80/100 CM |
| W. 160 cm - Return on right-hand side 2 057 310 2 057 266 PO° ASYMMETRICAL COMPACT DESKS - RETURN 60 CM Subular support leg Ø 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on right-hand side 2 057 306 2 057 276 W. 180 cm - Return on right-hand side 2 057 307 2 057 277 W. 180 cm - Return on right-hand side 2 057 308 2 057 278 EIXED RETURN D. 60 CM Ref. + top + SA | 2 057 266 | | ○ □ □ □ W. 160 cm - Return on left-hand side |
| PO° ASYMMETRICAL COMPACT DESKS - RETURN 60 CM Tubular support leg Ø 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on right-hand side 2 057 306 2 057 276 W. 180 cm - Return on left-hand side 2 057 307 2 057 277 W. 180 cm - Return on right-hand side 2 057 308 2 057 278 FIXED RETURN D. 60 CM Ref. + top + SA W. 120 cm 2 057 181 W. 120 cm 2 057 182 PO° CORNER ANGLE UNIT D. 80 CM Ref. + top | | 2 057 310 | |
| ibular support leg Ø 60 mm in Aluminium grey finish included under the desk return. W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on right-hand side 2 057 306 2 057 276 W. 180 cm - Return on left-hand side 2 057 307 2 057 277 W. 180 cm - Return on right-hand side 2 057 308 2 057 278 FIXED RETURN D. 60 CM Ref. + top + \$A Ref. + to | | 1.40.014 | |
| W. 160 cm - Return on left-hand side 2 057 305 2 057 275 W. 160 cm - Return on right-hand side 2 057 306 2 057 276 W. 180 cm - Return on left-hand side 2 057 307 W. 180 cm - Return on right-hand side 2 057 308 2 057 277 W. 180 cm - Return on right-hand side 2 057 308 2 057 278 FIXED RETURN D. 60 CM Ref. + top + SA Ref. + top + S | | I OU CIVI | |
| R W. 160 cm - Return on right-hand side 2 057 306 2 057 276 W. 180 cm - Return on left-hand side 2 057 307 2 057 277 W. 180 cm - Return on right-hand side 2 057 308 2 057 278 FIXED RETURN D. 60 CM Ref. + top + SA Ref. + top + SA Allows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. W. 80 cm 2 057 181 W. 120 cm 2 057 182 PO° CORNER ANGLE UNIT D. 80 CM Ref. + top Ref. + top Allows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. For PANEL LEG desks For desks with L shaped and the shaped sh | 2 057 275 | 2 057 305 | |
| W. 180 cm - Return on left-hand side 2 057 307 W. 180 cm - Return on right-hand side 2 057 308 EIXED RETURN D. 60 CM Ref. + top + SA Allows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. W. 80 cm 2 057 181 W. 120 cm 2 057 182 PO° CORNER ANGLE UNIT D. 80 CM Ref. + top | | | O O O W400 D |
| W. 180 cm - Return on right-hand side 2 057 308 2 057 278 FIXED RETURN D. 60 CM Ref. + top + SA Ref. + top + SA Allows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. W. 80 cm 2 057 181 W. 120 cm 2 057 182 PO° CORNER ANGLE UNIT D. 80 CM Ref. + top Ref. + top Illows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. For PANEL LEG desks For desks with L shape the properties of th | | | _ |
| Ref. + top + SA Ref. + | | | |
| llows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. W. 80 cm 2 057 181 2 057 182 PO° CORNER ANGLE UNIT D. 80 CM Ref. + top | Dof , ton , CA | Pof . ton . CA | |
| W. 80 cm 2 057 181 W. 120 cm 2 057 182 PO° CORNER ANGLE UNIT D. 80 CM Ref. + top Ref. + top Ref. + top Corning of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. For PANEL LEG desks For desks with L shape the control of the contro | | | ······································ |
| PO° CORNER ANGLE UNIT D. 80 CM Ref. + top For PANEL LEG desks For desks with L shape Ref. + top | | | |
| Allows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. For PANEL LEG desks For desks with L shape | | 2 057 182 | W. 120 cm |
| Allows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. For PANEL LEG desks For desks with L shape | | | |
| Illows the joining of 2 individual worktops D. 80 cm. Support leg required for expected loads exceeding 20 kg. Tubular leg Ø 60 mm in Aluminium grey finish. For PANEL LEG desks For desks with L shape | Def. top | Def. den | |
| For PANEL LEG desks For desks with L shap | | | |
| 90° corner angle 2 057 135 2 057 136 | For desks with L shaped legs | | |
| | 2 057 136 | 2 057 135 | 90° corner angle |
| Fixed tubular support leg 2 057 185 SA | | 2 057 185 SA | Fixed tubular support leg |
| | | | |
| DESK-END MEETING EXTENSION Ref. + top + SA Ref. + top + SA Can be positioned on either the left or right-hand side of rectangular desks and on visitor side of asymmetrical compact desks. Tubular leg Ø 60 mm in Aluminium grey finish. | | | |
| | For desks with L shaped legs | | The positioned on entrer the left of right-halfd side of rectangular desks and off visitor si |
| W. 120 x D. 120 cm 2 057 139 2 057 140 | | | W 120 v D 120 cm |
| W. 120 X D. 120 Kill 2 007 139 | 2 007 140 | 2 007 100 | W. 120 X D. 120 GIII |
| I LATE MOON TABLE W. 145 CM | | Dof. ton . CA | I ALE MACONITA DIE IM 145 CM |
| HALF-MOON TABLE W. 165 CM Ref. + top + SA Ref. + top + SA upported by 1 or 2 tubular legs Ø 60 mm in an Aluminium grey finish. Combine with all desks D. 80 cm. | Dof . As Of | | |
| | Ref. + top + SA | | pported by . Or 2 module regord to a minimal arrangement groy minori. Combine with all the |
| | Ref. + top + SA For desks with L shaped legs | FOR PANEL LEG DESKS | |
| D. 60 cm (1 leg) 2 057 158 2 057 161 | For desks with L shaped legs | | D 60 cm (1 len) |

OPTIMISE, DEFINE AND PERSONALISE YOUR SPACE

Open spaces greatly facilitate communications and interactions between employees. Yet, it is just as important for each member of staff to be able to define a space of their own, in order to promote concentration and work efficiently. To this end, desktop screens are essential for any workspace requiring an element of privacy. Purely decorative or with acoustic properties, they can also be accessorised to provide a personalised and clutter-free workspace. What is more, partitions help define areas for face-to-face interactions. SOLANGE's extensive choice of colours and gently curving profiles will enable you to structure the work space, whilst reducing ambient noise. Easy to combine, thanks to a practical and ingenious linking system, the partitions can also be mounted on castors which will facilitate the (re)configuration of work spaces to suit your needs.


Desktop screens

| ALTUGLAS® | 100 |
|--|-----|
| Desktop and partition screens SOLANGE | 104 |
| LUCIEN | 110 |
| Accessory rails | 118 |

ALTUGLAS®

Altuglas® desktop screens are ideal for fitting out modern spaces that require partitioning, all the while allowing a subtle diffusion of ambient light. Available in several choices of finish, they lend a modern touch to your space.









Price excl. taxes: From stock

ALTUGLAS® DESKTOP SCREENS

To be mounted on workstations without a structural pedestal. For configurations incorporating a structural pedestal, contacts us for details. Screens W. 80 may also be mounted in lateral configurations. Complete with the addition of fixing clamps, ordered separately.

> 80 > 180 40

6 459 052 W. 80 cm W. 120 cm 6 459 001 W. 140 cm 6 459 002 W. 160 cm 6 459 003 W. 180 cm 6 459 004



Consist in flat shafts fixed to one side of the desktop screen. Secured using roundhead screws.

Clamps for individual workstations - frontal attachment Clamps for twin workstations - face-to-face attachment

Clamps for lateral configurations

For worktops 19-25 mm thick For worktops 28-38 mm thick

For worktops 19-38 mm thick

6 459 065 6 459 055


6 459 062

For worktops 19-25 mm thick For worktops 28-38 mm thick 6 459 057

6 459 066


Desktop screen • Fixing clamps

Must be included in your order



TWINS

The ideal solution to suit every budget
















SOLANGE

SOLANGE desktop screens and partitions allow for the creation of private areas within a larger shared workspace, favouring concentration. Thanks to their highly effective sound absorption qualities, these acoustic screens and partitions significantly reduce the disruptive impact of ambient noise, whilst at the same time providing an aesthetically harmonious backdrop to the workspace.







• Shared workstations, page 57

• Ergonomic chairs, page 195




Clever & soundproofing

SOLANGE acoustic desktop screens absorb up to of nuisance ambient noise.

50%

Source : CEDIA laboratory (Belgium)





Tool-free assembly



Available in a full fabric-covered version or part fabric, part translucent PMMA version

Different stabilizer feet models

depending on the chosen configuration: fixed or mobile partitions, in individual or multi-partition configurations

Available in standard and acoustic versions 47 mm thick

OPTIONS





Intelligent linking system



Whiteboard with pen tray

FINISHES & PRODUCT OVERVIEW





^{*} Clamps and stabilizer feet supplied together with the ABS screw-on knobs. In White for clamps or stabilizer feet SO/SA and in Graphite grey for clamps and stabilizer feet SC/SG.

^{**} Fixing clamps and stabilizer feet to be ordered separately.

PRICES Price excl. taxes: From stock

On request

| FABRIC COVERED | | Bondaï fabrics | Xtreme CS fabrics | Blazer fabrics |
|--------------------------|-------------|----------------|-------------------|----------------|
| | | (Cat. A) | (Cat. B) | (Cat. D) |
| ACOUSTIC DESKTOP SCREENS | Ref. + fab. | | | |

Desktop screens

Outer frame made from aluminium covered with fabric - Core made from honeycomb cardboard 25 mm thick, clad with 1 layer of 10 mm thick acoustic polyester fibre on each panel face - thickness 47 mm. Tackable panel face.

Frontal and lateral H.40 cm



| W. 70 cm* (lateral only) 6 459 153 | |
|------------------------------------|--|
| W. 80 cm* 6 459 130 | |
| W. 100 cm* 6 459 131 | |
| W. 120 cm 6 459 132 | |
| W. 140 cm 6 459 133 | |
| W. 160 cm 6 459 134 | |
| W. 180 cm 6 459 135 | |

^{*} Desktop screens W. 70, W. 80 and W. 100 cm may also be positioned laterally on D. 70, D. 80 and D. 100 cm desks. Positioned in a lateral configuration, these desktop screens will only accommodate light-weight accessories.

Frontal H. 70 cm - Sit at the front of the worktop, functioning simultaneously as a partition screen and modesty panel.



| L. 120 cm | 6 459 136 |
|-----------|-----------|
| L. 140 cm | 6 459 137 |
| L. 160 cm | 6 459 138 |
| L. 180 cm | 6 459 139 |



Epoxy coated metal - Clamps supplied together with the ABS screw-on knobs for desktop and partition screens. Compatible with worktops 19 mm to 30 mm thick.

Frontal attachment





Frontal attachment

Desktop screens H. 40 cm

6 459 140

6 459 143 Desktop screens H. 70 cm





For individual workstations positioned face-to-face or bench desks with shared structural frame and 2 worktops - clamps to both tops

Desktop screens H. 40 cm 6 459 144

Single worktop desks with shared structural frame - bolt-through attachment

2 options:

- Choose a partition that is 40 cm shorter than the width of the worktop in order to accommodate a lamp or flatscreen monitor arm next to the partition panel.
- Choose a screen of the same width as the desk worktop.

Desktop screens H. 40 cm

6 459 145

Lateral attachment



Individual and shared workstations - lateral attachment at desk ends. Fitted to the edge of the worktop using wood screws.

Desktop screens H. 40 cm 6 459 141

Individual and shared workstations - lateral attachment in between desks.

Desktop screens H. 40 cm 6 459 142





HOW TO PLACE AN ORDER ?







2. Select the necessary **FIXING CLAMPS** for a chosen configuration



3. Complete your selection by adding an optional RAIL and corresponding ACCESSORIES

OPTIONS FOR DESKTOP SCREENS

Ref. + fin.

Rails

Epoxy coated metal - Attaches to desktop screens thanks to ABS screw-on knobs at the extremities. Applied to desktop screens W. 80/100 cm positioned in a lateral configuration, this rail is only suitable to receive the light weight accessories (i.e. magnetic whiteboard and pen tray). No accessories rail for desktop screens W. 70 cm.

For desktop screens : W. 80 cm 6 459 146

W. 100 cm 6 459 147

W. 120 cm 6 459 148

W. 140 cm 6 459 149

W. 160 cm 6 459 150

W. 180 cm 6 459 151

Accessories Ref. + fin.

Epoxy coated metal - Attach to and slide along the rail thanks to track gliders supplied with each accessory. (Colours: 2 White and 2 Graphite grey).

| Epony seated mean in all a state along the fall attained to date greater than sales assessed by (section). | | | |
|--|-----|---------------------------------------|-----------|
| Magnetic whiteboard (magnetic tacks sold separately) | 0 0 | W. 27.5 x H. 27.5 cm x 10/10 mm thick | 6 386 120 |
| Letter tray - starter/add-on | E A | W. 33.5 x H. 6 x D. 25.5 cm | 7 626 014 |
| | | | 7 626 015 |
| Planter with 3 compartments | | W. 32.7 x H. 18.5 x D. 12.9 cm | 7 626 016 |
| Shelving | | W. 45 x H. 17 x D. 19 cm | 7 626 017 |
| Pen tray | - O | W. 22.5 x H. 7.5 x D. 12 cm | 6 386 121 |



PRICES

Price excl. taxes: Fro

On request

Bondaï fabrics Xtreme CS fabrics Blazer fabrics (Cat. A) (Cat. B) (Cat. D)

FABRIC COVERED PARTITION SCREENS

Ref. + fab.

Standard non-acoustic version

> Fabric covered partition

Outer frame made from aluminium covered with fabric - Self-supporting design without structural core - thickness 47 mm. Tackable panel surface.



H. 120 x W. 80 cm 6 387 105

H. 120 x W. 120 cm 6 387 106

H. 160 x W. 80 cm 6 387 107

H. 160 x W. 120 cm 6 387 108

H. 180 x W. 80 cm 6 387 109

H. 180 x W. 120 cm 6 387 110

Ref + fah + fin

> Part-fabric and part-glazed partition screens

Fabric covered partition H. 120 cm combined with a H. 38.5 cm transparent PMMA panel (6 mm thick), secured using built-in metal clamps. Clamps available in a White SO, Aluminium grey SA, Graphite grey SC and Black SG finish (on request).



H. 160 x W. 80 cm 6 387 117

H. 160 x W. 120 cm 6 387 118

Ref. + fab.

Acoustic version

> Fabric covered acoustic partition screens

Outer frame made from aluminium covered with fabric - Core made from honeycomb cardboard 25 mm thick, clad with 1 layer of 10 mm thick acoustic polyester fibre on each panel face - thickness 47 mm. Tackable panel surface.



H. 120 x W. 80 cm 6 493 315
H. 120 x W. 120 cm 6 493 323
H. 113.5 x W.80 cm* 6 493 323
H. 160 x W. 80 cm 6 493 317
H. 160 x W. 120 cm 6 493 318
H. 180 x W. 80 cm 6 493 319
H. 180 x W. 120 cm 6 493 320

*The partition screen H. 113.5 cm mounted on fixed stabilizer feet lines up with the top of desktop screens attached to worktops.

Designed to be placed at the extremities of a desk. 11 mm gap between the partition screen and the desktop screen (do not attach to eachother).

Please contact us to confirm the compatibility with the desks ranges.

Ref. + fab. + fin.

Part-fabric and part-glazed acoustic partition screens


Fabric covered partition H. 120 cm combined with a H. 38.5 cm transparent PMMA panel (6 mm thick), secured using built-in metal clamps. Clamps available in a White SO, Aluminium grey SA, Graphite grey SC and Black SG finish (on request)



H. 160 x W. 80 cm 6 493 321

H. 160 x W. 120 cm 6 493 322

HOW TO PLACE AN ORDER? + 2. Select the necessary stabilizer FEET 3. Use CONNECTOR KITS to link multiple individual partitions for a chosen configuration screens to create a desired configuration



It is not possible to link a fabric covered partition with a part-fabric / part-glazed partition. It is not possible to link partition screens of different heights.

OPTION FOR PARTITION SCREENS

Ref + fin

Whiteboard

Whiteboard (PMMA) W. 70 x H. 58.5 cm, with epoxy lacquered metal pen tray - Fixing clamps come in a matching finish to the pen tray. Secured to both fabric and part-glazed partition screens W. 80 cm and W. 120 cm using metal clamps. Colours available from stock: White SO, Aluminium grey SA or Graphite grey SC. Other colours available on request.



Whiteboard (PMMA) with pen tray


6 386 124



Stabilizer feet
To be ordered separately

Must be included in your order

Complete with the addition of a connector kit to link multiple partitions screens



ON REQUEST: allow 4 weeks for desktop screens and partition screens / 6 weeks for rails and accessories

LUCIEN

Thanks to its sturdy design and acoustic properties, LUCIEN is ideal for creating individual spaces that favour privacy and concentration. The partition panels notably feature an aluminium frame that can receive a flatscreen monitor arm and many other accessories to help optimise the workspace. The fabric covered and part-glazed partition screens allow you to define different areas within an open space environment.








- Shared workstations, page 57
- Pedestals, page 121
- Ergonomic chairs, page 195
- Office chairs, page 223
- Desktop lamps, page 253



Sturdy & functional





Structure the workspace

Acoustic fibres used in panel composition

2 panel heights:
H. 160 and H. 200 cm
2 panel widths:
W. 80 and W. 120 cm

Allows the linking of 2, 3 or 4 partitions, either aligned or positioned in multi-directional layouts thanks to connector kits.

Glazed panel made from security glass


Accessories from the PUEBLO range can be affixed to the median profile

Available in full fabric-covered version or 2/3 fabric + 1/3 glazed Height-adjustable feet


Available in static or mobile versions

Aluminium frame, 42 mm thick

FINISHES









ALTUGLAS®

ç

AND FABRIC COVERED ACOUSTIC DESKTOP SCREENS

Bondaï fabrics (Cat. A)

Xtreme CS fabrics (Cat. B)

Blazer fabrics (Cat. D)

Accessories can be affixed to the upper profile of frontal partition screens: rail-mounted flatscreen monitor arms (see page 258) and accessories from the PUEBLO range (see page 119).

Fabric covered rectangular frontal desktop screens

| | W. 120 cm |
|---------|-----------|
| 120/180 | W. 140 cm |
| 04 | W 160 cm |

W. 180 cm

6 494 096

6 494 097 6 494 098

6 494 099

Altuglas® rectangular frontal desktop screens

| | 120/180 |
|---|---------|
| 4 | |

W. 120 cm W. 140 cm W. 160 cm

W. 180 cm

> 6 459 128 6 459 129

Lateral rectangular fabric desktop screens or curved Altuglas® screens

For configurations incorporating fixed height workstations on shared structural frames (CONECT range). Positioned laterally, the partition screen fits in between 2 worktops as a prolongation of a frontal desktop screen. Positioned laterally at desk extremities, the desktop screen attaches to the edge of the worktop.



Lateral rectangular fabric desktop screen (set of 2)

6 494 100



Curved Altuglas® lateral desktop screen (set of 2)

6 459 114

Fixing clamps



Metal fixing clamps. Compatible with worktops from 25 mm to 30 mm thick.



Standard clamps for individual workstations (set of 2)

Frontal attachment

6 494 093



Twin clamps for individual workstations positioned face-to-face (set of 2)



Frontal attachment 6 494 094 Twin bridge clamps for shared structural frame workstations (set of 2). Compatible with shared structural frame workstations comprising

2 individual desks (CONECT range) Shared structural frame D. 165 cm

6 494 092


Shared structural frame D. 142 cm

6 494 095

Connector kits for desktop screens



Must be ordered separately in order to link multiple partition screens. Grey ABS connectors for frontal and lateral desktop screens, 1 connector kit allows the linking of 2, 3 or 4 frontal and lateral screens.



1 connector kit H. 40 cm

6 459 118





Fixing clamps

To be ordered separately. Fixing clamps must be included in your order. Complete with the addition of a connector kit to link multiple partition screens.

Bondaï fabrics (Cat. A)

Xtreme CS fabrics (Cat. B)

Blazer fabrics (Cat. D)

Ref. + fab. + fin.

6 493 301

6 493 300

6 493 303

6 493 302

6 493 305

6 493 304


6 493 307

6 493 306

Fabric covered acoustic partition screens

Stabilizer feet must be ordered separately in accordance with the chosen configuration: see recommendations opposite.

PUEBLO range accessories can be affixed to the median profile of mixed fabric/glazed partitions (see page 119).



OPTIONS FOR ACOUSTIC PARTITION SCREENS

Stabilizer feet

Affix to the base of acoustic partition screens.

Positioned in line, 2 feet are required for each starter partition, followed by 1 additional foot every 2 partition screens. If 2 partitions forming an angle, T1 shaped configuration (3 partitions) or cruciform (4 partitions), stabilizer feet are not required.



Stabilizer feet

H. 200 x W. 80 cm

H. 200 x W. 120 cm

6 493 194

Set of 4 self-braking castors

Mounted to the underside of stabilizer feet. Ø 65 mm. For 2 stabilizer feet.




Set of 4 castors

6 493 195

Cable trough

Secures to the lower section of the partition screen, allows the concealed channelling of cables.



For partitions W. 80 cm

6 493 212

For partitions W. 120 cm

6 493 213

Connector kit



Use to link multiple partition screens together. Allows the creation of variable angle layouts.

Allow for one connector kit to link 2, 3 or 4 partitions. For linear configurations, foresee one connector kit per additional partition screen.







Stabilizer foot and connector kit

To be ordered separately

Order in accordance with the chosen configuration

ON REQUEST: allow 5 weeks

ACCESSORY RAILS

Optimise and free up your work space

PUEBLO accessories for attaching to the accessory rail



Possibility to affix flatscreen monitor arms

Metal structure Overall height: 30 cm Rail height: 10 cm Compatible with worktops 25 mm to 34 mm thick







On request

ACCESSORY RAILS

Set of 2 uprights fitted with desk clamps, for individual desks or face-to-face workstation configurations. Rails for twin workstations are designed to carry PUEBLO accessories (see below),

rail-mounted flatscreen monitor arms (see p. 258) and the OLO3 rail-mounted lamp (see p. 262).



Individual desks

| W. 120 cm | 7 466 018 |
|-----------|-----------|
| W. 160 cm | 7 466 019 |

Twin workstations

| W. 120 cm | 7 466 020 |
|-----------|-----------|
| W. 160 cm | 7 466 021 |

PUEBLO ACCESSORIES

Made from lacquered epoxy steel.

Can be fitted to accessory rails, to TWINS desktop screen rails and to the upper profile of LUCIEN desktop screens. May also be placed directly on the work surface (except 3 slot diagonal sorting tray).







Letter tray - starter unit


| W. 33.5 x D. 22 x H. 5 cm | 7 521 001 |
|-----------------------------|-----------|
| Letter tray add-on unit | |
| W. 33.5 x D. 22 x H. 5.2 cm | 7 521 002 |

Pencil cup W. 8.4 x D. 3.8 x H. 10 cm

3-compartment sorting unit W. 38.5 x D. 22 x H. 23.5 cm

7 521 004

7 521 003



ON REQUEST: allow 6 weeks