# OPTIMISE, DEFINE AND PERSONALISE YOUR SPACE

Open spaces greatly facilitate communications and interactions between employees. Yet, it is just as important for each member of staff to be able to define a space of their own, in order to promote concentration and work efficiently. To this end, desktop screens are essential for any workspace requiring an element of privacy. Purely decorative or with acoustic properties, they can also be accessorised to provide a personalised and clutter-free workspace. What is more, partitions help define areas for face-to-face interactions. SOLANGE's extensive choice of colours and gently curving profiles will enable you to structure the work space, whilst reducing ambient noise. Easy to combine, thanks to a practical and ingenious linking system, the partitions can also be mounted on castors which will facilitate the (re)configuration of work spaces to suit your needs.


### Desktop screens

ALTUGLAS®	100
TWINS	102
Desktop and partition screens	
SOLANGE	104
LUCIEN	112
Accessory rails	118

# ALTUGLAS®

Altuglas® desktop screens are ideal for fitting out modern spaces that require partitioning, all the while allowing a subtle diffusion of ambient light. Available in several choices of finish, they lend a modern touch to your space.









Price excl. taxes: From stock

#### ALTUGLAS® DESKTOP SCREENS

To be mounted on workstations without a structural pedestal. For configurations incorporating a structural pedestal, contacts us for details. Screens W. 80 may also be mounted in lateral configurations. Complete with the addition of fixing clamps, ordered separately.

> 80 > 180 40

6 459 052 W. 80 cm W. 120 cm 6 459 001 W. 140 cm 6 459 002 W. 160 cm 6 459 003 W. 180 cm 6 459 004



Consist in flat shafts fixed to one side of the desktop screen. Secured using roundhead screws.

Clamps for individual workstations - frontal attachment Clamps for twin workstations - face-to-face attachment

Clamps for lateral configurations

For worktops 28-38 mm thick For worktops 19-38 mm thick

For worktops 19-25 mm thick

6 459 055

6 459 065

For worktops 19-25 mm thick

For worktops 28-38 mm thick

6 459 066 6 459 057

6 459 062


Desktop screen • Fixing clamps





# TWINS

The ideal solution to suit every budget
















# SOLANGE

SOLANGE desktop screens and partitions allow for the creation of private areas within a larger shared workspace, favouring concentration. Thanks to their highly effective sound absorption qualities, these acoustic screens and partitions significantly reduce the disruptive impact of ambient noise, whilst at the same time providing an aesthetically harmonious backdrop to the workspace.







- Shared workstations, page 57
- Ergonomic chairs, page 195




## Clever & soundproofing

SOLANGE acoustic desktop screens absorb up to of nuisance ambient noise.

50%

Source : CEDIA laboratory (Belgium)





# Tool-free assembly



Available in a full fabric-covered version or part fabric, part translucent PMMA version

#### Different stabilizer feet models

depending on the chosen configuration: fixed or mobile partitions, in individual or multi-partition configurations

Available in standard and acoustic versions 47 mm thick

#### **OPTIONS**





Intelligent linking system



Whiteboard with pen tray

## FINISHES & PRODUCT OVERVIEW





<sup>\*</sup> Clamps and stabilizer feet supplied together with the ABS screw-on knobs. In White for clamps or stabilizer feet SO/SA and in Graphite grey for clamps and stabilizer feet SC/SG.

<sup>\*\*</sup> Fixing clamps and stabilizer feet to be ordered separately.

# PRICES Price excl. taxes: From stock

On request

FABRIC COVERED		Bondaï fabrics (Cat. A)	Xtreme CS fabrics (Cat. B)	Blazer fabrics (Cat. D)
ACOUSTIC DESKTOP SCREENS	Ref. + fab.			

#### **Desktop screens**

Outer frame made from aluminium covered with fabric - Core made from honeycomb cardboard 25 mm thick, clad with 1 layer of 10 mm thick acoustic polyester fibre on each panel face - thickness 47 mm. Tackable panel face.

#### Frontal and lateral H.40 cm



6 459 153
6 459 130
6 459 131
6 459 132
6 459 133
6 459 134
6 459 135

<sup>\*</sup> Desktop screens W. 70, W. 80 and W. 100 cm may also be positioned laterally on D. 70, D. 80 and D. 100 cm desks. Positioned in a lateral configuration, these desktop screens will only accommodate light-weight accessories.

Frontal H. 70 cm - Sit at the front of the worktop, functioning simultaneously as a partition screen and modesty panel.



L. 120 cm	6 459 136
L. 140 cm	6 459 137
L. 160 cm	6 459 138
L. 180 cm	6 459 139

**Fixing clamps** 

Epoxy coated metal - Clamps supplied together with the ABS screw-on knobs for desktop and partition screens. Compatible with worktops 19 mm to 30 mm thick.

#### Frontal attachment





#### Frontal attachment

Desktop screens H. 40 cm

6 459 140

6 459 143 Desktop screens H. 70 cm





For individual workstations positioned face-to-face or bench desks with shared structural frame and 2 worktops - clamps to both tops

Desktop screens H. 40 cm 6 459 144

#### Single worktop desks with shared structural frame - bolt-through attachment

2 options:

- Choose a partition that is 40 cm shorter than the width of the worktop in order to accommodate a lamp or flatscreen monitor arm next to the partition panel.
- Choose a screen of the same width as the desk worktop.

Desktop screens H. 40 cm 6 459 145

#### Lateral attachment



Individual and shared workstations - lateral attachment at desk ends. Fitted to the edge of the worktop using wood screws.

Desktop screens H. 40 cm 6 459 141

Individual and shared workstations - lateral attachment in between desks.

Desktop screens H. 40 cm 6 459 142





## HOW TO PLACE AN ORDER?



1. Choose a **DESKTOP SCREEN** 



2. Select the necessary **FIXING CLAMPS** for a chosen configuration



3. Complete your selection by adding an optional RAIL and corresponding ACCESSORIES

#### OPTIONS FOR DESKTOP SCREENS

Ref. + fin.

#### Rails

Epoxy coated metal - Attaches to desktop screens thanks to ABS screw-on knobs at the extremities. Applied to desktop screens W. 80/100 cm positioned in a lateral configuration, this rail is only suitable to receive the light weight accessories (i.e. magnetic whiteboard and pen tray). No accessories rail for desktop screens W. 70 cm.

For desktop screens : W. 80 cm 6 459 146

W. 100 cm 6 459 147

W. 120 cm 6 459 148

W. 140 cm 6 459 149

W. 160 cm 6 459 150

W. 180 cm 6 459 151

Accessories Ref. + fin.

Epoxy coated metal - Attach to and slide along the rail thanks to track gliders supplied with each accessory. (Colours: 2 White and 2 Graphite grey).

Magnetic whiteboard (magnetic tacks sold separately)	6 6	W. 27.5 x H. 27.5 cm x 10/10 mm thick	6 386 120
Letter tray - starter/add-on	J. P.	W. 33.5 x H. 6 x D. 25.5 cm	7 626 014
Letter tray - Starter/auu-on		W. 55.5 ATT. C A D. 25.5 GIII	7 626 015
Planter with 3 compartments	0	W. 32.7 x H. 18.5 x D. 12.9 cm	7 626 016
Shelving		W. 45 x H. 17 x D. 19 cm	7 626 017
Pen tray		W. 22.5 x H. 7.5 x D. 12 cm	6 386 121



solange · 109

## PRICES

On request

Bondaï fabrics Xtreme CS fabrics Blazer fabrics (Cat. B) (Cat. D) (Cat. A)

#### FABRIC COVERED PARTITION SCREENS

Ref. + fab.

#### Standard non-acoustic version > Fabric covered partition

Outer frame made from aluminium covered with fabric - Self-supporting design without structural core - thickness 47 mm. Tackable panel surface.



H. 120 x W. 80 cm 6 387 105 H. 120 x W. 120 cm 6 387 106 H. 160 x W. 80 cm 6 387 107 H. 160 x W. 120 cm 6 387 108 H. 180 x W. 80 cm 6 387 109 H. 180 x W. 120 cm 6 387 110

#### > Part-fabric and part-glazed partition screens

Fabric covered partition H. 120 cm combined with a H. 38.5 cm transparent PMMA panel (6 mm thick), secured using built-in metal clamps. Clamps available in a White SO, Aluminium grey SA, Graphite grey SC and Black SG finish (on request).



H. 160 x W. 80 cm 6 387 117 H. 160 x W. 120 cm 6 387 118

Ref. + fab.

#### **Acoustic version**

#### > Fabric covered acoustic partition screens

Outer frame made from aluminium covered with fabric - Core made from honeycomb cardboard 25 mm thick, clad with 1 layer of 10 mm thick acoustic polyester fibre on each panel face - thickness 47 mm. Tackable panel surface.



H. 120 x W. 80 cm 6 493 315 H. 120 x W. 120 cm 6 493 316 H. 113.5 x W.80 cm\* 6 493 323 H. 160 x W. 80 cm 6 493 317 H. 160 x W. 120 cm 6 493 318 H. 180 x W. 80 cm 6 493 319 H. 180 x W. 120 cm 6 493 320

\* The partition screen H. 113.5 cm mounted on fixed stabilizer feet lines up with the top of desktop screens attached to worktops. Designed to be placed at the extremities of a desk. 11 mm gap between the partition screen and the desktop screen (do not attach to eachother). Please contact us to confirm the compatibility with the desks ranges.

6 493 322

#### Part-fabric and part-glazed acoustic partition screens


Fabric covered partition H. 120 cm combined with a H. 38.5 cm transparent PMMA panel (6 mm thick), secured using built-in metal clamps. Clamps available in a White SO, Aluminium grey SA, Graphite grey SC and Black SG finish (on request)

H. 160 x W. 120 cm



H. 160 x W. 80 cm 6 493 321

# HOW TO PLACE AN ORDER? + 2. Select the necessary stabilizer FEET 3. Use CONNECTOR KITS to link multiple individual partitions for a chosen configuration screens to create a desired configuration



O (IV)

It is not possible to link a fabric covered partition with a part-fabric / part-glazed partition. It is not possible to link partition screens of different heights.

#### OPTION FOR PARTITION SCREENS

Ref + fin

#### Whiteboard

Whiteboard (PMMA) W. 70 x H. 58.5 cm, with epoxy lacquered metal pen tray - Fixing clamps come in a matching finish to the pen tray. Secured to both fabric and part-glazed partition screens W. 80 cm and W. 120 cm using metal clamps. Colours available from stock: White SO, Aluminium grey SA or Graphite grey SC. Other colours available on request.




Whiteboard (PMMA) with pen tray

6 386 124



Stabilizer feet
To be ordered separately
Must be included in your order

Complete with the addition of a connector kit to link multiple partitions screens



ON REQUEST: allow 4 weeks for desktop screens and partition screens / 6 weeks for rails and accessories

# LUCIEN

Thanks to its sturdy design and acoustic properties, LUCIEN is ideal for creating individual spaces that favour privacy and concentration. The partition panels notably feature an aluminium frame that can receive a flatscreen monitor arm and many other accessories to help optimise the workspace. The fabric covered and part-glazed partition screens allow you to define different areas within an open space environment.








- Shared workstations, page 57
- Pedestals, page 121
- Ergonomic chairs, page 195
- Office chairs, page 223
- Desktop lamps, page 253



# Sturdy & functional





## Structure the workspace

Acoustic fibres used in panel composition

2 panel heights:
H. 160 and H. 200 cm
2 panel widths:
W. 80 and W. 120 cm

Allows the linking of 2, 3 or 4 partitions, either aligned or positioned in multi-directional layouts thanks to connector kits.

Glazed panel made from security glass

Accessories from the PUEBLO range can be affixed to the median profile


Available in full fabric-covered version or 2/3 fabric + 1/3 glazed

Height-adjustable feet


Available in static or mobile versions

Aluminium frame, 42 mm thick

## FINISHES



ON REQUEST: allow 5 weeks





Bondaï fabrics Xtreme CS fabrics Blazer fabrics **ALTUGLAS®** (Cat. A) (Cat. B) (Cat. D) AND FABRIC COVERED ACOUSTIC DESKTOP SCREENS

Accessories can be affixed to the upper profile of frontal partition screens: rail-mounted flatscreen monitor arms (see page 258) and accessories from the PUEBLO range (see page 119).

#### Fabric covered rectangular frontal desktop screens

	W. 120 cm	6 494 096	
120/180	W. 140 cm	6 494 097	
4	W. 160 cm	6 494 098	
	W. 180 cm	6 494 099	

#### Altuglas® red

ectangular frontal desktop screens		Ref. + col. + fin.		
	W. 120 cm	6 459 126		
9 120/180	W. 140 cm	6 459 127		
	W. 160 cm	6 459 128		
	W. 180 cm	6 459 129		

#### Lateral rectangular fabric desktop screens or curved Altuglas® screens


For configurations incorporating fixed height workstations on shared structural frames (CONECT range). Positioned laterally, the partition screen fits in between 2 worktops as a prolongation of a frontal desktop screen. Positioned laterally at desk extremities, the desktop screen attaches to the edge of the worktop.

81,7	Lateral rectangular fabric desktop screen (set of 2)	Ref. + fab. + fin. 6 494 100	
81,7	Curved Altuglas® lateral desktop screen (set of 2)	Ref. + col. + fin. 6 459 114	
(0)			

Fixing clamps ( U



Metal fixing clamps. Compatible with worktops from 25 mm to 30 mm thick.



2 individual desks (CONECT range)


Shared structural frame D. 165 cm 6 494 092 Shared structural frame D. 142 cm 6 494 095

Connector kits for desktop screens



6 459 118

Must be ordered separately in order to link multiple partition screens. Grey ABS connectors for frontal and lateral desktop screens, 1 connector kit allows the linking of 2, 3 or 4 frontal and lateral screens.



Work surface Desktop screen for desk W. 120 to 180 cm Lateral screen W. 81.7 cm Connector kit



#### Fixing clamps

To be ordered separately. Fixing clamps must be included in your order. Complete with the addition of a connector kit to link multiple partition screens.

Bondaï fabrics (Cat. A)

Xtreme CS fabrics (Cat. B)


Blazer fabrics (Cat. D)

Ref. + fab. + fin.

#### Fabric covered acoustic partition screens

Stabilizer feet must be ordered separately in accordance with the chosen configuration: see recommendations opposite.

PUEBLO range accessories can be affixed to the median profile of mixed fabric/glazed partitions (see page 119).



OPTIONS FOR ACOUSTIC PARTITION SCREENS

#### Stabilizer feet



Positioned in line, 2 feet are required for each starter partition, followed by 1 additional foot every 2 partition screens. If 2 partitions forming an angle, T1 shaped configuration (3 partitions) or cruciform (4 partitions), stabilizer feet are not required.



Stabilizer feet

6 493 194

#### Set of 4 self-braking castors

Mounted to the underside of stabilizer feet. Ø 65 mm. For 2 stabilizer feet.




Set of 4 castors

6 493 195

#### Cable trough

Secures to the lower section of the partition screen, allows the concealed channelling of cables.



For partitions W. 80 cm

6 493 212

For partitions W. 120 cm

6 493 213

#### Connector kit




Use to link multiple partition screens together. Allows the creation of variable angle layouts.

Allow for one connector kit to link 2, 3 or 4 partitions. For linear configurations, foresee one connector kit per additional partition screen.







ON REQUEST

ON REQUEST: allow 5 weeks

# ACCESSORY RAILS

• Optimise and free up your work space

PUEBLO accessories for attaching to the accessory rail



Possibility to affix flatscreen monitor arms

Metal structure Overall height: 30 cm Rail height: 10 cm Compatible with worktops 25 mm to 34 mm thick







On request

#### ACCESSORY RAILS

Set of 2 uprights fitted with desk clamps, for individual desks or face-to-face workstation configurations. Rails for twin workstations are designed to carry PUEBLO accessories (see below),

rail-mounted flatscreen monitor arms (see p. 258) and the OLO3 rail-mounted lamp (see p. 262).



#### Individual desks

W. 120 cm	7 466 018
W. 160 cm	7 466 019

#### Twin workstations

W. 120 cm	7 466 020
W. 160 cm	7 466 021

#### PUEBLO ACCESSORIES

Made from lacquered epoxy steel.

Can be fitted to accessory rails, to TWINS desktop screen rails and to the upper profile of LUCIEN desktop screens. May also be placed directly on the work surface (except 3 slot diagonal sorting tray).








#### Letter tray - starter unit

W. 38.5 x D. 22 x H. 23.5 cm

Letter tray - Starter unit		
W. 33.5 x D. 22 x H. 5 cm	7 521 001	
Letter tray add-on unit		
W. 33.5 x D. 22 x H. 5.2 cm	7 521 002	
Pencil cup		
W. 8.4 x D. 3.8 x H. 10 cm	7 521 003	
3-compartment sorting unit		

7 521 004



ON REQUEST: allow 6 weeks