


System Furniture

043



4Line	44
4Most	56
4 Wave	78
Pure Evolution	92
Twin Distal	102
New Duplex	114
Sit-stand desk	126

4Line

4Line is one of the solutions available in our System furniture collection, aiming to answer all individual and collective workspace needs. Easy to assemble and capable of adapting to evolving usage requirements, 4Line is an exercise in the optimisation of space and costs.



"4LINE is built around an elegant yet sober conceptual design, expressed through crisp lines and refined detailing. The range is exceedingly popular among my colleagues, whether in individual trade marketing spaces or more collaborative and teamwork orientated environments."

YANNICK BELLEC Commercial Director Europe







Ideally suited to teamwork settings thanks to shared-leg configurations and multiple layout designs





Shared-leg configurations allow the incorporation of desktop screens and other accessories. The legs are set back to **facilitate freedom of movement between desks.**





Shade card

3 choices of finish for melamine worktops



MG
Snow white

RI
Light oak

RH
French Apple

3 choices of finish for metal legs




SO
White

SA
Aluminium grey


SC
Graphite grey

The Range


Rectangular desks




Wave desks




Asymmetrical compact desks



Symmetrical compact desks



Extension units



Standards



AMEUBLEMENT


Technical specifications



1



2



3



4

1 High-density particle board, 30 mm thick, with a decorative sheet of melamine on both sides of the top and rounded edges. Strip of ABS 2 mm thick fitted to desktop edging. Worktops feature 1, 2 or 4 'EOL' cable ports in matching finish to the legs. These are composed of an outer ring \varnothing 8cm incorporated in the worktop and \varnothing 6 cm snap-in element for feeding cables through.

2 Fixed rounded triangular metal legs. Decorative trim fold running along the length of the legs on the 2 outer faces. Stabilizer feet adjust through 15 mm. Worktop height: 74 cm.

3 Fixed metal legs, fitted with cable management features and a removable housing cover on the inside of the leg. Cabling can be fed through from the base of legs to the worktop. Quick and easy assembly or reconfiguration of work-surfaces thanks to identical mounting bracket design for both independent and shared leg structures. Worktop height: 74 cm.

4 Height-adjustable legs with detachable housing cover on the inside of the leg. Lower section of the leg with integral height gauge to facilitate symmetrical adjustments. Worktop height: from 62 to 86 cm, adjustable at 2 cm intervals. Additionally, stabilizer feet adjust through 15 mm.

5 Shared central support leg, allows joining of up to 4 worktops to a single metal mounting bracket.

6 Multifunctional cable trough and structural beam, included with desks of W. 160 and 180 cm. Optional for worktops of W. 120 and 140 cm. The cable trough design allows concealment of electrical trailing sockets and cables, on either visitor or user sides. Fitted with tie-straps for securing of cables. Usable dimensions: D. 94 x H. 85 cm.

7 Mounting plates for attaching a desk-height pedestal to the worktop. Replaces the supporting leg on compact desk return units.

8 Optional metal modesty panel, attaches by means of screws and metal inserts. Height 24 cm.



5



6



7



8

■ Rectangular desks D. 80 cm

Starter unit desks come with 2 fixed legs incorporating cable management feature. Subsequent add-on unit features 1 fixed leg with cable management. All the legs on the adjustable height desks incorporate cable management.



Fixed legs	Starter unit	Add-on unit
W. 80 x D. 80 cm	1 800 014 + top + leg	1 800 029 + top + leg
W. 120 x D. 80 cm	1 800 017 + top + leg	1 800 032 + top + leg
W. 140 x D. 80 cm	1 800 020 + top + leg	1 800 035 + top + leg
W. 160 x D. 80 cm	1 800 023 + top + leg	1 800 038 + top + leg
W. 180 x D. 80 cm	1 800 026 + top + leg	1 800 041 + top + leg
Fixed legs with cable management		
W. 80 x D. 80 cm	1 800 015 + top + leg	1 800 030 + top + leg
W. 120 x D. 80 cm	1 800 018 + top + leg	1 800 033 + top + leg
W. 140 x D. 80 cm	1 800 021 + top + leg	1 800 036 + top + leg
W. 160 x D. 80 cm	1 800 024 + top + leg	1 800 039 + top + leg
W. 180 x D. 80 cm	1 800 027 + top + leg	1 800 042 + top + leg
Height-adjustable legs with cable management		
W. 80 x D. 80 cm	1 800 016 + top + leg	1 800 031 + top + leg
W. 120 x D. 80 cm	1 800 019 + top + leg	1 800 034 + top + leg
W. 140 x D. 80 cm	1 800 022 + top + leg	1 800 037 + top + leg
W. 160 x D. 80 cm	1 800 025 + top + leg	1 800 040 + top + leg
W. 180 x D. 80 cm	1 800 028 + top + leg	1 800 043 + top + leg



Fixed legs	Cluster of 4 desks	Cluster of 2 add-on units
W. 240 x D. 160 cm	1 800 044 + top + leg	1 800 169 + top + leg
W. 280 x D. 160 cm	1 800 046 + top + leg	1 800 170 + top + leg
W. 320 x D. 160 cm	1 800 048 + top + leg	1 800 171 + top + leg
W. 360 x D. 160 cm	1 800 050 + top + leg	1 800 172 + top + leg
Fixed legs with cable management		
W. 240 x D. 160 cm	1 800 045 + top + leg	1 800 173 + top + leg
W. 280 x D. 160 cm	1 800 047 + top + leg	1 800 174 + top + leg
W. 320 x D. 160 cm	1 800 049 + top + leg	1 800 175 + top + leg
W. 360 x D. 160 cm	1 800 051 + top + leg	1 800 176 + top + leg

■ Rectangular desks D. 60 cm

Starter unit desks come with 2 fixed legs incorporating cable management feature. Subsequent add-on unit features 1 leg with cable management. All the legs on the adjustable height desks incorporate cable management.



Fixed legs	Starter unit	Add-on unit
W. 80 x D. 60 cm	1 800 052 + top + leg	1 800 055 + top + leg
Fixed legs with cable management		
W. 80 x D. 60 cm	1 800 053 + top + leg	1 800 056 + top + leg
Height-adjustable legs with cable management		
W. 80 x D. 60 cm	1 800 054 + top + leg	1 800 057 + top + leg

■ Symmetrical wave desks D. 100 cm

Starter unit desks come with 2 fixed legs incorporating cable management feature. Subsequent add-on unit features 1 fixed leg with cable management. All the legs on the adjustable height desks incorporate cable management.



Fixed legs	Starter unit	Add-on unit
W. 160 x D. 100 cm	1 800 058 + top + leg	1 800 061 + top + leg
Fixed legs with cable management		
W. 160 x D. 100 cm	1 800 059 + top + leg	1 800 062 + top + leg
Height-adjustable legs with cable management		
W. 160 x D. 100 cm	1 800 060 + top + leg	1 800 063 + top + leg



Fixed legs	4 leg unit
W. 320 x D. 200 cm	1 800 064 + top + leg
Fixed legs with cable management	
W. 320 x D. 200 cm	1 800 065 + top + leg

■ Asymmetrical wave desks D. 80/100 cm

Starter unit desks come with 2 fixed legs incorporating cable management feature. Subsequent add-on unit features 1 fixed leg with cable management. All the legs on the adjustable height desks incorporate cable management.

Fixed legs	Starter unit		Add-on unit	
W. 160 x D. 100 cm - left-hand return	1 800 066 + top + leg		1 800 072 + top + leg	
W. 160 x D. 100 cm - right-hand return	1 800 069 + top + leg		1 800 075 + top + leg	

Fixed legs with cable management

W. 160 x D. 100 cm - left-hand return	1 800 067 + top + leg		1 800 073 + top + leg	
W. 160 x D. 100 cm - right-hand return	1 800 070 + top + leg		1 800 076 + top + leg	

Height-adjustable legs with cable management

W. 160 x D. 100 cm - left-hand return	1 800 068 + top + leg		1 800 074 + top + leg	
W. 160 x D. 100 cm - right-hand return	1 800 071 + top + leg		1 800 077 + top + leg	



Fixed legs

Fixed legs	Cluster of 4 desks	
W. 320 x D. 200 cm	1 800 078 + top + leg	

Fixed legs with cable management

W. 320 x D. 200 cm	1 800 079 + top + leg	
--------------------	-----------------------	---



■ 90° asymmetrical compact desks - Return D. 60 cm

Starter unit desks come with 2 fixed legs incorporating cable management feature. Subsequent add-on unit features 1 fixed leg with cable management. All the legs on the adjustable height desks incorporate cable management.

Fixed legs	Starter unit		Add-on unit	
W. 160 x Rt 60 cm - left-hand return	1 800 080 + top + leg		1 800 092 + top + leg	
W. 160 x Rt 60 cm - right-hand return	1 800 083 + top + leg		1 800 095 + top + leg	
W. 180 x Rt 60 cm - left-hand return	1 800 086 + top + leg		1 800 098 + top + leg	
W. 180 x Rt 60 cm - right-hand return	1 800 089 + top + leg		1 800 101 + top + leg	

Fixed legs with cable management

W. 160 x Rt 60 cm - left-hand return	1 800 081 + top + leg		1 800 093 + top + leg	
W. 160 x Rt 60 cm - right-hand return	1 800 084 + top + leg		1 800 096 + top + leg	
W. 180 x Rt 60 cm - left-hand return	1 800 087 + top + leg		1 800 099 + top + leg	
W. 180 x Rt 60 cm - right-hand return	1 800 090 + top + leg		1 800 102 + top + leg	

Height-adjustable legs with cable management

W. 160 x Rt 60 cm - left-hand return	1 800 082 + top + leg		1 800 094 + top + leg	
W. 160 x Rt 60 cm - right-hand return	1 800 085 + top + leg		1 800 097 + top + leg	
W. 180 x Rt 60 cm - left-hand return	1 800 088 + top + leg		1 800 100 + top + leg	
W. 180 x Rt 60 cm - right-hand return	1 800 091 + top + leg		1 800 103 + top + leg	

Fixed legs

Fixed legs	Cluster of 4 desks	
W. 320 x D. 240 cm	1 800 104 + top + leg	
W. 360 x D. 240 cm	1 800 106 + top + leg	

Fixed legs with cable management

W. 320 x D. 240 cm	1 800 105 + top + leg	
W. 360 x D. 240 cm	1 800 107 + top + leg	



3 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg)



■ 90° asymmetrical compact office desks with desk-height pedestal

Metal pedestal W. 42.8 cm D. 60 positioned on return side. For technical specifications, see page 132. Starter unit desks come with 2 fixed legs incorporating cable management feature. Subsequent add-on unit features 1 fixed leg with cable management. All the legs on the adjustable height desks incorporate cable management.



Fixed legs

	Starter unit
W. 160 x Rt 60 cm - left-hand return	1 800 108 + top + leg
W. 160 x Rt 60 cm - right-hand return	1 800 110 + top + leg
W. 180 x Rt 60 cm - left-hand return	1 800 116 + top + leg
W. 180 x Rt 60 cm - right-hand return	1 800 118 + top + leg

Add-on unit

1 800 112 + top + leg
1 800 114 + top + leg
1 800 120 + top + leg
1 800 122 + top + leg

Fixed legs with cable management

W. 160 x Rt 60 cm - left-hand return	1 800 109 + top + leg
W. 160 x Rt 60 cm - right-hand return	1 800 111 + top + leg
W. 180 x Rt 60 cm - left-hand return	1 800 117 + top + leg
W. 180 x Rt 60 cm - right-hand return	1 800 119 + top + leg

1 800 113 + top + leg
1 800 115 + top + leg
1 800 121 + top + leg
1 800 123 + top + leg



Fixed legs

	Cluster of 4 desks
W. 320 x D. 240 cm	1 800 180 + top + leg
W. 360 x D. 240 cm	1 800 181 + top + leg

Fixed legs with cable management

W. 320 x D. 240 cm	1 800 182 + top + leg
W. 360 x D. 240 cm	1 800 183 + top + leg

■ Fixed rectangular returns

For rectangular office desks W. 160 and 180 cm and for asymmetrical compact desks 60 cm.



Fixed legs

W. 80 x D. 60 cm	1 800 124 + top + leg
------------------	-----------------------

Fixed legs with cable management

W. 80 x D. 60 cm	1 800 125 + top + leg
------------------	-----------------------

Height-adjustable legs with cable management

W. 80 x D. 60 cm	1 800 126 + top + leg
------------------	-----------------------

■ 90° symmetrical compact desks

Starter unit desks come with 2 fixed legs incorporating cable management feature. Subsequent add-on unit features 1 fixed leg with cable management. All the legs on the adjustable height desks incorporate cable management.



Fixed legs

	Starter unit
W. 140 x Rt 60 cm	1 800 127 + top + leg
W. 160 x Rt 80 cm	1 800 133 + top + leg

Add-on unit

1 800 130 + top + leg
1 800 136 + top + leg

Fixed legs with cable management

W. 140 x Rt 60 cm	1 800 128 + top + leg
W. 160 x Rt 80 cm	1 800 134 + top + leg

1 800 131 + top + leg
1 800 137 + top + leg

Height-adjustable legs with cable management

W. 140 x Rt 60 cm	1 800 129 + top + leg
W. 160 x Rt 80 cm	1 800 135 + top + leg

1 800 132 + top + leg
1 800 138 + top + leg



Fixed legs

	Cluster of 4 desks
W. 280 x Rt 120 cm	1 800 139 + top + leg
W. 320 x Rt 160 cm	1 800 141 + top + leg

Fixed legs with cable management

W. 280 x Rt 120 cm	1 800 140 + top + leg
W. 320 x Rt 160 cm	1 800 142 + top + leg

3 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg)



■ 120° symmetrical compact desks

Starter unit desks come with 2 fixed legs incorporating cable management feature. Subsequent add-on unit features 1 fixed leg with cable management. All the legs on the adjustable height desks incorporate cable management.



W. 120 x R_t 80 cm

Fixed legs

1 800 143 + top + leg



Fixed legs with cable management

1 800 144 + top + leg



Height-adjustable legs with cable management

W. 120 x R_t 80 cm

1 800 145 + top + leg



W. 288 x D. 249 x R_t 160 cm

Fixed legs - cluster of 3 desks

1 800 149 + top + leg



Fixed legs with cable management

1 800 150 + top + leg



■ Half-moon tables



W. 80 x D. 40 cm

W. 165 x D. 60 cm

Fixed leg

1 800 151 + top + leg



1 800 152 + top + leg

Fixed legs with cable management

1 800 184 + top + leg



1 800 154 + top + leg

■ Circular meeting tables ø 120 cm



ø 120 cm on 4 legs

ø 120 cm on central leg

Fixed leg(s)

1 800 155 + top + leg



1 800 156 + top + leg

Adjustable legs

1 800 178 + top + leg



■ Optional cable management trough and modesty panels



Fixed multipurpose cable management trough design allows concealment of electrical trailing sockets and cables. Supplied from stock on worktops of W. 160 and 180 cm.

In lacquered steel H. 28 cm. Attaches to worktop by means of screws and metal inserts.



For desk W. 80 cm

For desk W. 120 cm

For desk W. 140 cm

For desk W. 160 cm

For desk W. 180 cm

Cable troughs

1 800 005 + leg



1 800 006 + leg

1 800 007 + leg

Modesty panels

1 800 177 + leg



1 800 010 + leg

1 800 011 + leg

1 800 012 + leg

1 800 013 + leg

■ Metal pedestals



Pedestal technical specifications, see p. 131.

Metal top mobile pedestals

W. 41.8 x D. 57 x H. 56.9 cm

3 box drawers 1 800 164 + leg

1 box dr. + 1 filing drawer 1 800 163 + leg



Desk height pedestal with 2 box drawers and 1 filing drawer.

Melamine top 30 mm thick with rounded corners.

W. 42.8 x H. 74 cm

D. 60 cm 3D

1 800 167 + top + leg

D. 80 cm 3D

1 800 168 + top + leg



■ Metal pedestals with decorative melamine front panelling

Melamine back and drawer fronts (melamine back on mobile pedestals) only available in RI and RH finish.



Pedestal technical specifications, see p. 130.

Mobiles W. 41.8 X D. 59.5 X H. 58.5 cm

1 box dr. + 1 filing drawer 1 800 185 + top + leg

3 box drawers 1 800 186 + top + leg



Desk height pedestal with 2 box drawers and 1 filing drawer.

Melamine top 30 mm thick with rounded corners.

W. 42.8 x H. 74 cm

D. 60 cm 3D

1 800 187 + top + leg

D. 80 cm 3D

1 800 188 + top + leg



Desktop screens

p. 138.



Sliding-door cupboards

p. 156.



Meeting tables

p. 182.



4Most

A totally flexible solution for the creation of effective individual and collective workspaces, the 4MOST system furniture adapts to the constantly evolving needs of your business.

The range offers:

- A variety of rectangular and triangular-section Frame or Bridge leg designs
- Easy reach storage solutions for Bench units
- Efficient cable management solutions thanks to sliding worktops or cable ports integrated into fixed worktops
- Highly customisable workspaces, thanks to a large selection of colour schemes and options allowing effective visual and acoustic isolation



"This is the new and much improved Bench range. 4Most has taken the concept of easy reach storage to the next level, inviting us to a fresh vision of well-being and productivity in the office. Such a versatile and modular range helps you efficiently define boundaries between individual workstations and spaces adapted to collaborative processes or teamwork."

STÉPHANIE GONZALEZ ROCHER Category manager – desking – Product marketing



Evolving as a team







Easy reach storage units help you **define and personalise your workspace**



The main supporting cupboard units with sliding doors offer a versatile and modular storage solution, thanks to a design allowing users to access contents from one or both sides of the unit. A vivid colour scheme, matching seamlessly with desktop panel screens, infuses the workspace with a decidedly contemporary feel.











A variety of leg designs allows the creation of a workspace that perfectly fits your needs, whether with single desk layouts or more collaborative setups, based on multiple desks and shared leg configurations.



Shade card

7 choices of finish for melamine worktops



MG
Snow white



MA
White maple



MB
Light beech



RI
Light oak



MC
Salmon
beech



RH
French
Apple



RL
Amber
walnut

2 choices of finish for
metal legs



SO
White



SA
Aluminium
grey



MG
White



MH
Aluminium
grey

2 choices of finish for
easy reach storage units
with melamine structures

4 choices of colour for easy reach storage units
with Altuglas® sliding doors



OA
White



OB
Smoke



OO
Lagoon blue



OX
Red

7 choices of colour for easy reach storage units
with melamine doors



MG
Snow white



RI
Light oak



RL
Amber walnut



RU
Taupe



RW
Dark grey



RT
Lagoon
blue



RX
Passion red

Standards and Technical specifications



1

1 High-density fibre board top, 25 mm thick, with a decorative sheet of melamine on both sides of the top. 2 mm thick ABS edging, matching the worktops.

Worktops feature a cable port, composed of an outer ring (ø 8cm) incorporated in the worktop and 'EOL' design snap-in cap (ø 6 cm).

4 leg designs :

- Bridge leg, rectangular cross-section – fixed H. 73.5 cm or height-adjustable from 62 to 86 cm

- Bridge leg, triangular cross-section – fixed H. 73.5 cm or height-adjustable from 62 to 86 cm.

- Frame leg, rectangular cross-section – fixed H. 73.5 cm.

- Frame leg, triangular cross-section – fixed H. 73.5 cm

2 Fixed Bridge leg, rectangular cross-section 60 x 30mm composed of:

2 uprights and 1 horizontal crossbar. Leg attaches to the top by means of a perforated 2 mm thick pressed sheet metal top plate.

1 beam mounting bracket for attaching an extremity of the desk crossbeam.

2 black ABS end caps fitted with stabilizer feet, adjustable through 20 mm.

3 Fixed Frame leg, rectangular cross-section 60 x 30 mm. Identical features to the Bridge leg, with an additional horizontal crossbar at the base in order to close the frame.

4 Bridge leg, rectangular cross-section, height-adjustable. Height is adjustable at 2 cm intervals by means of a notched rectangular-section tube, fitted inside the lower section of the leg upright.

5 For asymmetrical compact desks with return. Additional stability is ensured by a W. 120 cm horizontal crossbar, spanning the base on the return side.

6 Structural support is provided by a tubular-section 50 x 20 mm crossbeam. Optional cable troughs can be fitted to the crossbeam to store electrical trailing sockets and cables.

7 Fixed Bridge leg, triangular cross-section 59 x 59 x 80 mm. One piece design with invisible welding.

1 beam mounting bracket for attaching an extremity of the desk crossbeam.

2 brackets welded to the inner face of the leg to support the worktop.

2 triangular ABS grey polypropylene end caps, fitted with stabilizer feet, adjustable through 15 mm.

8 Frame leg, triangular cross-section. Identical features to the Bridge leg, with an additional horizontal crossbar at the base in order to close the frame.

9 Height-adjustable Bridge leg, triangular cross-section. Height is adjustable at 2 cm intervals by means of a notched triangular-section tube, fitted inside the lower section of the leg upright.

10 Optional metal modesty panel H. 28 cm attaches to the underside of the worktops by means of screws and metal inserts.



2



3



4



5



6



7



8



9



10

Technical specifications




11



12



13



14



15

11 Bench leg structure W. 165 cm is available with fixed legs of rectangular or triangular cross-section of either Frame or Bridge design. It is adapted to receive fixed or sliding worktops and shared use of support legs in face-to-face workstation setups. A central 50 mm gap separates adjoining worktops.

12 Crossbeams/bars spanning the desk rest on a central leg, designed as a shared support element between two structures. The legs are set back to facilitate freedom of movement between workstations.

13 The central 50 mm gap, separating adjoining face-to-face worktops, is designed to receive technical desktop screens with an integrated accessory rail. Screens attach with screws directly to the upper horizontal leg brackets. Inner panels available in either Altuglas® or fabric.

14 15 Sliding worktops facilitate unimpeded access to cables and trailing sockets stored in the central cable management trough located under the worktops. Troughs are made from 7/10 sheet steel and feature a vertical partition with opening that allows the routing of W. 400 x H. 60 mm electrical trailing sockets. Worktops slide open through 100 mm. Degree of extension is limited using 2 thumbscrews, with 2 additional thumbscrews locking the worktop in a determined user position. For fixed worktop configurations, the high-capacity cable management trough is secured in position between 2 worktops by means of a pair of 2 mm thick sheet steel brackets. Usable Dim.: D. 20 x H. 4.5 cm.

16 17 18 19 20 The structure of supporting returns is made from 19 mm thick melamine panelling, except in the H. 71 cm version that features a 25 mm thick structural top and base. Cupboards with H. 113.5 cm have a 25 mm thick structural top. Return units fitted with sliding doors can be incorporated as a structural component of a workstation. They allow access to contents either from user side or both front and back sides. An interior partition panel divides the space into two distinct storage units. The desks with supporting return are not certified NF Environnement.

16 Return modules H.55.2 cm. Optional melamine shelves. Sliding doors made from 4 mm thick Altuglas® panels. Integrated circular chrome door handle grip. The supporting return module rests on 5 rectangular or triangular cross-section metal feet, matching finish to the workstation leg structure.

17 Return modules H.71cm. Two fixed melamine shelves. Melamine sliding doors fitted on runners (with integrated thumbscrew for door adjustments) in an aluminium track. Recessed metal handles sit flush with the door edge. Central locking. Supporting return modules rest on adjustable stabilizer feet that can be accessed from inside the module base.

20 Three drawer filing unit, featuring 2 box drawers and 1 filing drawer. Available as a structural support element when incorporated into a central column configuration. Worktops are secured to the back of the 3 drawer filing units.



16



17



18



19



20


The range

Bench and shared structures on returns with sliding doors

Supporting return H. 55.2 cm

Supporting desk height return


Supporting legs and pedestals




Rectangular and bow-fronted desks

Wave desks

Compact asymmetrical desks



Extension units



■ Standard desks D. 80 cm and return H. 55.2 cm with Altuglas® doors

	Fixed Bridge legs	Rectangular Bridge legs	Triangular Bridge legs
	Sliding doors - access from user side		
	W. 162 x D. 165 cm	1 170 205 + top + leg + col.	1 170 208 + top + leg + col.
	W. 182 x D. 165 cm	1 170 206 + top + leg + col.	1 170 209 + top + leg + col.
	W. 202 x D. 165 cm	1 170 207 + top + leg + col.	1 170 210 + top + leg + col.
	Sliding doors - access from front and back		
	W. 162 x D. 165 cm	1 170 211 + top + leg + col.	1 170 214 + top + leg + col.
	W. 182 x D. 165 cm	1 170 212 + top + leg + col.	1 170 215 + top + leg + col.
	W. 202 x D. 165 cm	1 170 213 + top + leg + col.	1 170 216 + top + leg + col.
	Fixed Frame legs	Rectangular Frame legs	Triangular Frame legs
	Sliding doors - access from user side		
	W. 162 x D. 165 cm	1 170 217 + top + leg + col.	1 170 220 + top + leg + col.
W. 182 x D. 165 cm	1 170 218 + top + leg + col.	1 170 221 + top + leg + col.	
W. 202 x D. 165 cm	1 170 219 + top + leg + col.	1 170 222 + top + leg + col.	
Sliding doors - access from front and back			
W. 162 x D. 165 cm	1 170 223 + top + leg + col.	1 170 226 + top + leg + col.	
W. 182 x D. 165 cm	1 170 224 + top + leg + col.	1 170 227 + top + leg + col.	
W. 202 x D. 165 cm	1 170 225 + top + leg + col.	1 170 228 + top + leg + col.	

■ Central storage column - 2 standard desks D. 80 cm and return H. 55.2 cm with Altuglas® doors - fixed tops

Pair of fixed worktops assembled on either side of a central column, access through sliding doors from the front and back of the unit

	Fixed Bridge legs	Rectangular Bridge legs	Triangular Bridge legs
	W. 280 x D. 165 cm	1 170 461 + top + leg + col.	1 170 464 + top + leg + col.
	W. 320 x D. 165 cm	1 170 462 + top + leg + col.	1 170 465 + top + leg + col.
	W. 360 x D. 165 cm	1 170 463 + top + leg + col.	1 170 466 + top + leg + col.
	Fixed Frame legs	Rectangular Frame legs	Triangular Frame legs
	W. 280 x D. 165 cm	1 170 475 + top + leg + col.	1 170 478 + top + leg + col.
	W. 320 x D. 165 cm	1 170 476 + top + leg + col.	1 170 479 + top + leg + col.
	W. 360 x D. 165 cm	1 170 477 + top + leg + col.	1 170 480 + top + leg + col.

■ Central storage column - 4 standard desks D. 80 cm and return H. 55.2 cm with Altuglas® doors – fixed tops

Two pairs of fixed worktops – 2 desks assembled on either side of a central column, access through sliding doors from the front and back of the unit



Fixed Bridge legs

W. 280 x D. 330 cm
W. 320 x D. 330 cm
W. 360 x D. 330 cm

Fixed Frame legs

W. 280 x D. 330 cm
W. 320 x D. 330 cm
W. 360 x D. 330 cm

Rectangular Bridge legs

1 170 467 + top + leg + col.
1 170 468 + top + leg + col.
1 170 469 + top + leg + col.

Rectangular Frame legs

1 170 481 + top + leg + col.
1 170 482 + top + leg + col.
1 170 483 + top + leg + col.

Triangular Bridge legs

1 170 471 + top + leg + col.
1 170 472 + top + leg + col.
1 170 473 + top + leg + col.

Triangular Frame legs

1 170 485 + top + leg + col.
1 170 486 + top + leg + col.
1 170 487 + top + leg + col.

■ Standard desks D. 80 cm, desk height return with melamine doors

Fixed Bridge legs

W. 183 x D. 165 cm
W. 203 x D. 165 cm
W. 223 x D. 165 cm

Sliding doors – access from front and back

W. 183 x D. 165 cm
W. 203 x D. 165 cm
W. 223 x D. 165 cm

Fixed Frame legs

W. 183 x D. 165 cm
W. 203 x D. 165 cm
W. 223 x D. 165 cm

Sliding doors – access from front and back

W. 183 x D. 165 cm
W. 203 x D. 165 cm
W. 223 x D. 165 cm

Rectangular Bridge legs

1 170 229 + top + leg + col.
1 170 230 + top + leg + col.
1 170 231 + top + leg + col.

Rectangular Frame legs

1 170 617 + top + leg + col.
1 170 618 + top + leg + col.
1 170 619 + top + leg + col.

Rectangular Frame legs

1 170 237 + top + leg + col.
1 170 238 + top + leg + col.
1 170 239 + top + leg + col.

Rectangular Frame legs

1 170 620 + top + leg + col.
1 170 621 + top + leg + col.
1 170 622 + top + leg + col.

Triangular Bridge legs

1 170 233 + top + leg + col.
1 170 234 + top + leg + col.
1 170 235 + top + leg + col.

Triangular Frame legs

1 170 623 + top + leg + col.
1 170 624 + top + leg + col.
1 170 625 + top + leg + col.

Triangular Frame legs


1 170 241 + top + leg + col.
1 170 242 + top + leg + col.
1 170 243 + top + leg + col.

Triangular Frame legs

1 170 626 + top + leg + col.
1 170 627 + top + leg + col.
1 170 628 + top + leg + col.

■ Central storage column - 2 standard desks D. 80 cm desk height return with melamine doors – fixed worktops

Pair of fixed worktops assembled on either side of a central column, access through sliding doors from the front and back of the unit



Fixed Bridge legs

W. 323 x D. 165 cm
W. 363 x D. 165 cm
W. 403 x D. 165 cm

Fixed Frame legs

W. 323 x D. 165 cm
W. 363 x D. 165 cm
W. 403 x D. 165 cm

Rectangular Bridge legs

1 170 489 + top + leg + col.
1 170 490 + top + leg + col.
1 170 491 + top + leg + col.

Rectangular Frame legs

1 170 505 + top + leg + col.
1 170 506 + top + leg + col.
1 170 507 + top + leg + col.

Triangular Bridge legs


1 170 493 + top + leg + col.
1 170 494 + top + leg + col.
1 170 495 + top + leg + col.

Triangular Frame legs

1 170 509 + top + leg + col.
1 170 510 + top + leg + col.
1 170 511 + top + leg + col.

■ Central storage column - 4 standard desks D. 80 cm desk height return with melamine doors – fixed worktops

Two pairs of fixed worktops – 2 desks assembled on either side of a central column, access through sliding doors from the front and back of the unit



Fixed Bridge legs

W. 323 x D. 330 cm
W. 363 x D. 330 cm
W. 403 x D. 330 cm

Fixed Frame legs

W. 323 x D. 330 cm
W. 363 x D. 330 cm
W. 403 x D. 330 cm

Rectangular Bridge legs

1 170 497 + top + leg + col.
1 170 498 + top + leg + col.
1 170 499 + top + leg + col.

Rectangular Frame legs

1 170 513 + top + leg + col.
1 170 514 + top + leg + col.
1 170 515 + top + leg + col.

Triangular Bridge legs


1 170 501 + top + leg + col.
1 170 502 + top + leg + col.
1 170 503 + top + leg + col.

Triangular Frame legs

1 170 517 + top + leg + col.
1 170 518 + top + leg + col.
1 170 519 + top + leg + col.

■ Central storage column - 2 standard desks D. 80 cm, melamine return with 3 drawers

Pair of fixed worktops assembled to the back of 3 drawer filing units



Fixed Bridge legs

W. 323 x D. 165 cm
W. 363 x D. 165 cm
W. 403 x D. 165 cm

Fixed Frame legs

W. 323 x D. 165 cm
W. 363 x D. 165 cm
W. 403 x D. 165 cm

Rectangular Bridge legs

1 170 731 + top + leg + col.
1 170 732 + top + leg + col.
1 170 733 + top + leg + col.

Rectangular Frame legs

1 170 734 + top + leg + col.
1 170 735 + top + leg + col.
1 170 736 + top + leg + col.

Triangular Bridge legs

1 170 737 + top + leg + col.
1 170 738 + top + leg + col.
1 170 739 + top + leg + col.

Triangular Frame legs

1 170 740 + top + leg + col.
1 170 741 + top + leg + col.
1 170 742 + top + leg + col.

7 choices of finish for melamine worktops (+ top)



From stock

2 choices of finish for metal legs (+ leg)



From stock

2 choices of finish for easy reach storage units with melamine structure (+ unit1)



From stock

■ Shared structure – 2 standard desks D. 80 cm – fixed worktops

	Rectangular Bridge legs		Triangular Bridge legs	
	Starter unit - 2 fixed terminal Bridge legs	1 170 021 + top + leg	1 170 025 + top + leg	
	W. 120 x D. 165 cm	1 170 022 + top + leg	1 170 026 + top + leg	
	W. 140 x D. 165 cm	1 170 023 + top + leg	1 170 027 + top + leg	
	Rectangular Frame legs		Triangular Frame legs	
	Starter unit - 1 fixed terminal Bridge leg and 2 desk height pedestals	1 170 132 + top + leg	1 170 069 + top + leg	
	W. 163 x D. 165 cm	1 170 133 + top + leg	1 170 070 + top + leg	
	W. 183 x D. 165 cm	1 170 134 + top + leg	1 170 071 + top + leg	
	Rectangular Bridge legs		Triangular Bridge legs	
	Starter unit - 2 fixed terminal Bridge legs	1 170 245 + top + leg	1 170 249 + top + leg	
	W. 120 x D. 165 cm	1 170 246 + top + leg	1 170 250 + top + leg	
	W. 140 x D. 165 cm	1 170 247 + top + leg	1 170 251 + top + leg	
	Rectangular Frame legs		Triangular Frame legs	
	Starter unit - 1 fixed terminal Frame leg and 2 desk height pedestals	1 170 253 + top + leg	1 170 257 + top + leg	
	W. 163 x D. 165 cm	1 170 254 + top + leg	1 170 258 + top + leg	
	W. 183 x D. 165 cm	1 170 255 + top + leg	1 170 259 + top + leg	
	Rectangular Bridge legs		Triangular Bridge legs	
	Add-on unit	1 170 029 + top + leg	1 170 033 + top + leg	
	W. 120 x D. 165 cm	1 170 030 + top + leg	1 170 034 + top + leg	
	W. 140 x D. 165 cm	1 170 031 + top + leg	1 170 035 + top + leg	
	Rectangular Frame legs		Triangular Frame legs	
	Add-on unit	1 170 032 + top + leg	1 170 036 + top + leg	
	W. 160 x D. 165 cm			
	W. 180 x D. 165 cm			

■ Bench - 2 standard desks D. 80 cm – sliding worktops

	Rectangular Bridge legs		Triangular Bridge legs	
	Starter unit - 2 fixed terminal Bridge legs	1 170 037 + top + leg	1 170 041 + top + leg	
	W. 120 x D. 165 cm	1 170 038 + top + leg	1 170 042 + top + leg	
	W. 140 x D. 165 cm	1 170 039 + top + leg	1 170 043 + top + leg	
	Rectangular Frame legs		Triangular Frame legs	
	Starter unit - 1 fixed terminal Bridge leg and 2 desk height pedestals	1 170 269 + top + leg	1 170 273 + top + leg	
	W. 163 x D. 165 cm	1 170 270 + top + leg	1 170 274 + top + leg	
	W. 183 x D. 165 cm	1 170 271 + top + leg	1 170 275 + top + leg	
	Rectangular Bridge legs		Triangular Bridge legs	
	Starter unit - 2 fixed terminal Bridge legs	1 170 040 + top + leg	1 170 044 + top + leg	
	W. 120 x D. 165 cm			
	W. 140 x D. 165 cm			
	Rectangular Frame legs		Triangular Frame legs	
	Starter unit - 1 fixed terminal Frame leg and 2 desk height pedestals	1 170 277 + top + leg	1 170 281 + top + leg	
	W. 163 x D. 165 cm	1 170 278 + top + leg	1 170 282 + top + leg	
	W. 183 x D. 165 cm	1 170 279 + top + leg	1 170 283 + top + leg	
	Rectangular Bridge legs		Triangular Bridge legs	
	Add-on unit	1 170 045 + top + leg	1 170 049 + top + leg	
	L. 120 x P. 165 cm	1 170 046 + top + leg	1 170 050 + top + leg	
	L. 140 x P. 165 cm	1 170 047 + top + leg	1 170 051 + top + leg	
	Rectangular Frame legs		Triangular Frame legs	
	Add-on unit	1 170 048 + top + leg	1 170 052 + top + leg	
	L. 165 x P. 165 cm			
	L. 180 x P. 165 cm			

■ Shared structure – 2 standard desks D. 80 cm – desk height return without doors – fixed worktops

	Rectangular Bridge legs		Triangular Bridge legs	
	Starter unit - 1 fixed terminal Bridge leg and 2 desk height supporting returns	1 170 689 + top + leg	1 170 695 + top + leg	
	W. 183 x D. 330 cm	1 170 690 + top + leg	1 170 696 + top + leg	
	W. 203 x D. 330 cm	1 170 691 + top + leg	1 170 697 + top + leg	
	Rectangular Frame legs		Triangular Frame legs	
	Starter unit - 1 fixed terminal Frame leg and 2 desk height supporting returns	1 170 692 + top + leg	1 170 698 + top + leg	
	W. 183 x D. 330 cm	1 170 693 + top + leg	1 170 699 + top + leg	
	W. 203 x D. 330 cm	1 170 694 + top + leg	1 170 700 + top + leg	

4 choices of colour for easy reach storage units with Altuglas® sliding doors (+ col.)



From stock

7 choices of colour for easy reach storage units with melamine doors (+ col.)



From stock

■ Bench - 2 standard desks D. 80 cm – desk height return without doors – sliding worktops



	Rectangular Bridge legs	
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns		
W. 183 x D. 330 cm	1 170 701 + top + leg	
W. 203 x D. 330 cm	1 170 702 + top + leg	
W. 223 x D. 330 cm	1 170 703 + top + leg	
	Rectangular Frame legs	
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns		
W. 183 x D. 330 cm	1 170 704 + top + leg	
W. 203 x D. 330 cm	1 170 705 + top + leg	
W. 223 x D. 330 cm	1 170 706 + top + leg	

	Triangular Bridge legs	
1 170 707 + top + leg		
1 170 708 + top + leg		
1 170 709 + top + leg		
	Triangular Frame legs	
1 170 710 + top + leg		
1 170 711 + top + leg		
1 170 712 + top + leg		

■ Bench – 2 standard desks D. 80 cm – return H. 55.2 cm with Altuglas® doors – fixed worktops




	Rectangular Bridge legs		Triangular Bridge legs	
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns with sliding doors for user side access				
W. 162 x D. 330 cm	1 170 301 + top + leg + col.		1 170 304 + top + leg + col.	
W. 182 x D. 330 cm	1 170 302 + top + leg + col.		1 170 305 + top + leg + col.	
W. 202 x D. 330 cm	1 170 303 + top + leg + col.		1 170 306 + top + leg + col.	
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns with sliding doors for front and back side access				
W. 162 x D. 330 cm	1 170 307 + top + leg + col.		1 170 310 + top + leg + col.	
W. 182 x D. 330 cm	1 170 308 + top + leg + col.		1 170 311 + top + leg + col.	
W. 202 x D. 330 cm	1 170 309 + top + leg + col.		1 170 312 + top + leg + col.	
	Rectangular Frame legs		Triangular Frame legs	
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns with sliding doors for user side access				
W. 162 x D. 330 cm	1 170 337 + top + leg + col.		1 170 340 + top + leg + col.	
W. 182 x D. 330 cm	1 170 338 + top + leg + col.		1 170 341 + top + leg + col.	
W. 202 x D. 330 cm	1 170 339 + top + leg + col.		1 170 342 + top + leg + col.	
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns with sliding doors for front and back side access				
W. 162 x D. 330 cm	1 170 343 + top + leg + col.		1 170 346 + top + leg + col.	
W. 182 x D. 330 cm	1 170 344 + top + leg + col.		1 170 347 + top + leg + col.	
W. 202 x D. 330 cm	1 170 345 + top + leg + col.		1 170 348 + top + leg + col.	

■ Bench – 2 standard desks D. 80 cm – return H. 55.2 cm with Altuglas® doors – sliding worktops



	Rectangular Bridge legs		Triangular Bridge legs	
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns with sliding doors for user side access				
W. 162 x D. 330 cm	1 170 349 + top + leg + col.		1 170 352 + top + leg + col.	
W. 182 x D. 330 cm	1 170 350 + top + leg + col.		1 170 353 + top + leg + col.	
W. 202 x D. 330 cm	1 170 351 + top + leg + col.		1 170 354 + top + leg + col.	
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns with sliding doors for front and back side access				
W. 162 x D. 330 cm	1 170 355 + top + leg + col.		1 170 358 + top + leg + col.	
W. 182 x D. 330 cm	1 170 356 + top + leg + col.		1 170 359 + top + leg + col.	
W. 202 x D. 330 cm	1 170 357 + top + leg + col.		1 170 360 + top + leg + col.	
	Rectangular Frame legs		Triangular Frame legs	
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns with sliding doors for user side access				
W. 162 x D. 330 cm	1 170 385 + top + leg + col.		1 170 388 + top + leg + col.	
W. 182 x D. 330 cm	1 170 386 + top + leg + col.		1 170 389 + top + leg + col.	
W. 202 x D. 330 cm	1 170 387 + top + leg + col.		1 170 390 + top + leg + col.	
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns with sliding doors for front and back side access				
W. 162 x D. 330 cm	1 170 391 + top + leg + col.		1 170 394 + top + leg + col.	
W. 182 x D. 330 cm	1 170 392 + top + leg + col.		1 170 395 + top + leg + col.	
W. 202 x D. 330 cm	1 170 393 + top + leg + col.		1 170 396 + top + leg + col.	

■ Shared structure – 4 standard desks D. 80 cm – return H. 55.2 cm with Altuglass® doors – fixed worktops



	Rectangular Bridge legs		Triangular Bridge legs	
4 worktops + 1 central shared leg and 4 supporting returns with sliding doors for user side access				
W. 324 x D. 330 cm	1 170 629 + top + leg + col.		1 170 632 + top + leg + col.	
W. 364 x D. 330 cm	1 170 630 + top + leg + col.		1 170 633 + top + leg + col.	
W. 404 x D. 330 cm	1 170 631 + top + leg + col.		1 170 634 + top + leg + col.	
4 worktops + 1 central shared leg and 4 supporting returns with sliding doors for front and back side access				
W. 324 x D. 330 cm	1 170 635 + top + leg + col.		1 170 638 + top + leg + col.	
W. 364 x D. 330 cm	1 170 636 + top + leg + col.		1 170 639 + top + leg + col.	
W. 404 x D. 330 cm	1 170 637 + top + leg + col.		1 170 640 + top + leg + col.	

7 choices of finish for melamine worktops (+ top)



From stock

2 choices of finish for metal legs (+ leg)




From stock

2 choices of finish for easy reach storage units with melamine structure (+ unit1)




From stock

■ Bench – 4 standard desks D. 80 cm – return H. 55.2 cm with Altuglas® doors – sliding worktops




	Rectangular Bridge legs	Triangular Bridge legs
4 worktops + 1 central shared leg and 4 supporting returns with sliding doors for user side access		
W. 324 x D. 330 cm	1 170 641 + top + leg + col.	1 170 644 + top + leg + col.
W. 364 x D. 330 cm	1 170 642 + top + leg + col.	1 170 645 + top + leg + col.
W. 404 x D. 330 cm	1 170 643 + top + leg + col.	1 170 646 + top + leg + col.
4 worktops + 1 central shared leg and 4 supporting returns with sliding doors for front and back side access		
W. 324 x D. 330 cm	1 170 647 + top + leg + col.	1 170 650 + top + leg + col.
W. 364 x D. 330 cm	1 170 648 + top + leg + col.	1 170 651 + top + leg + col.
W. 404 x D. 330 cm	1 170 649 + top + leg + col.	1 170 652 + top + leg + col.

■ Shared structure – 2 standard desks D. 80 cm – desk height return with melamine doors – fixed worktops




	Rectangular Bridge legs	Triangular Bridge legs
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns with sliding doors for user side access		
W. 183 x D. 330 cm	1 170 397 + top + leg + col.	1 170 401 + top + leg + col.
W. 203 x D. 330 cm	1 170 398 + top + leg + col.	1 170 402 + top + leg + col.
W. 223 x D. 330 cm	1 170 399 + top + leg + col.	1 170 403 + top + leg + col.
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns with sliding doors for front and back side access		
W. 183 x D. 330 cm	1 170 405 + top + leg + col.	1 170 409 + top + leg + col.
W. 203 x D. 330 cm	1 170 406 + top + leg + col.	1 170 410 + top + leg + col.
W. 223 x D. 330 cm	1 170 407 + top + leg + col.	1 170 411 + top + leg + col.
	Rectangular Frame legs	Triangular Frame legs
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns with sliding doors for user side access		
W. 183 x D. 330 cm	1 170 445 + top + leg + col.	1 170 449 + top + leg + col.
W. 203 x D. 330 cm	1 170 446 + top + leg + col.	1 170 450 + top + leg + col.
W. 223 x D. 330 cm	1 170 447 + top + leg + col.	1 170 451 + top + leg + col.
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns with sliding doors for front and back side access		
W. 183 x D. 330 cm	1 170 453 + top + leg + col.	1 170 457 + top + leg + col.
W. 203 x D. 330 cm	1 170 454 + top + leg + col.	1 170 458 + top + leg + col.
W. 223 x D. 330 cm	1 170 455 + top + leg + col.	1 170 459 + top + leg + col.

■ Bench – 2 standard desks D. 80 cm – desk height return with melamine doors – sliding worktops



	Rectangular Bridge legs	Triangular Bridge legs
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns with sliding doors for user side access		
W. 183 x D. 330 cm	1 170 653 + top + leg + col.	1 170 659 + top + leg + col.
W. 203 x D. 330 cm	1 170 654 + top + leg + col.	1 170 660 + top + leg + col.
W. 223 x D. 330 cm	1 170 655 + top + leg + col.	1 170 661 + top + leg + col.
Starter unit - 1 fixed terminal Bridge leg and 2 supporting returns with sliding doors for front and back side access		
W. 183 x D. 330 cm	1 170 665 + top + leg + col.	1 170 671 + top + leg + col.
W. 203 x D. 330 cm	1 170 666 + top + leg + col.	1 170 672 + top + leg + col.
W. 223 x D. 330 cm	1 170 667 + top + leg + col.	1 170 673 + top + leg + col.
	Rectangular Frame legs	Triangular Frame legs
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns with sliding doors for user side access		
W. 183 x D. 330 cm	1 170 656 + top + leg + col.	1 170 662 + top + leg + col.
W. 203 x D. 330 cm	1 170 657 + top + leg + col.	1 170 663 + top + leg + col.
W. 223 x D. 330 cm	1 170 658 + top + leg + col.	1 170 664 + top + leg + col.
Starter unit - 1 fixed terminal Frame leg and 2 supporting returns with sliding doors for front and back side access		
W. 183 x D. 330 cm	1 170 668 + top + leg + col.	1 170 674 + top + leg + col.
W. 203 x D. 330 cm	1 170 669 + top + leg + col.	1 170 675 + top + leg + col.
W. 223 x D. 330 cm	1 170 670 + top + leg + col.	1 170 676 + top + leg + col.

■ Shared structure – 4 standard desks D. 80 cm – desk height return with melamine doors – fixed worktops



	Sliding doors - user side access	Sliding doors - front and back side access
4 worktops + 1 shared leg and 4 supporting returns		
W. 366 x D. 330 cm	1 170 713 + top + leg + col.	1 170 716 + top + leg + col.
W. 406 x D. 330 cm	1 170 714 + top + leg + col.	1 170 717 + top + leg + col.
W. 446 x D. 330 cm	1 170 715 + top + leg + col.	1 170 718 + top + leg + col.

4 choices of colour for easy reach storage units with Altuglas® sliding doors (+ col.)




From stock

7 choices of colour for easy reach storage units with melamine doors (+ col.)



From stock



■ **Bench – 4 standard desks D. 80 cm – desk height return with melamine doors – sliding worktops**

	Sliding doors - user side access	Sliding doors - front and back side access
4 worktops + 1 shared leg and 4 supporting returns		
W. 366 x D. 330 cm	1 170 719 + top + leg + col.	1 170 722 + top + leg + col.
W. 406 x D. 330 cm	1 170 720 + top + leg + col.	1 170 723 + top + leg + col.
W. 446 x D. 330 cm	1 170 721 + top + leg + col.	1 170 724 + top + leg + col.

■ **Complementary units – independent of easy reach storage furniture configurations**

For more details : see p. 156-157.

Cupboards to be placed on the top of desk height returns

	Access from user side	Access from front and back
H. 42.5 x W. 165 x D. 43.2 cm		
Melamine cupboard with melamine back panel and Altuglas® sliding doors	1 170 529 + col. + unit1	1 170 530 + col. + unit1

■ **Accessories for shared and Bench structures**

Double cable troughs for 2 juxtaposed workstations with fixed worktops

Facilitates routing and storage of electrical trailing sockets and cables. Graphite grey finish.

W. 120 cm	1 067 085 SC	
W. 140 cm	1 067 082 SC	
W. 160 cm	1 067 083 SC	
W. 180 cm	1 067 084 SC	

Central accessory bars

To attach a range of workstation accessories (lamps, Altuglas® desktop screens). Secured in position between two worktops. W. 30 mm.

Available in a white SO or aluminium grey SA (+ leg)		
W. 120 cm	1 067 099 + leg	
W. 140 cm	1 067 100 + leg	
W. 160 cm	1 067 101 + leg	
W. 180 cm	1 067 102 + leg	

Altuglas® desktop screen H. 30 cm - attaches to central bar

On request – allow 5 weeks for delivery. Designed to be attached, by means of pre-drilled holes, to a central accessories support bar element. It is possible to combine a lamp and a desktop screen secured to a W. 140 to W. 180 cm central support bar. Available in white OA, red OX or smoked grey OB (+ col).

W. 100 cm	2 083 796 + col.	
-----------	------------------	--

Lamp for central accessories support bar

Fluorescent Cosy lamp. Fitted with an E27 23W light bulb. Aluminium stem and white lampshade. For attachment to a central accessories support bar. Compatible with Altuglas® desktop screens W. 100 cm secured to central bars W. 140 to 180 cm.

	7 341 006 OGZA	
--	----------------	--

Rectangular desktop screens H. 40 cm

Can be positioned (without central bar element) on the metal structure thanks to specially designed fixation clamps for Bench units and shared structures. Supplied with desktop screens. Aluminium profile 22 mm thick, in a white SO or aluminium grey SA finish (+ leg). Technical specifications see p. 139. Two versions: melamine (4 choices of finish : MG, MA, RI or RH) or fabric (2 choices of colour from stock : light grey CR or light blue CO). Other fabric colours or shapes: see page 139. For curved desktop screens for Bench workstations – contact us for details.

	Melamine	Fabric
W. 120 cm	1 170 601 + top + leg	1 170 605 + fab. B + leg
W. 140 cm	1 170 602 + top + leg	1 170 606 + fab. B + leg
W. 160 cm	1 170 603 + top + leg	1 170 607 + fab. B + leg
W. 180 cm	1 170 604 + top + leg	1 170 608 + fab. B + leg

Acoustic fabric desktop screens H. 50 cm - rectangular

Can be positioned (without central bar element) on the metal structure thanks to specially designed fixation clamps supplied with the desktop screens. Aluminium profile 22 mm thick, in a white SO or aluminium grey SA finish (+ leg). 2 choices of colour from stock : light grey CR or light blue CO. Technical specifications and other available colours see p. 138.

W. 120 cm	1 170 613 + fab. B + leg	
W. 140 cm	1 170 614 + fab. B + leg	
W. 160 cm	1 170 615 + fab. B + leg	
W. 180 cm	1 170 616 + fab. B + leg	

Technical desktop screens

Can be positioned (without central bar element) on the metal structure. Structure composed of a metal frame with accessory rails. Designed to receive wire-mount shelves and 2nd level accessories (see page 141). Central panel 2.5 cm thick covered with black TASA fabric or 4 mm thick Altuglas® panels. 3 colour combinations from stock: white/aluminium grey OASA, lagoon blue/white OOSO and smoked grey/white OBSO. 3 colour combinations on request: white/white OASO, lagoon blue/aluminium grey OOSA and red/white OXSO (+ col). Screen panel H. 40 cm and 4.8 cm thick.

	Altuglas®	Black fabric
W. 120 cm	2 083 786 + col.	2 083 786 TASA
W. 140 cm	2 083 787 + col.	2 083 787 TASA
W. 160 cm	2 083 788 + col.	2 083 788 TASA
W. 180 cm	2 083 789 + col.	2 083 789 TASA

7 choices of finish for melamine worktops (+ top)



From stock

2 choices of finish for metal legs (+ leg)



From stock

2 choices of finish for easy reach storage units with melamine structure (+ unit1)



From stock



Shelf with wire mount, for technical desktop screens and accessory rail

Shelves W. 50 x D. 30 cm MG or RI finish on wire mounts in an aluminium grey finish. Attach to accessory rails or technical desktop screens.

W. 50 cm 2 083 817 + top + SA



Accessory rail

Can be positioned (without central bar element) on the metal structure. Made from extruded aluminium H. 40 cm and 4.8 cm thick. Designed to receive wire-mount shelves and 2nd level accessories. Available in white SO or aluminium grey SA (+ leg).

W. 120 cm 2 083 806 + leg
 W. 140 cm 2 083 807 + leg
 W. 160 cm 2 083 808 + leg
 W. 180 cm 2 083 809 + leg

■ **Standard desks D. 60 and D. 80 cm**

Fixed Bridge legs

W. 80 x D. 60 cm
 W. 120 x D. 60 cm
 W. 80 x D. 80 cm
 W. 120 x D. 80 cm
 W. 140 x D. 80 cm
 W. 160 x D. 80 cm
 W. 180 x D. 80 cm



Fixed Frame legs

W. 80 x D. 60 cm
 W. 120 x D. 60 cm
 W. 80 x D. 80 cm
 W. 120 x D. 80 cm
 W. 140 x D. 80 cm
 W. 160 x D. 80 cm
 W. 180 x D. 80 cm



Adjustable Bridge legs

W. 80 x D. 60 cm
 W. 120 x D. 60 cm
 W. 80 x D. 80 cm
 W. 120 x D. 80 cm
 W. 140 x D. 80 cm
 W. 160 x D. 80 cm
 W. 180 x D. 80 cm



Rectangular Bridge legs

1 170 128 + top + leg
 1 170 129 + top + leg
 1 170 001 + top + leg
 1 170 002 + top + leg
 1 170 003 + top + leg
 1 170 004 + top + leg
 1 170 005 + top + leg



Rectangular Frame legs

1 170 191 + top + leg
 1 170 192 + top + leg
 1 170 195 + top + leg
 1 170 196 + top + leg
 1 170 197 + top + leg
 1 170 198 + top + leg
 1 170 199 + top + leg



Rectangular Bridge legs

1 170 130 + top + leg
 1 170 131 + top + leg
 1 170 006 + top + leg
 1 170 007 + top + leg
 1 170 008 + top + leg
 1 170 009 + top + leg
 1 170 010 + top + leg



Triangular Bridge legs

1 170 065 + top + leg
 1 170 066 + top + leg
 1 170 011 + top + leg
 1 170 012 + top + leg
 1 170 013 + top + leg
 1 170 014 + top + leg
 1 170 015 + top + leg



Triangular Frame legs

1 170 193 + top + leg
 1 170 194 + top + leg
 1 170 200 + top + leg
 1 170 201 + top + leg
 1 170 202 + top + leg
 1 170 203 + top + leg
 1 170 204 + top + leg



Triangular Bridge legs

1 170 067 + top + leg
 1 170 068 + top + leg
 1 170 016 + top + leg
 1 170 017 + top + leg
 1 170 018 + top + leg
 1 170 019 + top + leg
 1 170 020 + top + leg



■ **Bow-fronted desk**

Fixed Bridge legs

W. 160 x D. 97 cm

Fixed Frame legs

W. 160 x D. 97 cm

Adjustable Bridge legs

W. 160 x D. 97 cm



Rectangular Bridge legs

1 170 138 + top + leg

Rectangular Frame legs

1 170 537 + top + leg

Rectangular Bridge legs

1 170 139 + top + leg



Triangular Bridge legs

1 170 075 + top + leg

Triangular Frame legs

1 170 538 + top + leg

Triangular Bridge legs

1 170 076 + top + leg



■ **Rectangular fixed returns**

Can be placed on the left- or right-hand side of the rectangular desks and on the return side D. 60 cm of the asymmetrical compact desks.

Fixed Bridge legs

W. 80 x D. 60 cm
 W. 120 x D. 60 cm

Fixed Frame legs

W. 80 x D. 60 cm
 W. 120 x D. 60 cm

Adjustable Bridge legs

W. 120 x D. 60 cm

On desk height supporting pedestal W. 42 cm

W. 80 x D. 60 cm
 W. 120 x D. 60 cm



Rectangular Bridge legs

1 170 061 + top + leg
 1 170 175 + top + leg

Rectangular Frame legs

1 170 595 + top + leg
 1 170 596 + top + leg



Triangular Bridge legs

1 170 062 + top + leg
 1 170 112 + top + leg

Triangular Frame legs

1 170 597 + top + leg
 1 170 598 + top + leg



1 170 114 + top + leg



■ **90° link unit**

W. 80 x D. 80 cm 1 170 125 + top



4 choices of colour for easy reach storage units with Altuglas® sliding doors (+ col.)



From stock

7 choices of colour for easy reach storage units with melamine doors (+ col.)



From stock

■ Extension units

Can be positioned on either side of rectangular desks or compact asymmetrical desks



Circular extension unit

Fixed leg

W. 80 x D. 100 cm

Adjustable leg

W. 80 x D. 100 cm

3/4 circular extension unit

Fixed legs

ø 120 cm

Adjustable legs

ø 120 cm

Square-section tubular leg(s)

1 170 189 + top + leg

1 170 190 + top + leg

1 170 136 + top + leg

1 170 137 + top + leg

Triangular-section tubular leg(s)

1 170 126 + top + leg

1 170 127 + top + leg

1 170 073 + top + leg

1 170 074 + top + leg



■ Asymmetrical wave desks D. 80/100 cm



Fixed Bridge legs

W. 140 x D. 100 cm - left-hand return

W. 140 x D. 100 cm - right-hand return

W. 160 x D. 100 cm - left-hand return

W. 160 x D. 100 cm - right-hand return

Fixed Frame legs

W. 140 x D. 100 cm - left-hand return

W. 140 x D. 100 cm - right-hand return

W. 160 x D. 100 cm - left-hand return

W. 160 x D. 100 cm - right-hand return

Adjustable Bridge legs

W. 140 x D. 100 cm - left-hand return

W. 140 x D. 100 cm - right-hand return

W. 160 x D. 100 cm - left-hand return

W. 160 x D. 100 cm - right-hand return

Rectangular Bridge legs

1 170 182 + top + leg

1 170 183 + top + leg

1 170 148 + top + leg

1 170 149 + top + leg

Rectangular Frame legs

1 170 539 + top + leg

1 170 540 + top + leg

1 170 541 + top + leg

1 170 542 + top + leg

Rectangular Bridge legs

1 170 184 + top + leg

1 170 185 + top + leg

1 170 150 + top + leg

1 170 151 + top + leg

Triangular Bridge legs

1 170 119 + top + leg

1 170 120 + top + leg

1 170 085 + top + leg

1 170 086 + top + leg

Triangular Frame legs

1 170 543 + top + leg

1 170 544 + top + leg

1 170 545 + top + leg

1 170 546 + top + leg

Triangular Bridge legs

1 170 121 + top + leg

1 170 122 + top + leg

1 170 087 + top + leg

1 170 088 + top + leg



■ Symmetrical wave desks D. 100 cm

Fixed Bridge legs

W. 160 x D. 100 cm

W. 180 x D. 100 cm

Fixed Frame legs

W. 160 x D. 100 cm

W. 180 x D. 100 cm

Adjustable Bridge legs

W. 160 x D. 100 cm

W. 180 x D. 100 cm

Rectangular Bridge legs

1 170 140 + top + leg

1 170 141 + top + leg

Rectangular Frame legs

1 170 555 + top + leg

1 170 556 + top + leg

Rectangular Bridge legs

1 170 142 + top + leg

1 170 143 + top + leg

Triangular Bridge legs

1 170 077 + top + leg

1 170 078 + top + leg

Triangular Frame legs

1 170 557 + top + leg

1 170 558 + top + leg

Triangular Bridge legs

1 170 079 + top + leg

1 170 080 + top + leg

■ Shared structure - 2 symmetrical wave desks D. 100 cm



Fixed Bridge legs

W. 160 x D. 205 cm - Starter unit

W. 160 x D. 205 cm - Add-on unit

W. 180 x D. 205 cm - Starter unit

W. 180 x D. 205 cm - Add-on unit

Fixed Frame legs

W. 160 x D. 205 cm - Starter unit

W. 160 x D. 205 cm - Add-on unit

W. 180 x D. 205 cm - Starter unit

W. 180 x D. 205 cm - Add-on unit

Rectangular Bridge legs

1 170 144 + top + leg

1 170 146 + top + leg

1 170 145 + top + leg

1 170 147 + top + leg

Rectangular Frame legs

1 170 559 + top + leg

1 170 560 + top + leg

1 170 561 + top + leg

1 170 562 + top + leg

Triangular Bridge legs

1 170 081 + top + leg

1 170 083 + top + leg

1 170 082 + top + leg

1 170 084 + top + leg

Triangular Frame legs

1 170 563 + top + leg

1 170 564 + top + leg

1 170 565 + top + leg

1 170 566 + top + leg

■ Fixed returns for wave desks

Can be placed on the left- or right-hand side of symmetrical wave desks and on the wave side of asymmetrical desks.



Fixed Bridge legs

W. 100 x D. 64

Fixed Frame legs

W. 100 x D. 64

Adjustable Bridge legs

W. 100 x D. 64

Rectangular Bridge legs

1 170 154 + top + leg

Rectangular Frame legs

1 170 599 + top + leg

Rectangular Bridge legs

1 170 155 + top + leg

Triangular Bridge legs

1 170 091 + top + leg

Triangular Frame legs

1 170 600 + top + leg

Triangular Bridge legs

1 170 092 + top + leg

7 choices of finish for melamine worktops (+ top)



From stock

2 choices of finish for metal legs (+ leg)



From stock

2 choices of finish for easy reach storage units with melamine structure (+ unit1)



From stock

■ 90° asymmetrical compact desks



Fixed Bridge legs

- W. 160 x D. 120 x Rt. 60 cm left-hand return
- W. 160 x D. 120 x Rt. 60 cm right-hand return
- W. 180 x D. 120 x Rt. 60 cm left-hand return
- W. 180 x D. 120 x Rt. 60 cm right-hand return
- W. 180 x D. 120 x Rt. 80 cm left-hand return
- W. 180 x D. 120 x Rt. 80 cm right-hand return

Rectangular Bridge legs

- 1 170 053 + top + leg
- 1 170 054 + top + leg
- 1 170 156 + top + leg
- 1 170 157 + top + leg
- 1 170 158 + top + leg
- 1 170 159 + top + leg

Triangular Bridge legs

- 1 170 057 + top + leg
- 1 170 058 + top + leg
- 1 170 093 + top + leg
- 1 170 094 + top + leg
- 1 170 095 + top + leg
- 1 170 096 + top + leg



Fixed Frame legs

- W. 160 x D. 120 x Rt. 60 cm left-hand return
- W. 160 x D. 120 x Rt. 60 cm right-hand return
- W. 180 x D. 120 x Rt. 60 cm left-hand return
- W. 180 x D. 120 x Rt. 60 cm right-hand return
- W. 180 x D. 120 x Rt. 80 cm left-hand return
- W. 180 x D. 120 x Rt. 80 cm right-hand return

Rectangular Frame legs

- 1 170 567 + top + leg
- 1 170 568 + top + leg
- 1 170 569 + top + leg
- 1 170 570 + top + leg
- 1 170 571 + top + leg
- 1 170 572 + top + leg

Triangular Frame legs

- 1 170 573 + top + leg
- 1 170 574 + top + leg
- 1 170 575 + top + leg
- 1 170 576 + top + leg
- 1 170 577 + top + leg
- 1 170 578 + top + leg



Adjustable Bridge legs

- W. 160 x D. 120 x Rt. 60 cm left-hand return
- W. 160 x D. 120 x Rt. 60 cm right-hand return
- W. 180 x D. 120 x Rt. 60 cm left-hand return
- W. 180 x D. 120 x Rt. 60 cm right-hand return
- W. 180 x D. 120 x Rt. 80 cm left-hand return
- W. 180 x D. 120 x Rt. 80 cm right-hand return

Rectangular Bridge legs

- 1 170 055 + top + leg
- 1 170 056 + top + leg
- 1 170 160 + top + leg
- 1 170 161 + top + leg
- 1 170 162 + top + leg
- 1 170 163 + top + leg

Triangular Bridge legs

- 1 170 059 + top + leg
- 1 170 060 + top + leg
- 1 170 097 + top + leg
- 1 170 098 + top + leg
- 1 170 099 + top + leg
- 1 170 100 + top + leg

■ Shared structure - 2 asymmetrical 90° compact desks



Fixed Bridge legs

- W. 160 x D. 245 cm x Rt 60
- W. 180 x D. 245 cm x Rt 60
- W. 180 x D. 245 cm x Rt 80

Rectangular Bridge legs

- 1 170 164 + top + leg
- 1 170 165 + top + leg
- 1 170 166 + top + leg

Triangular Bridge legs

- 1 170 101 + top + leg
- 1 170 102 + top + leg
- 1 170 103 + top + leg

Fixed Frame legs

- W. 160 x D. 245 cm x Rt 60
- W. 180 x D. 245 cm x Rt 60
- W. 180 x D. 245 cm x Rt 80

Rectangular Frame legs

- 1 170 579 + top + leg
- 1 170 580 + top + leg
- 1 170 581 + top + leg

Triangular Frame legs

- 1 170 582 + top + leg
- 1 170 583 + top + leg
- 1 170 584 + top + leg

■ Curved 90° compact desk



Fixed Bridge legs

- W. 180 x D. 135 x Rt. 60 cm left-hand return
- W. 180 x D. 135 x Rt. 60 cm right-hand return

Rectangular Bridge legs

- 1 170 170 + top + leg
- 1 170 171 + top + leg

Triangular Bridge legs

- 1 170 107 + top + leg
- 1 170 108 + top + leg

Fixed Frame legs

- W. 180 x D. 135 x Rt. 60 cm left-hand return
- W. 180 x D. 135 x Rt. 60 cm right-hand return

Rectangular Frame legs

- 1 170 591 + top + leg
- 1 170 592 + top + leg

Triangular Frame legs

- 1 170 593 + top + leg
- 1 170 594 + top + leg

Adjustable Bridge legs

- W. 180 x D. 135 x Rt. 60 cm left-hand return
- W. 180 x D. 135 x Rt. 60 cm right-hand return

Rectangular Bridge legs

- 1 170 172 + top + leg
- 1 170 173 + top + leg

Triangular Bridge legs

- 1 170 109 + top + leg
- 1 170 110 + top + leg

■ Half-moon tables



Fixed leg(s)

- W. 80 x D. 40 cm
- W. 165 x D. 60 cm
- W. 165 x D. 82.5 cm

Square-section tubular legs

- 1 170 178 + top + leg
- 1 170 063 + top + leg
- 1 170 179 + top + leg

Triangular-section tubular legs

- 1 170 115 + top + leg
- 1 170 064 + top + leg
- 1 170 116 + top + leg

Adjustable leg(s)

- W. 80 x D. 40 cm
- W. 165 x D. 60 cm
- W. 165 x D. 82.5 cm

- 1 170 180 + top + leg
- 1 170 174 + top + leg
- 1 170 181 + top + leg

- 1 170 117 + top + leg
- 1 170 176 + top + leg
- 1 170 118 + top + leg

■ Optional modesty panels

Grooved metal modesty panels - White SO or aluminium grey SA finish. Attach directly to the underside of worktops.



- For desk W. 80 cm
- For desk W. 120 cm
- For desk W. 140 cm
- For desk W. 160 cm
- For desk W. 180 cm

- 1 067 113 + leg
- 1 067 108 + leg
- 1 067 109 + leg
- 1 067 110 + leg
- 1 067 111 + leg

4 choices of colour for easy reach storage units with Altuglas® sliding doors (+ col.)



From stock

7 choices of colour for easy reach storage units with melamine doors (+ col.)



From stock

4Wave

With its original, innovative and highly functional design, the 4Wave collection stands out as an ergonomic solution to user wellbeing in the office. Every aspect has been studied to deliver a desk that optimises worktop, structure and leg cable management solutions and is capable of adjusting to any user's requirements.



"I am particularly fond of the 4Wave collection design concept, for it conveys a resolutely dynamic sense of purpose. It completely reinvents the traditional office desk leg design, as much in its aesthetics as in its functionality."

MARC JITIAUX Inventor *Designer of the 4Wave collection*



Shaping your professional image







Generous work surfaces, optimised with a **coordinated range of storage and meeting solutions.**



The 4Wave collection offers 3 different structural designs combined with 2 leg types. Modesty panels (metal or melamine) fitted to 'L' shaped legs facilitate effective horizontal cable management and ensure users' privacy at all times. Cable troughs can be mounted on the crossbeams spanning the space between 'I' shaped legs, and are ideally suited for use in face-to-face desk configurations.





A design that projects
**ergonomic functionality
and aesthetic harmony,** from
desktops to legs.







Shade card

7 choices of finish for tops



MG
Snow white

MA
White maple

MB
Light beech



RI
Light oak

MC
Salmon beech

RH
French Apple



RL
Amber walnut

3 choices of finish for legs and structures




SO
White

SA
Aluminium grey


SC
Graphite grey

The Range


Rectangular and arch-shaped desks





Wave desks




Asymmetrical compact desks



Symmetrical compact desks



Extension units



Standards



Technical specifications



1 High-density particle board, 25 mm thick, with a decorative melamine sheet on both sides of the top. Strip of ABS 2 mm thick fitted to edges..

2 Worktops feature cable ports, composed of a wave-like decorative yet functional support (W. 18 x D. 9 cm), an outer ring (ø 8 cm) incorporated in the worktop and 'eol' design snap-in cap (ø 6 cm).

3 Fixed 'Y' and 'L' shaped legs composed of a square-section tubular vertical bracket topped by a fixing plate, 2 tubular elliptical feet and adjustable stabilizer feet matching the steel-aspect finish of the leg. Decorative outer leg housing cover with grooved panel design. Worktop height: 73.5 cm.

4 The leg housing incorporates a vertical folded sheet-steel panel that links the top fixing plates with the feet, providing 2 cable channels and additional vertical structural rigidity to the desk. As a result the leg structures serve an additional practical purpose of feeding and safely securing cables, whilst at the same time separating power from data cabling.

5 Adjustable 'Y' shaped leg composed of 2 machine-welded elements and 2 telescopic housing panels. Identical cable management features to the fixed leg version. Worktop height: from 62 to 86 cm, adjustable at 20 mm intervals.


6 Fixed circular-section tubular steel structural leg functioning as linking point for modesty panels and steel crossbeams, as well as facilitating 90 or 120° angle desk configurations. Features a grooved housing panel held in place thanks to eyelet perforations and M6 screws.

7 Melamine modesty panel, 19 mm thick and H. 30 cm. Adapted to 'L' shaped leg structures. Features 2 cable holes so that cables can be fed through from the legs to the worktop.

8 Metal modesty panel, H. 30 cm. Adapted to 'L' shaped leg structures. Features 2 cable holes so that cables can be fed through from the legs to the worktop. Integrated cable management trough H. 11 cm x D. 5 cm, fitted with 2 tie-straps for securing of cables. The cable trough design facilitates concealment of trailing sockets and cables.

9 Tubular crossbeam, 80 to 180 cm in length, to be mounted on 'Y' shaped legs. Tool-free assembly by slotting the extremities in to respective housings that are welded to the leg brackets.

Cable trough designed to be fitted to the crossbeam, fitted with 2 tie-straps for securing and channelling of cables.



■ Rectangular desks D. 80 cm

Fixed legs

'I' shaped legs - Beam

W. 80 cm	1 150 026 + top + leg
W. 120 cm	1 150 027 + top + leg
W. 140 cm	1 150 028 + top + leg
W. 160 cm	1 150 029 + top + leg
W. 180 cm	1 150 030 + top + leg

'I' shaped legs - Beam + cable trough

W. 120 cm	1 150 036 + top + leg
W. 140 cm	1 150 037 + top + leg
W. 160 cm	1 150 038 + top + leg
W. 180 cm	1 150 039 + top + leg

'L' shaped legs - Melamine modesty panel

W. 80 cm	1 150 044 + top + leg
W. 120 cm	1 150 045 + top + leg
W. 140 cm	1 150 046 + top + leg
W. 160 cm	1 150 047 + top + leg
W. 180 cm	1 150 048 + top + leg

'L' shaped legs - Metal modesty panel

W. 80 cm	1 150 049 + top + leg
W. 120 cm	1 150 050 + top + leg
W. 140 cm	1 150 051 + top + leg
W. 160 cm	1 150 052 + top + leg
W. 180 cm	1 150 053 + top + leg

Adjustable legs

1 150 031 + top + leg
1 150 032 + top + leg
1 150 033 + top + leg
1 150 034 + top + leg
1 150 035 + top + leg

1 150 040 + top + leg
1 150 041 + top + leg
1 150 042 + top + leg
1 150 043 + top + leg



■ Rectangular desks D. 60 cm

Fixed legs

'I' shaped legs - Beam

W. 80 cm	1 150 054 + top + leg
W. 120 cm	1 150 055 + top + leg

'I' shaped legs - Beam + cable trough

W. 120 cm	1 150 058 + top + leg
-----------	-----------------------

Adjustable legs

1 150 056 + top + leg
1 150 057 + top + leg

1 150 059 + top + leg



■ 90° link unit

W. 80 x D 80 cm	1 150 060 + top
-----------------	-----------------

Fixed legs

Tubular support leg	1 150 061 + leg
---------------------	-----------------

Adjustable legs

1 150 062 + leg



■ Meeting extension unit

Fixed legs

Extension table	
Circular ø 100 cm	1 150 063 + top + leg
3/4 circular ø 120 cm	1 150 064 + top + leg

Adjustable legs

1 150 065 + top + leg
1 150 066 + top + leg



7 choices of finish for tops (+ top)



3 choices of finish for structure (+ leg)



■ Arch-shaped desks



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam	1 150 067 + top + leg		1 150 071 + top + leg	
'I' shaped legs - Beam + cable trough	1 150 068 + top + leg		1 150 072 + top + leg	
'L' shaped legs - Melamine modesty panel	1 150 069 + top + leg			
'L' shaped legs - Metal modesty panel	1 150 070 + top + leg			

■ Asymmetrical wave desks D. 80/100 cm



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
W. 140 cm - left-hand return	1 150 073 + top + leg		1 150 077 + top + leg	
W. 140 cm - right-hand return	1 150 074 + top + leg		1 150 078 + top + leg	
W. 160 cm - left-hand return	1 150 075 + top + leg		1 150 079 + top + leg	
W. 160 cm - right-hand return	1 150 076 + top + leg		1 150 080 + top + leg	
'I' shaped legs - Beam + cable trough				
W. 140 cm - left-hand return	1 150 081 + top + leg		1 150 085 + top + leg	
W. 140 cm - right-hand return	1 150 082 + top + leg		1 150 086 + top + leg	
W. 160 cm - left-hand return	1 150 083 + top + leg		1 150 087 + top + leg	
W. 160 cm - right-hand return	1 150 084 + top + leg		1 150 088 + top + leg	
'L' shaped legs - Melamine modesty panel				
W. 140 cm - left-hand return	1 150 089 + top + leg			
W. 140 cm - right-hand return	1 150 090 + top + leg			
W. 160 cm - left-hand return	1 150 091 + top + leg			
W. 160 cm - right-hand return	1 150 092 + top + leg			
'L' shaped legs - Metal modesty panel				
W. 140 cm - left-hand return	1 150 093 + top + leg			
W. 140 cm - right-hand return	1 150 094 + top + leg			
W. 160 cm - left-hand return	1 150 095 + top + leg			
W. 160 cm - right-hand return	1 150 096 + top + leg			

■ Symmetrical wave desks D. 100 cm



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
W. 160 cm	1 150 097 + top + leg		1 150 099 + top + leg	
W. 180 cm	1 150 098 + top + leg		1 150 100 + top + leg	
'I' shaped legs - Beam + cable trough				
W. 160 cm	1 150 101 + top + leg		1 150 103 + top + leg	
W. 180 cm	1 150 102 + top + leg		1 150 104 + top + leg	
'L' shaped legs - Melamine modesty panel				
W. 160 cm	1 150 105 + top + leg			
W. 180 cm	1 150 106 + top + leg			
'L' shaped legs - Metal modesty panel				
W. 160 cm	1 150 107 + top + leg			
W. 180 cm	1 150 108 + top + leg			

■ Fixed wave return



	Fixed legs		Adjustable legs	
'I' shaped legs - 4 Wave				
left-hand return	1 150 109 + top + leg		1 150 111 + top + leg	
right-hand return	1 150 110 + top + leg		1 150 112 + top + leg	
On tubular legs Ø 60 mm	1 150 113 + top + leg		1 150 114 + top + leg	

■ 90° asymmetrical compact desks



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
W. 160 x Rt 60 cm - left-hand return	1 150 115 + top + leg		1 150 121 + top + leg	
W. 160 x Rt 60 cm - right-hand return	1 150 116 + top + leg		1 150 122 + top + leg	
W. 180 x Rt 60 cm - left-hand return	1 150 117 + top + leg		1 150 123 + top + leg	
W. 180 x Rt 60 cm - right-hand return	1 150 118 + top + leg		1 150 124 + top + leg	
W. 180 x Rt 80 cm - left-hand return	1 150 119 + top + leg		1 150 125 + top + leg	
W. 180 x Rt 80 cm - right-hand return	1 150 120 + top + leg		1 150 126 + top + leg	
'I' shaped legs - Beam + cable trough				
W. 160 x Rt 60 cm - left-hand return	1 150 127 + top + leg		1 150 133 + top + leg	
W. 160 x Rt 60 cm - right-hand return	1 150 128 + top + leg		1 150 134 + top + leg	
W. 180 x Rt 60 cm - left-hand return	1 150 129 + top + leg		1 150 135 + top + leg	
W. 180 x Rt 60 cm - right-hand return	1 150 130 + top + leg		1 150 136 + top + leg	
W. 180 x Rt 80 cm - left-hand return	1 150 131 + top + leg		1 150 137 + top + leg	
W. 180 x Rt 80 cm - right-hand return	1 150 132 + top + leg		1 150 138 + top + leg	
'L' shaped legs - Melamine modesty panel				
W. 160 x Rt 60 cm - left-hand return	1 150 139 + top + leg			
W. 160 x Rt 60 cm - right-hand return	1 150 140 + top + leg			
W. 180 x Rt 60 cm - left-hand return	1 150 141 + top + leg			
W. 180 x Rt 60 cm - right-hand return	1 150 142 + top + leg			
W. 180 x Rt 80 cm - left-hand return	1 150 143 + top + leg			
W. 180 x Rt 80 cm - right-hand return	1 150 144 + top + leg			
'L' shaped legs - Metal modesty panel				
W. 160 x Rt 60 cm - left-hand return	1 150 145 + top + leg			
W. 160 x Rt 60 cm - right-hand return	1 150 146 + top + leg			
W. 180 x Rt 60 cm - left-hand return	1 150 147 + top + leg			
W. 180 x Rt 60 cm - right-hand return	1 150 148 + top + leg			
W. 180 x Rt 80 cm - left-hand return	1 150 149 + top + leg			
W. 180 x Rt 80 cm - right-hand return	1 150 150 + top + leg			

OPTIONAL EXTRA

Tubular support leg

To be fitted to compact desk return. Not compatible with supporting metal pedestal.

Tubular section legs ø 60 mm	1 150 061 + leg		1 150 062 + leg	
------------------------------	-----------------	--	-----------------	--

■ Standard fixed returns

For standard straight desks W. 140, 160 and 180 cm and for compact returns 60 cm.



	Fixed legs		Adjustable legs	
'I' shaped legs - 4 Wave				
W. 80 cm - left-hand return	1 150 151 + top + leg		1 150 155 + top + leg	
W. 80 cm - right-hand return	1 150 152 + top + leg		1 150 156 + top + leg	
W. 120 cm - left-hand return	1 150 153 + top + leg		1 150 157 + top + leg	
W. 120 cm - right-hand return	1 150 154 + top + leg		1 150 158 + top + leg	
Tubular section legs ø 60 mm				
W. 80 cm	1 150 159 + top + leg		1 150 161 + top + leg	
W. 120 cm	1 150 160 + top + leg		1 150 162 + top + leg	
On supporting metal pedestal W. 42 cm				
W. 80 cm	1 150 163 + top + leg			
W. 120 cm	1 150 164 + top + leg			

7 choices of finish for tops (+ top)



3 choices of finish for structure (+ leg)



■ Curved 90° asymmetrical compact desks W. 180 cm

Tubular support leg fitted to the return 60 cm.



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
left-hand return	1 150 165 + top + leg		1 150 167 + top + leg	
right-hand return	1 150 166 + top + leg		1 150 168 + top + leg	
'I' shaped legs - Beam + cable trough				
left-hand return	1 150 169 + top + leg		1 150 171 + top + leg	
right-hand return	1 150 170 + top + leg		1 150 172 + top + leg	
'L' shaped legs - Melamine modesty panel				
left-hand return	1 150 173 + top + leg			
right-hand return	1 150 174 + top + leg			
'L' shaped legs - Metal modesty panel				
left-hand return	1 150 175 + top + leg			
right-hand return	1 150 176 + top + leg			

■ 90° symmetrical compact desks – symmetrical structure



	Fixed legs		Adjustable legs	
'I' shaped legs - Beam				
W. 140 x W. 140 x Rf 80 cm	1 150 177 + top + leg		1 150 179 + top + leg	
W. 160 x W. 160 x Rf 80 cm	1 150 178 + top + leg		1 150 180 + top + leg	
'I' shaped legs - Beam + cable trough				
W. 140 x W. 140 x Rf 80 cm	1 150 181 + top + leg		1 150 183 + top + leg	
W. 160 x W. 160 x Rf 80 cm	1 150 182 + top + leg		1 150 184 + top + leg	
'L' shaped legs - Metal modesty panel				
W. 140 x W. 140 x Rf 80 cm	1 150 185 + top + leg			
W. 160 x W. 160 x Rf 80 cm	1 150 186 + top + leg			

■ 120° symmetrical compact desks – symmetrical structure



	Fixed legs	
'L' shaped legs - Metal modesty panel		
W. 120 x W. 120 x Rf. 80 cm	1 150 187 + top + leg	

■ Half-moon tables



	Fixed legs		Adjustable legs	
W. 80 x D. 40 cm	1 150 188 + top + leg		1 150 191 + top + leg	
W. 165 x D. 60 cm	1 150 189 + top + leg		1 150 192 + top + leg	
W. 165 x D. 82.50 cm	1 150 190 + top + leg		1 150 193 + top + leg	

Metal pedestals p. 130.



Easy reach storage p. 156.



Ergonomic chairs p. 312.



Pure Evolution

With its sleek column-like leg designs, the Pure Evolution range offers itself as an elegant and expertly crafted choice of office furniture.

Pure Evolution is a range infused with the spirit of innovation: desks are designed for assembly by just one person and without specialised tools. This is made possible thanks to the lightweight self-supporting legs, practical slot-in crossbeam and the use of thumb screws to secure the uprights to the worktops.



"A singular technologically advanced yet simple range, Pure Evolution is a definitive expression of modern workstation design."

ROMAIN BOURBOULON Marketing Director





Pure Evolution is a range of office systems offering maximum adaptability. Fixed and height-adjustable cylindrical legs are available in 'I' and 'L' shaped dispositions. A branched base structure provides a further practical configuration solution for meetings.





Shade card

7 choices of finish for tops



MG
Snow white



MA
White maple



MB
Light beech



RI
Light oak



MC
Salmon beech



RH
French Apple



RL
Amber walnut

2 choices of finish for legs and structures from stock




SO
White




SA
Aluminium grey

The Range


Rectangular and arch-shaped desks




Wave desks








Asymmetrical compact desks



Symmetrical compact desks



Extension units




Standards



AMEUBLEMENT

Technical specifications



1 25 mm thick high-density particle board, covered with a sheet of decorative melamine on both sides of the top. Edges protected by a 2 mm thick strip of ABS matching the top.

2 Worktops feature cable ports, composed of an outer ring (ø 8cm) incorporated in the worktop and 'eol' design snap-in cap (ø 6 cm).

3 Fixed 'I' shaped legs composed of a metal tubular bar at the top designed to receive knurled knobs (for easy tool-free securing to the worktop), a circular-section tubular metal bracket ø 70 mm to which are welded sheet metal feet fitted with adjustable stabilizers. Worktop height: 73.5 cm.

4 Fixed 'L' shaped legs, with identical design to the 'I' shaped legs. Worktop height: 73.5 cm.

5 Optional vertical cable management column for fixed legs, in sheet metal 10/10 mm thick. Fixed with hooks to the inside of the legs. Cables can be fed through both upper and lower extremities. A version that attaches to the worktops is also available for adjustable leg models.

6 Tubular-section crossbeam (50 x 30 mm) ranging from 80 to 180 cm in length, designed for mounting on legs. Tool-free assembly by slotting the extremities into respective housings welded to the leg brackets.

7 Height-adjustable 'I' shaped leg composed of a metal tubular bar at the top, a telescopic circular-section tubular metal bracket (male/female ø 60/70 mm) that slides within an injection moulded ABS ring. Legs are locked into position at desired height by means of 2 M6 screws. Worktop height: from 62 to 86 cm.

8 Height-adjustable 'L' shaped legs, with identical design to the 'I' shaped adjustable legs. Worktop height: from 62 to 86 cm.

9 Cable trough designed to be fitted to the crossbeam, with the purpose of concealing electrical trailing sockets and cables. Made from 10/10 mm sheet metal, height 10 cm and ranging in length from 90 to 130 cm.



■ Rectangular desks D. 80 cm



'L' shaped legs

W. 80 cm
W. 120 cm
W. 140 cm
W. 160 cm
W. 180 cm

Fixed leg(s)

1 481 662 + top + leg
1 481 663 + top + leg
1 481 664 + top + leg
1 481 665 + top + leg
1 481 666 + top + leg

Adjustable leg(s)

1 481 667 + top + leg
1 481 668 + top + leg
1 481 669 + top + leg
1 481 670 + top + leg
1 481 671 + top + leg

'I' shaped legs

W. 80 cm
W. 120 cm
W. 140 cm
W. 160 cm
W. 180 cm

1 481 672 + top + leg
1 481 673 + top + leg
1 481 674 + top + leg
1 481 675 + top + leg
1 481 676 + top + leg

1 481 677 + top + leg
1 481 678 + top + leg
1 481 679 + top + leg
1 481 680 + top + leg
1 481 681 + top + leg

■ 90° link unit



W. 80 x D 80 cm

1 481 846 + top

Tubular support leg

Fixed leg

1 481 874 + leg

Adjustable leg

1 481 875 + leg

■ Meeting extension unit



Extension table

Circular ø 100 cm
3/4 circular ø 120 cm

Fixed leg(s)

1 481 847 + top + leg
1 481 851 + top + leg

Adjustable leg(s)

1 481 848 + top + leg
1 481 852 + top + leg

■ Rectangular desks D. 60 cm



'I' shaped legs

W. 80 cm
W. 120 cm

Fixed leg(s)

1 481 876 + top + leg
1 481 877 + top + leg

Adjustable leg(s)

1 481 878 + top + leg
1 481 879 + top + leg

■ Arch-shaped desks



'L' shaped legs

'I' shaped legs

Fixed leg(s)

1 481 706 + top + leg
1 481 707 + top + leg

Adjustable leg(s)

1 481 710 + top + leg
1 481 711 + top + leg

■ Optional metal modesty panels

H. 28 cm. Attaches to the worktop.



For desks W. 80 cm et angle 90°
For desks W. 120 cm
For desks W. 140 cm
For desks W. 160 cm
For desks W. 180 cm

1 481 205 + leg
1 481 200 + leg
1 481 201 + leg
1 481 202 + leg
1 481 203 + leg

7 choices of finish for tops (+ top)



2 choices of finish for structure (+ leg)



■ Asymmetrical wave desks D. 80/100 cm



	Fixed leg(s)		Adjustable leg(s)	
'L' shaped legs				
W. 140 cm - left-hand return	1 481 715 + top + leg		1 481 723 + top + leg	
W. 140 cm - right-hand return	1 481 714 + top + leg		1 481 722 + top + leg	
W. 160 cm - left-hand return	1 481 717 + top + leg		1 481 725 + top + leg	
W. 160 cm - right-hand return	1 481 716 + top + leg		1 481 724 + top + leg	
'I' shaped legs				
W. 140 cm - left-hand return	1 481 719 + top + leg		1 481 727 + top + leg	
W. 140 cm - right-hand return	1 481 718 + top + leg		1 481 726 + top + leg	
W. 160 cm - left-hand return	1 481 721 + top + leg		1 481 729 + top + leg	
W. 160 cm - right-hand return	1 481 720 + top + leg		1 481 728 + top + leg	

■ Symmetrical wave desks D. 100 cm



	Fixed leg(s)		Adjustable leg(s)	
'L' shaped legs				
W. 160 cm	1 481 730 + top + leg		1 481 736 + top + leg	
W. 180 cm	1 481 731 + top + leg		1 481 737 + top + leg	
'I' shaped legs				
W. 160 cm	1 481 732 + top + leg		1 481 738 + top + leg	
W. 180 cm	1 481 733 + top + leg		1 481 739 + top + leg	

■ Fixed wave returns



	Fixed leg(s)		Adjustable leg(s)	
'I' shaped legs	1 481 842 + top + leg		1 481 844 + top + leg	
On tubular legs Ø 60 mm	1 481 880 + top + leg		1 481 881 + top + leg	

■ Vertical cable management columns



	Fixed leg(s)		Adjustable leg(s)	
Internal cable housing - attaches to inside of legs	1 481 867 + leg			
Circular-section column - attaches to worktop			6 478 078 + leg	

■ Horizontal cable troughs

Secured to the crossbeam



For worktops W. 120 cm			
W. 90 cm	2 083 819 + leg		
For worktops W. 140 cm to 180 cm			
W. 130 cm	2 083 818 + leg		

Metal pedestals p. 130.



Desktop screens p. 133.



Metal cupboards p. 160.



■ 90° asymmetrical compact desks



	Fixed leg(s)		Adjustable leg(s)	
'L' shaped legs				
W. 160 x Rt. 60 cm - left-hand return	1 481 743 + top + leg		1 481 759 + top + leg	
W. 160 x Rt. 60 cm - right-hand return	1 481 742 + top + leg		1 481 758 + top + leg	
W. 180 x Rt. 60 cm - left-hand return	1 481 745 + top + leg		1 481 761 + top + leg	
W. 180 x Rt. 60 cm - right-hand return	1 481 744 + top + leg		1 481 760 + top + leg	
W. 180 x Rt. 80 cm - left-hand return	1 481 747 + top + leg		1 481 763 + top + leg	
W. 180 x Rt. 80 cm - right-hand return	1 481 746 + top + leg		1 481 762 + top + leg	
'I' shaped legs				
W. 160 x Rt. 60 cm - left-hand return	1 481 749 + top + leg		1 481 765 + top + leg	
W. 160 x Rt. 60 cm - right-hand return	1 481 748 + top + leg		1 481 764 + top + leg	
W. 180 x Rt. 60 cm - left-hand return	1 481 751 + top + leg		1 481 767 + top + leg	
W. 180 x Rt. 60 cm - right-hand return	1 481 750 + top + leg		1 481 766 + top + leg	
W. 180 x Rt. 80 cm - left-hand return	1 481 753 + top + leg		1 481 769 + top + leg	
W. 180 x Rt. 80 cm - right-hand return	1 481 752 + top + leg		1 481 768 + top + leg	

OPTIONAL EXTRA

Tubular support leg

To be fitted to compact office desk return. Not compatible with supporting metal pedestal.

Tubular support leg	1 481 874 + leg		1 481 875 + leg	
---------------------	-----------------	--	-----------------	--

■ 90° asymmetrical compact desks with supporting desk height pedestal

Adjustable height version comes with adjustment kit composed of 8 spacers to raise the pedestal height by 20 to 40 mm.



	Fixed leg(s)		Adjustable leg(s)	
'L' shaped legs				
W. 160 x Rt. 60 cm - left-hand return	1 481 775 + top + leg		1 481 791 + top + leg	
W. 160 x Rt. 60 cm - right-hand return	1 481 774 + top + leg		1 481 790 + top + leg	
W. 180 x Rt. 60 cm - left-hand return	1 481 777 + top + leg		1 481 793 + top + leg	
W. 180 x Rt. 60 cm - right-hand return	1 481 776 + top + leg		1 481 792 + top + leg	
W. 180 x Rt. 80 cm - left-hand return	1 481 779 + top + leg		1 481 795 + top + leg	
W. 180 x Rt. 80 cm - right-hand return	1 481 778 + top + leg		1 481 794 + top + leg	
'I' shaped legs				
W. 160 x Rt. 60 cm - left-hand return	1 481 781 + top + leg		1 481 797 + top + leg	
W. 160 x Rt. 60 cm - right-hand return	1 481 780 + top + leg		1 481 796 + top + leg	
W. 180 x Rt. 60 cm - left-hand return	1 481 783 + top + leg		1 481 799 + top + leg	
W. 180 x Rt. 60 cm - right-hand return	1 481 782 + top + leg		1 481 798 + top + leg	
W. 180 x Rt. 80 cm - left-hand return	1 481 785 + top + leg		1 481 801 + top + leg	
W. 180 x Rt. 80 cm - right-hand return	1 481 784 + top + leg		1 481 800 + top + leg	

■ Curved 90° compact desks - W. 180 cm

Tubular support leg fitted to the return 60 cm



	Fixed leg(s)		Adjustable leg(s)	
'L' shaped legs				
Left-hand return	1 481 807 + top + leg		1 481 811 + top + leg	
Right-hand return	1 481 806 + top + leg		1 481 810 + top + leg	
'I' shaped legs				
Left-hand return	1 481 809 + top + leg		1 481 813 + top + leg	
Right-hand return	1 481 808 + top + leg		1 481 812 + top + leg	

■ Standard fixed returns

For standard straight desks W. 140, 160 and 180 cm and for compact returns 60 cm.



	Fixed leg(s)		Adjustable leg(s)	
'I' shaped legs				
W. 80 cm	1 481 832 + top + leg		1 481 838 + top + leg	
W. 120 cm	1 481 833 + top + leg		1 481 839 + top + leg	
Tubular section legs ø 60 mm				
W. 80 cm	1 481 882 + top + leg		1 481 884 + top + leg	
W. 120 cm	1 481 883 + top + leg		1 481 885 + top + leg	
On supporting metal pedestal W. 42 cm				
W. 80 cm	1 481 836 + top + leg			
W. 120 cm	1 481 837 + top + leg			

■ 90° symmetrical compact desks – asymmetrical structure



	Fixed leg(s)	Adjustable leg(s)
'L' shaped legs		
W. 140 x Rf. 80 cm - left-hand return	1 481 889 + top + leg	1 481 891 + top + leg
W. 140 x Rf. 80 cm - right-hand return	1 481 814 + top + leg	1 481 819 + top + leg
W. 160 x Rf. 80 cm - left-hand return	1 481 890 + top + leg	1 481 892 + top + leg
W. 160 x Rf. 80 cm - right-hand return	1 481 815 + top + leg	1 481 820 + top + leg
'I' shaped legs		
W. 140 x Rf. 80 cm	1 481 817 + top + leg	1 481 822 + top + leg
W. 160 x Rf. 80 cm	1 481 818 + top + leg	1 481 823 + top + leg

■ 90° symmetrical compact desks – asymmetrical structure with supporting desk height pedestal

Adjustable height version comes with adjustment kit composed of 8 spacers to raise the pedestal height by 20 to 40 mm.



	Fixed leg(s)	Adjustable leg(s)
'L' shaped legs		
W. 140 x Rf. 80 cm - left-hand return	1 481 893 + top + leg	1 481 895 + top + leg
W. 140 x Rf. 80 cm - right-hand return	1 481 824 + top + leg	1 481 828 + top + leg
W. 160 x Rf. 80 cm - left-hand return	1 481 894 + top + leg	1 481 896 + top + leg
W. 160 x Rf. 80 cm - right-hand return	1 481 825 + top + leg	1 481 829 + top + leg
'I' shaped legs		
W. 140 x Rf. 80 cm	1 481 826 + top + leg	1 481 830 + top + leg
W. 160 x Rf. 80 cm	1 481 827 + top + leg	1 481 831 + top + leg

■ 120° symmetrical compact desks – symmetrical structure



	Fixed leg(s)
'L' shaped legs	
W. 120 x Rf. 80 cm	1 481 816 + top + leg

■ 120° symmetrical compact desks – symmetrical structure with supporting desk height pedestal



	Fixed leg(s)
'L' shaped legs	
W. 120 x Rf. 80 cm	1 481 886 + top + leg

■ Half-moon tables



	Fixed leg(s)	Adjustable leg(s)
W. 80 x D. 40 cm	1 481 855 + top + leg	1 481 856 + top + leg
W. 165 x D. 60 cm	1 481 859 + top + leg	1 481 860 + top + leg
W. 165 x D. 82.50 cm	1 481 863 + top + leg	1 481 864 + top + leg

■ Meeting tables



	Fixed leg(s)
Circular	
ø 100 cm	1 481 868 + top + leg
ø 120 cm	1 481 869 + top + leg
Barrel	
W. 200 x D. 100 cm	1 481 872 + top + leg

7 choices of finish for tops (+ top)



2 choices of finish for structure (+ leg)




Twin Distal

TWIN DISTAL is a dynamic and contemporary office furniture range, fusing practicality and aesthetic design to produce highly flexible and adaptable work space configurations: from the basic individual workstation, to managerial desk solutions or the more versatile teamwork-orientated shared structure workstations.



"TWIN DISTAL is an ideal choice for teams engaging in project work, the range lends itself perfectly to efficient collaboration in a harmonious work environment."

MAGALIE JAURON Product Manager – System furniture





Storage and extension
units to complement
to the workstations





TWIN DISTAL allows shared structure configurations: a shortened base leg is incorporated as a shared support for adjoining worktops, facilitating movement between workstations and collaborative work.








Shade card

7 choices of finish for worktops



MG
Snow white



MA
White maple



MB
Light beech



RI
Light oak



MC
Salmon beech



RH
French Apple



RL
Amber walnut

3 choices of finish for legs and structure from stock



SO
White




SA
Aluminium grey




SC
Graphite grey

The Range


Rectangular and bow-fronted desks




Wave desks




Asymmetrical compact desks



Symmetrical compact desks



Extension units



Standards



Technical specifications



1 High-density fibre board worktop, 25 mm thick, with a decorative melamine sheet on both sides of the top. 2 mm thick ABS edge banding, matching the worktops.

2 Tops feature cable ports, made from injection moulded ABS (ø 80 mm).

3 Fixed « I » shaped legs composed of a pressed sheet metal top plate, uprights in folded sheet metal with removable sheet metal clip-on leg panels, curved design steel base element fitted with elliptical ABS end caps and adjustable stabilizer feet. Cables are channelled within the leg structure behind the removable panels, and exit through openings in the upper and lower extremities. Worktop height: 73.5 cm.

4 Fixed « L » shaped legs, with identical design to the « I » shaped legs. Worktop height: 73.5 cm.

5 Metal modesty panel, attaches directly to « L » shaped leg structure. Made from sheet metal 0.7 mm thick, with 2 grooves running the length of the panel for additional structural rigidity. Height 375 mm. Epoxy coating matching the « L » shaped leg finish.

6 Shared leg with shortened base designed to support 2 adjoining worktops: a cost-effective and ergonomic solution. Available in fixed « I » shaped leg and fixed « L » shaped leg versions. Identical design to the « I » and « L » shaped legs except for the shortened base element (475 mm) facilitating greater freedom of movement for users. Leg clip-on leg panels are shorter than on the standard legs, providing an opening to allow cables to be fed uninterrupted between end sections.

7 Height-adjustable « I » shaped legs composed of a pressed sheet metal top plate, centrally positioned upper pillar and lower pillar housed in a telescopic folded sheet metal panelling. Features a curved design steel base element fitted with elliptical ABS end caps and adjustable stabilizer feet. Cables are channelled within the leg structure behind the removable panels, and exit through openings in the upper and lower extremities. Worktop height: from 63.5 to 86 cm, adjustable at 2 cm intervals.

8 Height-adjustable « L » shaped legs, with identical design to the height-adjustable « I » shaped legs. Worktop height: from 63.5 to 86 cm, adjustable at 2 cm intervals.

9 C-shaped folded sheet metal crossbeam, 1 mm thick with opening on user side. Fixed element, secured with screws to « I » and « L » shaped legs. 2 circular openings (ø 60 mm each) allow cables to be fed through from the worktop to the desk structure. Facilitates concealing of numerous electrical trailing sockets and cables. Grey aluminium epoxy finish. Dimensions: height 95 mm and depth 60 mm.

■ Rectangular desks D. 60 cm

	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 80 cm	2 304 001 + top + leg		2 304 008 + top + leg	
W. 120 cm	2 304 002 + top + leg		2 304 009 + top + leg	
L shaped legs - Beam				
W. 80 cm	2 304 019 + top + leg		2 304 026 + top + leg	
W. 120 cm	2 304 020 + top + leg		2 304 027 + top + leg	

■ Rectangular desks D. 80 cm

The add-on units are composed of a shared shortened-base leg, a crossbeam and a worktop.



	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 80 cm	2 304 003 + top + leg		2 304 010 + top + leg	
W. 120 cm	2 304 004 + top + leg		2 304 011 + top + leg	
W. 140 cm	2 304 005 + top + leg		2 304 012 + top + leg	
W. 160 cm	2 304 006 + top + leg		2 304 013 + top + leg	
W. 180 cm	2 304 007 + top + leg		2 304 014 + top + leg	
I shaped legs - Beam - Add-on units				
W. 120 cm	2 304 015 + top + leg			
W. 140 cm	2 304 016 + top + leg			
W. 160 cm	2 304 017 + top + leg			
W. 180 cm	2 304 018 + top + leg			
L shaped legs - Beam				
W. 80 cm	2 304 021 + top + leg		2 304 028 + top + leg	
W. 120 cm	2 304 022 + top + leg		2 304 029 + top + leg	
W. 140 cm	2 304 023 + top + leg		2 304 030 + top + leg	
W. 160 cm	2 304 024 + top + leg		2 304 031 + top + leg	
W. 180 cm	2 304 025 + top + leg		2 304 032 + top + leg	
L shaped legs - Beam - Add-on units				
W. 120 cm	2 304 033 + top + leg			
W. 140 cm	2 304 034 + top + leg			
W. 160 cm	2 304 035 + top + leg			
W. 180 cm	2 304 036 + top + leg			
L shaped legs - Metal modesty panel				
W. 80 cm	2 304 037 + top + leg		2 304 042 + top + leg	
W. 120 cm	2 304 038 + top + leg		2 304 043 + top + leg	
W. 140 cm	2 304 039 + top + leg		2 304 044 + top + leg	
W. 160 cm	2 304 040 + top + leg		2 304 045 + top + leg	
W. 180 cm	2 304 041 + top + leg		2 304 046 + top + leg	

■ 90° link unit

W. 80 x D. 80 cm	2 304 047 + top			
Tubular support leg	Fixed legs		Adjustable legs	
Tubular leg ø 60 mm	2 304 048 + leg		2 304 049 + leg	
Triangular-section tubular leg - cable mgf.	2 304 050 + leg		2 304 051 + leg	

■ Meeting extension unit

This desk-end meeting table rests on 1 triangular-section tubular leg with cable management; the 3/4 circular top model rests on 2 triangular-section tubular legs with cable management.



	Fixed leg(s)		Adjustable leg(s)	
Extension unit				
Circular ø 100 cm	2 304 052 + top + leg		2 304 053 + top + leg	
3/4 circular ø 120 cm	2 304 054 + top + leg		2 304 055 + top + leg	

7 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg)



■ Bow-fronted desks



	Fixed legs		Adjustable legs	
I shaped legs - Beam	2 304 056 + top + leg		2 304 057 + top + leg	
L shaped legs - Beam	2 304 058 + top + leg		2 304 059 + top + leg	
L shaped legs - Metal modesty panel	2 304 060 + top + leg		2 304 061 + top + leg	

■ Asymmetrical wave desks D. 80/100 cm

The add-on units are composed of a shared shortened-base leg, a crossbeam and a worktop.



	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 140 cm - left-hand return	2 304 062 + top + leg		2 304 066 + top + leg	
W. 140 cm - right-hand return	2 304 063 + top + leg		2 304 067 + top + leg	
W. 160 cm - left-hand return	2 304 064 + top + leg		2 304 068 + top + leg	
W. 160 cm - right-hand return	2 304 065 + top + leg		2 304 069 + top + leg	
I shaped legs - Beam - Add-on units				
W. 140 cm - left-hand return	2 304 070 + top + leg			
W. 140 cm - right-hand return	2 304 071 + top + leg			
W. 160 cm - left-hand return	2 304 072 + top + leg			
W. 160 cm - right-hand return	2 304 073 + top + leg			
L shaped legs - Beam				
W. 140 cm - left-hand return	2 304 074 + top + leg		2 304 078 + top + leg	
W. 140 cm - right-hand return	2 304 075 + top + leg		2 304 079 + top + leg	
W. 160 cm - left-hand return	2 304 076 + top + leg		2 304 080 + top + leg	
W. 160 cm - right-hand return	2 304 077 + top + leg		2 304 081 + top + leg	
L shaped legs - Beam - Add-on units				
W. 140 cm - left-hand return	2 304 082 + top + leg			
W. 140 cm - right-hand return	2 304 083 + top + leg			
W. 160 cm - left-hand return	2 304 084 + top + leg			
W. 160 cm - right-hand return	2 304 085 + top + leg			
L shaped legs - Metal modesty panel				
W. 140 cm - left-hand return	2 304 086 + top + leg		2 304 090 + top + leg	
W. 140 cm - right-hand return	2 304 087 + top + leg		2 304 091 + top + leg	
W. 160 cm - left-hand return	2 304 088 + top + leg		2 304 092 + top + leg	
W. 160 cm - right-hand return	2 304 089 + top + leg		2 304 093 + top + leg	

■ Symmetrical wave desks D. 100 cm

The add-on units are composed of a shared shortened-base leg, a crossbeam and a worktop.



	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 160 cm	2 304 094 + top + leg		2 304 096 + top + leg	
W. 180 cm	2 304 095 + top + leg		2 304 097 + top + leg	
I shaped legs - Beam - Add-on units				
W. 160 cm	2 304 098 + top + leg			
W. 180 cm	2 304 099 + top + leg			
L shaped legs - Beam				
W. 160 cm	2 304 100 + top + leg		2 304 102 + top + leg	
W. 180 cm	2 304 101 + top + leg		2 304 103 + top + leg	
L shaped legs - Beam - Add-on units				
W. 160 cm	2 304 104 + top + leg			
W. 180 cm	2 304 105 + top + leg			
L shaped legs - Metal modesty panel				
W. 160 cm	2 304 106 + top + leg		2 304 108 + top + leg	
W. 180 cm	2 304 107 + top + leg		2 304 109 + top + leg	

■ Fixed wave returns



	Fixed leg(s)		Adjustable leg(s)	
On Twin Distal design leg				
I shaped leg	2 304 110 + top + leg		2 304 113 + top + leg	
L shaped leg - left-hand return	2 304 111 + top + leg		2 304 114 + top + leg	
L shaped leg - right-hand return	2 304 112 + top + leg		2 304 115 + top + leg	
Triangular-section tubular leg - cable mgt.				
	2 304 200 + top + leg		2 304 201 + top + leg	

■ 90° asymmetrical compact desks



	Fixed legs		Adjustable legs	
I shaped legs - Beam				
W. 160 x Rt 60 cm - left-hand return	2 304 116 + top + leg		2 304 122 + top + leg	
W. 160 x Rt 60 cm - right-hand return	2 304 117 + top + leg		2 304 123 + top + leg	
W. 180 x Rt 60 cm - left-hand return	2 304 118 + top + leg		2 304 124 + top + leg	
W. 180 x Rt 60 cm - right-hand return	2 304 119 + top + leg		2 304 125 + top + leg	
W. 180 x Rt 80 cm - left-hand return	2 304 120 + top + leg		2 304 126 + top + leg	
W. 180 x Rt 80 cm - right-hand return	2 304 121 + top + leg		2 304 127 + top + leg	
L shaped legs - Beam				
W. 160 x Rt 60 cm - left-hand return	2 304 128 + top + leg		2 304 134 + top + leg	
W. 160 x Rt 60 cm - right-hand return	2 304 129 + top + leg		2 304 135 + top + leg	
W. 180 x Rt 60 cm - left-hand return	2 304 130 + top + leg		2 304 136 + top + leg	
W. 180 x Rt 60 cm - right-hand return	2 304 131 + top + leg		2 304 137 + top + leg	
W. 180 x Rt 80 cm - left-hand return	2 304 132 + top + leg		2 304 138 + top + leg	
W. 180 x Rt 80 cm - right-hand return	2 304 133 + top + leg		2 304 139 + top + leg	
L shaped legs - Metal modesty panel				
W. 160 x Rt 60 cm - left-hand return	2 304 140 + top + leg		2 304 146 + top + leg	
W. 160 x Rt 60 cm - right-hand return	2 304 141 + top + leg		2 304 147 + top + leg	
W. 180 x Rt 60 cm - left-hand return	2 304 142 + top + leg		2 304 148 + top + leg	
W. 180 x Rt 60 cm - right-hand return	2 304 143 + top + leg		2 304 149 + top + leg	
W. 180 x Rt 80 cm - left-hand return	2 304 144 + top + leg		2 304 150 + top + leg	
W. 180 x Rt 80 cm - right-hand return	2 304 145 + top + leg		2 304 151 + top + leg	
OPTIONAL EXTRA	Tubular support leg		Must be fitted beneath the return section of compact desks which have no adjoining metal desk height pedestal.	
	Tubular section legs ø 60 mm	2 304 048 + leg	2 304 049 + leg	
	Triangular-section tubular leg - cable mgt.	2 304 050 + leg	2 304 051 + leg	

■ Curved 90° compact desks W. 180 cm


Fitted with a triangular-section tubular leg with cable management under the return 60 cm.



	Fixed legs		Adjustable legs	
I shaped legs - Beam				
Left-hand return	2 304 152 + top + leg		2 304 154 + top + leg	
Right-hand return	2 304 153 + top + leg		2 304 155 + top + leg	
L shaped legs - Beam				
Left-hand return	2 304 156 + top + leg		2 304 158 + top + leg	
Right-hand return	2 304 157 + top + leg		2 304 159 + top + leg	
L shaped legs - Metal modesty panel				
Left-hand return	2 304 160 + top + leg		2 304 162 + top + leg	
Right-hand return	2 304 161 + top + leg		2 304 163 + top + leg	

■ Standard fixed returns

For standard rectangular desks W. 140, 160 and 180 cm and for compact returns 60 cm.



	Fixed leg(s)		Adjustable leg(s)	
On Twin Distal design leg				
I shaped legs				
W. 80 cm	2 304 164 + top + leg		2 304 166 + top + leg	
W. 120 cm	2 304 165 + top + leg		2 304 167 + top + leg	
L shaped legs				
W. 80 cm - left-hand return	2 304 168 + top + leg		2 304 170 + top + leg	
W. 80 cm - right-hand return	2 304 172 + top + leg		2 304 174 + top + leg	
W. 120 cm - left-hand return	2 304 169 + top + leg		2 304 171 + top + leg	
W. 120 cm - right-hand return	2 304 173 + top + leg		2 304 175 + top + leg	
Technical triangular-section tubular leg				
W. 80 cm	2 304 202 + top + leg		2 304 204 + top + leg	
W. 120 cm	2 304 203 + top + leg		2 304 205 + top + leg	
On supporting metal pedestal W. 42 cm				
W. 80 cm	2 304 206 + top + leg			
W. 120 cm	2 304 207 + top + leg			

7 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg)



■ 90° symmetrical compact desks



I shaped legs - Beam

W. 140 x Rf 80 cm

W. 160 x Rf 80 cm

Fixed legs

2 304 176 + top + leg

2 304 177 + top + leg

L shaped legs - Beam

W. 140 x Rf 80 cm

W. 160 x Rf 80 cm

2 304 178 + top + leg

2 304 179 + top + leg

L shaped legs - Metal modesty panel

W. 140 x Rf 80 cm

W. 160 x Rf 80 cm

2 304 180 + top + leg

2 304 181 + top + leg

■ 120° symmetrical compact desks



I shaped legs - Beam

W. 120 x Rf 80 cm

Fixed legs

2 304 182 + top + leg

L shaped legs - Beam

W. 120 x Rf 80 cm

2 304 183 + top + leg

L shaped legs - Metal modesty panel

W. 120 x Rf 80 cm

2 304 184 + top + leg

■ Half-moon tables

Tables with W. 80 x 40 cm and W. 165 x 60 cm rest on 1 triangular-section tubular leg with cable management. The table with W. 165 x 82.5 cm rests on 2 triangular-section tubular legs with cable management.



W. 80 x D. 40 cm

W. 165 x D. 60 cm

W. 165 x D. 82.50 cm

Fixed leg(s)

2 304 185 + top + leg

2 304 186 + top + leg

2 304 187 + top + leg

Adjustable leg(s)

2 304 188 + top + leg

2 304 189 + top + leg

2 304 190 + top + leg

■ Optional metal modesty panels

H. 28 cm. Attaches to the worktop;



For desks W. 80 cm and 90° link unit

For desks W. 120 cm

For desks W. 140 cm

For desks W. 160 cm

For desks W. 180 cm

2 304 191 + leg

2 304 192 + leg

2 304 193 + leg

2 304 194 + leg

2 304 195 + leg

■ Meeting tables

Rest on 4 electrifiable triangular-section tubular legs.



Circular ø 100 cm

Circular ø 120 cm

Fixed legs

2 304 196 + top + leg

2 304 197 + top + leg

Adjustable legs

2 304 198 + top + leg

2 304 199 + top + leg

Metal pedestals p. 130.



Easy reach storage p. 156.



Metal cupboards p. 160.



New Duplex

New Duplex is a cost-effective and highly functional range of desks procuring a wide array of solutions for the modern workspace. Traditional spaces are effortlessly optimised with multiple layout and configuration possibilities. A classical and universal styling that will respond effectively to every user's expectations.



"New Duplex is a practical range of office furniture, ideal for achieving conservative and robust workspaces."

PATRICE PLUMAIN Quality Coordinator



Fully operational



Aesthetically coordinated extension units and complementary furniture.









Workstations are all fitted with cable ports, facilitating efficient cable management. Height-adjustable legs allow the desks to adapt to the unique morphology of individual users.





Shade card

7 choices of finish for tops



MG
Snow white



MA
White maple



MB
Light beech



RI
Light oak



MC
Salmon beech



RH
French Apple



RL
Amber walnut

3 choices of finish for legs and structures



SO
White




SA
Aluminium grey




SC
Graphite grey

The Range


Rectangular and arch-shaped desks




Wave desks




Asymmetrical compact desks



Symmetrical compact desks



Extension units



Standards



Technical specifications



1 25 mm thick counterbalanced high-density particle board, covered in melamine, with 2 mm thick ABS edge banding.

2 2 ABS cable port in an aluminium grey finish, \varnothing 80 mm.

3 Metal 'L' shape legs with epoxy lacquer coating. Optional addition of clip-on housing panels of curved design. ABS end caps matching the leg finish.

4 Fixed leg version composed of a pressed sheet metal top plate, rectangular uprights in folded sheet metal with removable housing panels, oblong shaped tubular-section metal base fitted with adjustable stabilizer feet. Cables are channelled within the leg structure behind the removable panels, and exit through openings in the upper and lower extremities. Worktop height: 73.5 cm.

5 Height-adjustable legs feature 2 telescopic folded sheet metal housing panels.

6 Height-adjustable version composed of a pressed sheet metal top plate, rectangular uprights in folded sheet metal and formed by 2 rectangular metal columns (upper and lower) with removable metal housing panels, oblong shaped tubular-section metal base fitted with adjustable stabilizer feet. Cables are channelled within the leg structure behind the removable panels, and exit through openings in the upper and lower extremities. Worktop height: adjusts at 2 cm intervals from 62 to 86 cm.

7 Open-sided 'L' shaped beam made from folded 1.2 mm sheet metal. Designed to store and channel trailing sockets and cables, features a 75 mm deep gully and 4 openings of 45 mm each. Available in an aluminium grey or graphite grey epoxy powder finish.

8 Melamine counterbalanced modesty panel, 19 mm thick in finish matching the worktops. Height 30 cm. Matching strip of 2 mm thick ABS edge banding. Features 2 cable ports so that cables can be fed through from the legs to the worktop.

9 Optional metal cable trough designed to be fitted to the modesty panel on the user side (not available for configurations with supporting pedestal). Height 8 cm, depth 7 cm and comes in an aluminium grey finish.



■ Rectangular desks D. 80 cm



	Fixed legs	Adjustable legs
Beam		
W. 80 cm	2 029 021 + top + leg + col.	2 029 026 + top + leg + col.
W. 120 cm	2 029 022 + top + leg + col.	2 029 027 + top + leg + col.
W. 140 cm	2 029 023 + top + leg + col.	2 029 028 + top + leg + col.
W. 160 cm	2 029 024 + top + leg + col.	2 029 029 + top + leg + col.
W. 180 cm	2 029 025 + top + leg + col.	2 029 030 + top + leg + col.
Melamine modesty panel		
W. 80 cm	2 029 031 + top + leg + col.	2 029 036 + top + leg + col.
W. 120 cm	2 029 032 + top + leg + col.	2 029 037 + top + leg + col.
W. 140 cm	2 029 033 + top + leg + col.	2 029 038 + top + leg + col.
W. 160 cm	2 029 034 + top + leg + col.	2 029 039 + top + leg + col.
W. 180 cm	2 029 035 + top + leg + col.	2 029 040 + top + leg + col.
Metal modesty panel		
W. 80 cm	2 029 041 + top + leg + col.	2 029 046 + top + leg + col.
W. 120 cm	2 029 042 + top + leg + col.	2 029 047 + top + leg + col.
W. 140 cm	2 029 043 + top + leg + col.	2 029 048 + top + leg + col.
W. 160 cm	2 029 044 + top + leg + col.	2 029 049 + top + leg + col.
W. 180 cm	2 029 045 + top + leg + col.	2 029 050 + top + leg + col.

■ Rectangular desks D. 80 cm with supporting pedestal



Fixed leg	Pedestal on left side	Pedestal on right side
W. 140 cm	2 029 051 + top + leg + col.	2 029 054 + top + leg + col.
W. 160 cm	2 029 052 + top + leg + col.	2 029 055 + top + leg + col.
W. 180 cm	2 029 053 + top + leg + col.	2 029 056 + top + leg + col.

■ 90° link unit



W. 80 x D. 80 cm	2 029 008 + top	
Tubular support leg	Fixed leg 2 029 009 + leg	Adjustable leg 2 029 010 + leg

■ Rectangular desks D. 60 cm



	Fixed legs	Adjustable legs
Beam		
W. 80 cm	2 029 057 + top + leg + col.	2 029 059 + top + leg + col.
W. 120 cm	2 029 058 + top + leg + col.	2 029 060 + top + leg + col.
Melamine modesty panel		
W. 80 cm	2 029 061 + top + leg + col.	2 029 063 + top + leg + col.
W. 120 cm	2 029 062 + top + leg + col.	2 029 064 + top + leg + col.
Metal modesty panel		
W. 80 cm	2 029 065 + top + leg + col.	2 029 067 + top + leg + col.
W. 120 cm	2 029 066 + top + leg + col.	2 029 068 + top + leg + col.

■ Arch-shaped desks



	Fixed legs	Adjustable legs
Beam	2 029 083 + top + leg + col.	2 029 086 + top + leg + col.
Melamine modesty panel	2 029 084 + top + leg + col.	2 029 087 + top + leg + col.
Metal modesty panel	2 029 085 + top + leg + col.	2 029 088 + top + leg + col.

7 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg) and decorative leg panels (+ col)



■ Asymmetrical wave desks D. 80/100 cm



	Fixed legs	Adjustable legs
Beam		
W. 140 cm - left-hand return	2 029 089 + top + leg + col.	2 029 095 + top + leg + col.
W. 140 cm - right-hand return	2 029 090 + top + leg + col.	2 029 096 + top + leg + col.
W. 160 cm - left-hand return	2 029 101 + top + leg + col.	2 029 107 + top + leg + col.
W. 160 cm - right-hand return	2 029 102 + top + leg + col.	2 029 108 + top + leg + col.
Melamine modesty panel		
W. 140 cm - left-hand return	2 029 091 + top + leg + col.	2 029 097 + top + leg + col.
W. 140 cm - right-hand return	2 029 092 + top + leg + col.	2 029 098 + top + leg + col.
W. 160 cm - left-hand return	2 029 103 + top + leg + col.	2 029 109 + top + leg + col.
W. 160 cm - right-hand return	2 029 104 + top + leg + col.	2 029 110 + top + leg + col.
Metal modesty panel		
W. 140 cm - left-hand return	2 029 093 + top + leg + col.	2 029 099 + top + leg + col.
W. 140 cm - right-hand return	2 029 094 + top + leg + col.	2 029 100 + top + leg + col.
W. 160 cm - left-hand return	2 029 105 + top + leg + col.	2 029 111 + top + leg + col.
W. 160 cm - right-hand return	2 029 106 + top + leg + col.	2 029 112 + top + leg + col.

■ Symmetrical wave desks D. 100 cm



	Fixed legs	Adjustable legs
Beam		
W. 160 cm	2 029 113 + top + leg + col.	2 029 116 + top + leg + col.
W. 180 cm	2 029 119 + top + leg + col.	2 029 122 + top + leg + col.
Melamine modesty panel		
W. 160 cm	2 029 114 + top + leg + col.	2 029 117 + top + leg + col.
W. 180 cm	2 029 120 + top + leg + col.	2 029 123 + top + leg + col.
Metal modesty panel		
W. 160 cm	2 029 115 + top + leg + col.	2 029 118 + top + leg + col.
W. 180 cm	2 029 121 + top + leg + col.	2 029 124 + top + leg + col.

■ Fixed wave return



	Fixed leg(s)	Adjustable leg(s)
On New Duplex design leg		
Left-hand return	2 029 125 + top + leg + col.	2 029 127 + top + leg + col.
Right-hand return	2 029 126 + top + leg + col.	2 029 128 + top + leg + col.
On tubular legs Ø 60 mm	2 029 129 + top + leg	2 029 130 + top + leg

■ Cable troughs for metal modesty panels



For rectangular desks W. 120 and W. 140 cm or 90° symmetrical compact desks	W. 100 cm	6 478 016 SB
For rectangular or wave desks W. 160 and W. 180 cm or 90° symmetrical compact desks	W. 142.5 cm	6 478 017 SB
For 120° symmetrical compact desks	W. 90 cm	2 028 464 SB



Melamine pedestals p. 132.



2nd level rails and accessories p. 141.



Individual meeting tables p. 198.

■ 90° asymmetrical compact desks D. 120 cm

	Fixed legs		Adjustable legs	
Beam				
W. 160 x Rt 60 cm - left-hand return	2 029 131 + top + leg + col.		2 029 133 + top + leg + col.	
W. 160 x Rt 60 cm - right-hand return	2 029 132 + top + leg + col.		2 029 134 + top + leg + col.	
W. 180 x Rt 60 cm - left-hand return	2 029 143 + top + leg + col.		2 029 145 + top + leg + col.	
W. 180 x Rt 60 cm - right-hand return	2 029 144 + top + leg + col.		2 029 146 + top + leg + col.	
W. 180 x Rt 80 cm - left-hand return	2 029 155 + top + leg + col.		2 029 157 + top + leg + col.	
W. 180 x Rt 80 cm - right-hand return	2 029 156 + top + leg + col.		2 029 158 + top + leg + col.	
Melamine modesty panel				
W. 160 x Rt 60 cm - left-hand return	2 029 135 + top + leg + col.		2 029 137 + top + leg + col.	
W. 160 x Rt 60 cm - right-hand return	2 029 136 + top + leg + col.		2 029 138 + top + leg + col.	
W. 180 x Rt 60 cm - left-hand return	2 029 147 + top + leg + col.		2 029 149 + top + leg + col.	
W. 180 x Rt 60 cm - right-hand return	2 029 148 + top + leg + col.		2 029 150 + top + leg + col.	
W. 180 x Rt 80 cm - left-hand return	2 029 159 + top + leg + col.		2 029 161 + top + leg + col.	
W. 180 x Rt 80 cm - right-hand return	2 029 160 + top + leg + col.		2 029 162 + top + leg + col.	
Metal modesty panel				
W. 160 x Rt 60 cm - left-hand return	2 029 139 + top + leg + col.		2 029 141 + top + leg + col.	
W. 160 x Rt 60 cm - right-hand return	2 029 140 + top + leg + col.		2 029 142 + top + leg + col.	
W. 180 x Rt 60 cm - left-hand return	2 029 151 + top + leg + col.		2 029 153 + top + leg + col.	
W. 180 x Rt 60 cm - right-hand return	2 029 152 + top + leg + col.		2 029 154 + top + leg + col.	
W. 180 x Rt 80 cm - left-hand return	2 029 163 + top + leg + col.		2 029 165 + top + leg + col.	
W. 180 x Rt 80 cm - right-hand return	2 029 164 + top + leg + col.		2 029 166 + top + leg + col.	



OPTIONAL EXTRA

Tubular support leg

To be fitted to compact office desk return. Not compatible with supporting metal pedestal.

Tubular section legs ø 60 mm	2 029 009 + leg		2 029 010 + leg	
------------------------------	-----------------	--	-----------------	--

■ 90° asymmetrical compact desks with supporting pedestal D. 120 cm



OPTIONAL EXTRA

	Fixed leg		Pedestal on left side		Pedestal on right side	
W. 160 x Rt 60 cm	2 029 167 + top + leg + col.		2 029 167 + top + leg + col.		2 029 170 + top + leg + col.	
W. 180 x Rt 60 cm	2 029 168 + top + leg + col.		2 029 168 + top + leg + col.		2 029 171 + top + leg + col.	
W. 180 x Rt 80 cm	2 029 169 + top + leg + col.		2 029 169 + top + leg + col.		2 029 172 + top + leg + col.	
OPTIONAL EXTRA	Tubular support leg					
Tubular section legs ø 60 mm	2 029 009 + leg					

■ Curved 90° compact desks - W. 180 cm

Tubular support leg fitted to the return 60 cm.



	Fixed legs		Adjustable legs	
Beam				
Left-hand return	2 029 173 + top + leg + col.		2 029 175 + top + leg + col.	
Right-hand return	2 029 174 + top + leg + col.		2 029 176 + top + leg + col.	
Melamine modesty panel				
Left-hand return	2 029 177 + top + leg + col.		2 029 179 + top + leg + col.	
Right-hand return	2 029 178 + top + leg + col.		2 029 180 + top + leg + col.	
Metal modesty panel				
Left-hand return	2 029 181 + top + leg + col.		2 029 183 + top + leg + col.	
Right-hand return	2 029 182 + top + leg + col.		2 029 184 + top + leg + col.	

7 choices of finish for tops (+ top)



3 choices of finish for legs (+ leg) and decorative leg panels (+ col)



■ Standard fixed returns

For standard straight desks W. 140, 160 and 180 cm and for compact returns 60 cm.



	Fixed leg(s)	Adjustable leg(s)
On New Duplex design leg		
W. 80 cm - left-hand return	2 029 069 + top + leg + col.	2 029 073 + top + leg + col.
W. 80 cm - right-hand return	2 029 071 + top + leg + col.	2 029 075 + top + leg + col.
W. 120 cm - left-hand return	2 029 070 + top + leg + col.	2 029 074 + top + leg + col.
W. 120 cm - right-hand return	2 029 072 + top + leg + col.	2 029 076 + top + leg + col.
Tubular section legs ø 60 mm		
W. 80 cm	2 029 077 + top + leg	2 029 079 + top + leg
W. 120 cm	2 029 078 + top + leg	2 029 080 + top + leg
On metal structural pedestal W. 42 cm		
W. 80 cm	2 029 081 + top + leg	
W. 120 cm	2 029 082 + top + leg	

■ 90° symmetrical compact desks - asymmetrical structure



	Fixed legs	Adjustable legs
Beam		
W. 140 x Rf 80 cm - left-hand return	2 029 185 + top + leg + col.	2 029 188 + top + leg + col.
W. 140 x Rf 80 cm - right-hand return	2 029 197 + top + leg + col.	2 029 200 + top + leg + col.
W. 160 x Rf 80 cm - left-hand return	2 029 191 + top + leg + col.	2 029 194 + top + leg + col.
W. 160 x Rf 80 cm - right-hand return	2 029 203 + top + leg + col.	2 029 206 + top + leg + col.
Melamine modesty panel		
W. 140 x Rf 80 cm - left-hand return	2 029 186 + top + leg + col.	2 029 189 + top + leg + col.
W. 140 x Rf 80 cm - right-hand return	2 029 198 + top + leg + col.	2 029 201 + top + leg + col.
W. 160 x Rf 80 cm - left-hand return	2 029 192 + top + leg + col.	2 029 195 + top + leg + col.
W. 160 x Rf 80 cm - right-hand return	2 029 204 + top + leg + col.	2 029 207 + top + leg + col.
Metal modesty panel		
W. 140 x Rf 80 cm - left-hand return	2 029 187 + top + leg + col.	2 029 190 + top + leg + col.
W. 140 x Rf 80 cm - right-hand return	2 029 199 + top + leg + col.	2 029 202 + top + leg + col.
W. 160 x Rf 80 cm - left-hand return	2 029 193 + top + leg + col.	2 029 196 + top + leg + col.
W. 160 x Rf 80 cm - right-hand return	2 029 205 + top + leg + col.	2 029 208 + top + leg + col.

■ 90° and 120° symmetrical compact desks – symmetrical structure



	Fixed legs	Adjustable legs
90° compact desks		
Metal modesty panel		
W. 140 x W. 140 x Rf 80 cm	2 029 209 + top + leg + col.	
W. 160 x W. 160 x Rf 80 cm	2 029 210 + top + leg + col.	
120° compact desks		
Metal modesty panel		
W. 120 x W. 120 x Rf 80 cm	2 029 211 + top + leg + col.	

■ Meeting extension unit



Extension tables	Fixed leg(s)	Adjustable leg(s)
Circular ø 100 cm	2 029 011 + top + leg	2 029 012 + top + leg
3/4 circular ø 120 cm	2 029 013 + top + leg	2 029 014 + top + leg

■ Half-moon tables



	Fixed leg(s)	Adjustable leg(s)
W. 80 x D. 40 cm	2 029 015 + top + leg	2 029 016 + top + leg
W. 165 x D. 60 cm	2 029 017 + top + leg	2 029 018 + top + leg
W. 165 x D. 82.50 cm	2 029 019 + top + leg	2 029 020 + top + leg

Sit-stand Desk

This table incorporates a convenient electrical lift mechanism to adjust the desk height effortlessly, providing maximum ergonomics and flexibility to users.



Shade card

7 choices of finish for tops



MG
Snow white



MA
White maple



MB
Light beech



RI
Light oak



MC
Salmon beech



RH
French Apple



RL
Amber walnut

1 finish for structure



SA
Aluminium grey

Technical specifications

1 25 mm thick high-density particle board with a decorative sheet of melamine on both sides of the top. Edges protected by a 2 mm thick strip of ABS (in matching finish). Fitted with 2 injection moulded ABS cable ports Ø 80 mm in an aluminium grey finish..




2 Height-adjustable desk (including worktop). Height adjusts from 68 to 135 cm thanks to an electric motor (37 mm/sec), activated by an easy to use elevation control panel.

3 L-shaped fixed steel legs attach to the extremities of the worktop, maximising accessibility. Tubular steel crossbar provides additional structural solidity.



The Range

Rectangular desks Wave desks



Standards



■ Rectangular desks

W. 120 x D. 80 cm	1 561 050 + top + leg
W. 140 x D. 80 cm	1 561 051 + top + leg
W. 160 x D. 80 cm	1 561 052 + top + leg
W. 180 x D. 80 cm	1 561 053 + top + leg

■ Asymmetrical wave desks

W. 140 x D. 100 cm - right-hand version	1 561 054 + top + leg
W. 140 x D. 100 cm - left-hand version	1 561 055 + top + leg
W. 160 x D. 100 cm - right-hand version	1 561 056 + top + leg
W. 160 x D. 100 cm - left-hand version	1 561 057 + top + leg

■ Symmetrical wave desks

W. 160 x D. 100 cm	1 561 058 + top + leg
W. 180 x D. 100 cm	1 561 059 + top + leg



Articulated vertebral cable holder p. 145.



Lighting p. 146.



Ergonomic chairs p. 304.

